Resonant MEMS: an application

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions

Backup slides

### Numerical Methods for Resonance Calculations

D. Bindel

Courant Institute of Mathematical Sciences New York University

BIRS Resonance Workshop, 20 Oct 2008

#### Outline

Resonant MEMS: an application

Resonances via nonlinea eigenprobems

Resonances via Perfectly Matched Layers

Conclusions

- Resonant MEMS: an application
- 2 Resonances via nonlinear eigenproblems
- Resonances via Perfectly Matched Layers
- 4 Conclusions

#### Outline

Resonant MEMS: an application

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

- Resonant MEMS: an application
- Resonances via nonlinear eigenproblems
- 3 Resonances via Perfectly Matched Layers
- 4 Conclusions


#### Resonant RF MEMS

Resonant MEMS: an application

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions



Microguitars from Cornell University (1997 and 2003)

- MHz-GHz mechanical resonators
- Favorite application: radio on chip
- Close second: really high-pitch guitars


#### The Mechanical Cell Phone

Resonant MEMS: an application

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions



- Your cell phone has many moving parts!
- What if we replace them with integrated MEMS?



#### **Ultimate Success**

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

Backup slides

#### "Calling Dick Tracy!"




#### **Disk Resonator**

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions



### **Damping Mechanisms**


Resonant MEMS: an application

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

Backup slide:



#### Possible loss mechanisms:

- Fluid damping
- Material losses
- Thermoelastic damping
- Anchor loss

This is a resonance computation!

#### Outline

Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

- Resonant MEMS: an application
- 2 Resonances via nonlinear eigenproblems
- Resonances via Perfectly Matched Layers
- 4 Conclusions

# Simple 1D Problem

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions

Backup slid

#### Consider 1D Schrödinger:

$$\left(-\frac{\mathit{d}^2}{\mathit{d}x^2}+\mathit{V}(x)\right)\psi=\mathit{E}\psi.$$

#### How do we:

- Quickly compute resonances (nice enough V)?
- Make sure the computations are correct?

# Simple 1D Problem

Consider 1D Schrödinger:

$$\left(-\frac{d^2}{dx^2}+V(x)\right)\psi=E\psi.$$

If  $supp(V) \subset [a, b]$ , write

$$\left(-\frac{d^2}{dx^2} + V(x) - k^2\right)\psi = 0, x \in (a, b)$$
$$\left(\frac{d}{dx} - ik\right)\psi = 0, x = b$$
$$\left(\frac{d}{dx} + ik\right)\psi = 0, x = a$$

 $\operatorname{Im} k \geq 0$  for eigenvalues,  $\operatorname{Im} k < 0$  for resonances.

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

# Pseudospectral Discretization

Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions

Backup slides

Sample  $\psi$  at Chebyshev nodes and approximate  $d\psi/dx$  by differentiating the interpolant:

$$(-D^{2} + V(x) - k^{2}) \psi = 0, x \in (a, b)$$
$$(D - ik) \psi = 0, x = b$$
$$(D + ik) \psi = 0, x = a$$

Now linearize (introduce auxiliary variable  $\phi=k\psi$ ) to get an ordinary generalized eigenvalue problem.


### Is it that easy?

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched

Conclusions



# **Backward Error Analysis**

If  $\hat{\psi}$  is a numerical solution, there is some  $\hat{V}$  s.t.

$$\left(-\frac{d^2}{dx^2}+\hat{V}(x)-k^2\right)\hat{\psi}=0, x\in(a,b)$$

First-order sensitivity to changes in  $\hat{V}$  is

$$\delta k = \frac{\int_{a}^{b} \hat{\psi}(\delta V) \hat{\psi}}{2k \int_{a}^{b} \hat{\psi}^{2} + i(\hat{\psi}^{2}(a) + \hat{\psi}^{2}(b))}$$
$$= \frac{\int_{a}^{b} \hat{\psi}(H_{V} - k^{2}) \hat{\psi}}{2k \int_{a}^{b} \hat{\psi}^{2} + i(\hat{\psi}^{2}(a) + \hat{\psi}^{2}(b))}.$$

Compute  $\hat{V}$  by evaluating residual for approximate  $\hat{\psi}$  on a fine mesh.

#### Resonant MEMS: an

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



### **Backward Error Analysis**

Resonant MEMS: an

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched

Conclusions

Backup slides

First-order sensitivity to changes in  $\hat{V}$  is

$$\delta \mathbf{k} = \frac{\int_a^b \hat{\psi}(\delta V) \hat{\psi}}{2k \int_a^b \hat{\psi}^2 + i(\hat{\psi}^2(a) + \hat{\psi}^2(b))}.$$

Now think about perturbing from a truncated potential to a non-compactly supported potential. Above bound says this is okay as long as  $|V|/\exp(2\operatorname{Im}(k)|x|) \to 0$  as  $|x| \to \infty$ .

### Backward Error Analysis


Example: truncate Eckart potential  $\cosh^{-2}(x)$ 

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched

Conclusions



#### More General Picture

Consider Schrödinger with compactly supported V in  $\mathbb{R}^d$ . On resolvent set,

$$(H_V - E)\psi = f \text{ on } \Omega$$
  
 $\frac{\partial \psi}{\partial n} - B(E)\psi = 0 \text{ on } \Gamma$ 

where B(E) is the Dirichlet-to-Neumann map on  $\partial\Omega$  Admits a variational formulation:

$$I(\psi) = \frac{1}{2} \int_{\Omega} \left( (\nabla \psi)^{T} (\nabla \psi) + \psi (V - E) \psi \right) d\Omega + \frac{1}{2} \int_{\Gamma} \psi B(E) \psi d\Gamma - \int_{\Omega} \psi f d\Omega.$$

Resonant MEMS: an

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

### Rayleigh Quotient Analogue

Now define a residual for an approximate eigenpair:

$$r(\psi, E) = \int_{\Omega} \left( (\nabla \psi)^{\mathsf{T}} (\nabla \psi) + \psi (V - E) \psi \right) + \int_{\Gamma} \psi B(E) \psi.$$

Take variations and use symmetry of *B*:

$$\delta r(\psi, E) = 2 \int_{\Omega} \delta \psi \left[ (-\Delta + V - E) \psi \right] +$$

$$2 \int_{\Gamma} \delta \psi \left[ \frac{\partial \psi}{\partial n} - B(E) \psi \right] +$$

$$\delta E \left[ \int_{\Omega} \psi^{2} - \int_{\Gamma} \psi B'(E) \psi \right]$$

Resonant MEMS: an

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



# Rayleigh Quotient Analogue

Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions

Backup slides

We now implicitly define a differentiable function  $\tilde{E}(\psi)$  in the neighborhood of an eigenpair  $(\psi, E_*)$ , with  $r(\psi, E(\psi)) = 0$  and  $E(\psi) = E_*$ . Such a function should exist if

$$\int_{\Omega} \psi^2 - \int_{\Gamma} \psi B'(E) \psi \neq 0$$

Stationary precisely when  $(\psi, E)$  an eigenpair.

# Sensitivity

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

Backup slides

Now assume  $\delta V$  a compactly-supported perturbation, and look at effect of  $\delta V$  on Rayleigh quotient analogue. Gives that isolated eigenvalues change like

$$\delta E = \frac{\int_{\Omega} \delta V \psi^2}{\int_{\Omega} \psi^2 - \int_{\Gamma} \psi B'(E) \psi}$$

Can also write in terms of a residual for  $\psi$  as a solution for the potential  $V + \delta V$ :

$$\delta E = \frac{\int_{\Omega} \psi(-\Delta + (V + \delta V) - E)\psi}{\int_{\Omega} \psi^2 - \int_{\Gamma} \psi B'(E)\psi}.$$

### Some Computational Issues

Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions

Backup slides

In general, using the domain equation + DtN map to find resonances is problematic because:

- The DtN map is nonlocal, expensive to work with computationally.
- 2 The Green's function (and hence the DtN map) for an elastic half space problem is hard to write down.
- Nonlinear eigenvalue problems are trickier than linear problems to solve.

#### Outline

Resonant MEMS: an applicatior

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

- 1 Resonant MEMS: an application
- 2 Resonances via nonlinear eigenproblems
- Resonances via Perfectly Matched Layers
- 4 Conclusions

### Perfectly Matched Layers

Resonant MEMS: an

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

- Complex coordinate transformation
- Generates a "perfectly matched" absorbing layer
- Idea works with general linear wave equations
  - Electromagnetics (Berengér, 1994)
  - Quantum mechanics exterior complex scaling (Simon, 1979)
  - Elasticity in standard finite element framework (Basu and Chopra, 2003)

#### **Model Problem**

Resonant MEMS: an

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

Backup slide

• Domain:  $x \in [0, \infty)$ 

Governing eq:

$$\frac{\partial^2 u}{\partial x^2} - \frac{1}{c^2} \frac{\partial^2 u}{\partial t^2} = 0$$

Fourier transform:

$$\frac{d^2\hat{u}}{dx^2} + k^2\hat{u} = 0$$

Solution:

$$\hat{u} = c_{\text{out}}e^{-ikx} + c_{\text{in}}e^{ikx}$$


### Model with Perfectly Matched Layer

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



$$rac{d ilde{x}}{dx} = \lambda(x) ext{ where } \lambda(s) = 1 - i\sigma(s)$$
 
$$rac{d^2\hat{u}}{d ilde{x}^2} + k^2\hat{u} = 0$$
 
$$\hat{u} = c_{ ext{out}}e^{-ik ilde{x}} + c_{ ext{in}}e^{ik ilde{x}}$$


# Model with Perfectly Matched Layer

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



$$\begin{split} \frac{d\tilde{x}}{dx} &= \lambda(x) \text{ where } \lambda(s) = 1 - i\sigma(s), \\ \frac{1}{\lambda} \frac{d}{dx} \left( \frac{1}{\lambda} \frac{d\hat{u}}{dx} \right) + k^2 \hat{u} &= 0 \end{split}$$

$$\hat{u} = c_{\text{out}}e^{-ikx-k\Sigma(x)} + c_{\text{in}}e^{ikx+k\Sigma(x)}$$

$$\Sigma(x) = \int_{0}^{x} \sigma(s) \, ds$$

### Model with Perfectly Matched Layer

Regular domain Transformed domain

 $\sigma$ 

Resonances via Perfectly Matched Lavers

If solution clamped at x = L then


$$rac{c_{
m in}}{c_{
m out}} = O(e^{-k\gamma}) ext{ where } \gamma = \Sigma(L) = \int_0^L \sigma(s) \, ds$$


Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusion







Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusion:







Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusion







Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusion:







Resonant MEMS: ar applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusion







Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusion





### Finite Element Implementation


Resonant MEMS: an application

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

Backup slides



Combine PML and isoparametric mappings

$$\begin{array}{lll} \mathbf{k}^e & = & \int_{\Omega^\square} \tilde{\mathbf{B}}^T \mathbf{D} \tilde{\mathbf{B}} \tilde{J} \, d\Omega^\square \\ \\ \mathbf{m}^e & = & \int_{\Omega^\square} \rho \mathbf{N}^T \mathbf{N} \tilde{J} \, d\Omega^\square \end{array}$$

Matrices are complex symmetric



### Variational Principles

Resonant MEMS: an

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

Backup slide

Variational form for complex symmetric eigenproblems:

Hermitian (Rayleigh quotient):

$$\rho(\mathbf{v}) = \frac{\mathbf{v}^* \mathbf{K} \mathbf{v}}{\mathbf{v}^* \mathbf{M} \mathbf{v}}$$

Complex symmetric (modified Rayleigh quotient):

$$\theta(v) = \frac{v^T K v}{v^T M v}$$

- Key: relation between left and right eigenvectors.

### Relation to the DtN approach

Resonant MEMS: an applicatior

Resonances via nonlinea eigenprobems

Resonances via Perfectly Matched Layers

Conclusions

Backup slide:

PML provides a *local rational approximation* to the DtN conditions. Suppose regions 1, 2, and 3 are the ordinary domain, the boundary, and the PML. Eliminating the variables from region 3 in  $(K - \lambda M)\psi = 0$  yields something like the DtN version of the eigenvalue / resonance problem.


### DtN approximation in PML

Resonant MEMS: an applicatior

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



- Start with  $(K \omega^2 M)u = e_1$
- Schur complement to eliminate PML unknowns
- Compare last coefficient with exact (discrete) BC


### DtN approximation in PML

Resonant MEMS: an applicatior

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



- Start with  $(K \omega^2 M)u = e_1$
- Schur complement to eliminate PML unknowns
- Compare last coefficient with exact (discrete) BC


### DtN approximation in PML

Resonant MEMS: an applicatior

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



- Start with  $(K \omega^2 M)u = e_1$
- Schur complement to eliminate PML unknowns
- Compare last coefficient with exact (discrete) BC

#### Outline

Resonant MEMS: an application

Resonances via nonlinea eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

- 1 Resonant MEMS: an application
- 2 Resonances via nonlinear eigenproblems
- Resonances via Perfectly Matched Layers
- 4 Conclusions

#### Conclusions

Resonant MEMS: an applicatior

Resonances via nonlinea eigenprobems

Resonances via Perfectly Matched Layers

Conclusions

Backup slides

- Can compute resonances via nonlinear eigenvalue problems
- Can also use PMLs / complex scaling
- Want error estimates along with computations; nonlinear variational approach is a useful.

#### See also:

http://www.cims.nyu.edu/~dbindel/matscat/


#### **Disk Resonator Simulations**

Resonant MEMS: an

Resonances via nonlinear eigenproblems

Resonance: via Perfectly Matched Layers

Conclusions




#### Disk Resonator Mesh

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions



- Axisymmetric model with bicubic mesh
- About 10K nodal points in converged calculation




### Mesh Convergence

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



Cubic elements converge with reasonable mesh density


### Response of the Disk Resonator

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Lavers

Conclusions




### Variation in Quality of Resonance

Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions



Simulation and lab measurements vs. disk thickness

### Explanation of Q Variation


Resonant MEMS: an application

Resonances via nonlinear eigenproblems

Resonances via Perfectly Matched Layers

Conclusions

Backup slides



Interaction of two nearby eigenmodes

