

CS100J About Prelim III: Tuesday, 7:30–9:00PM, 15 April, 155 Olin
Review session: Sunday, 13 April, 1:00–3:00. Philips 101

For this prelim, you need to know everything that you needed to know for the first two prelims (see review below). In addition:

For loops. We may give you a problem that requires you to write a loop (with initialization) that processes a range of integers. You should be able to write a post-condition, then write the loops header "**for (int k ...)**", then write a loop invariant, and finally develop the various parts of the loops and initialization.

While loops. We may give you a precondition, post-condition, and a loop invariant, and you will have to develop the loop, with initialization, from it. The grade will depend on how well you deal with the four loop questions and the given invariant. The only variables that should be used (outside of variables declared in the repeat) are variables that are mentioned in the loop invariant.

Arrays. Everything on Sects 8.1 and 8.2 of the class text—these pages discuss the technical details for using arrays in Java and for reasoning about arrays. Two dimensional arrays: You should know how to declare and use rectangular arrays but not ragged; see Sects. 9.1, 9.2, 9.3.1.

Algorithms. You should know the following algorithms. For example, if we ask "what is algorithm partition", you should be able to write the precondition and postcondition (we won't give them to you), write down the invariant, and then develop the loop with initialization. These algorithms are discussed in the text, on the ProgramLive CD, or in lectures notes:

- Algorithm Binary search (Sec. 8.5.3)
- Algorithm Dutch national flag (done in lecture)
- Algorithm Find minimum (Sec. 8.5.1)
- Algorithm Partition (PLive activity 8-5.5
class notes may be better)
- Algorithm Selection sort (Sec. 8.5.4)
- Algorithm Insertion sort (Sec. 8.5.5)

On selection sort and insertion sort, we do *not* want to see the inner loops. The repeats of these algorithms should be written at a high level, stating *what* is done and not how it is done, as discussed in the text and in lecture. Since you know that at least one of these will be on the test, please practise developing all of them. Answering this question should take 5 minutes, because you *know* how to develop them.

Classes String and Vector. We use these all the time. You are expected to know the basic methods of these classes: For class String: `charAt(i)`, `substring(i)`, `substring(i,j)`, `length()`. For Vector: `add(ob)`, `set(i, ob)`, `get(i)`, `size()`. If a question calls for other methods of the classes, we will define them for you. You should know that `new Vector<C>(...)` creates a Vector whose elements are of class `<C>`.

Exception handling. An "exception" is (an instance of a subclass of class Throwable). How to "throw" an exception, and what happens when an exception is thrown. The try-statement. Instances of subclasses of class Error should not be caught—only instances of class Exception. Read Chapter 10, Exception Handling, of the class text.

Classes and subclasses. You will have to write parts of classes/subclasses as on prelims I and II. Two ways to study: (1) Make sure you know the definitions below, and (2) Practice writing classes and subclass definitions. Apparent and real types of a variable are important in understanding what components can and cannot be referenced. Take a look at other texts on Java and see what exercises they have for writing classes. Also, know that the definitions of the fields, together called the "class invariant", has to be kept true by all methods. Finally, when writing classes, write them in DrJava so you can test your syntax.

GUIs. We will not ask you questions about GUIs. They may be on previous prelim 3's but will not be on this prelim 3.

Definitions. Below is a collection of definitions. Know them backward and forward. On the test, wishywashy definitions will not get much credit. They must be the same as, or similar to, the ones below—and they must be correct. Learn these not by reading but by practicing writing them down, or have a friend ask you these and repeat them out loud. You should be able to write programs that use the concepts defined below, and you should be able to draw objects and execute method calls, drawing the frames for the calls.

Variable: A named box that can contain a value of some type or class. For a type like `int`, the value is an integer; for a class-type, the value is the name of (or reference to) an instance of the class—the name that appears on the folder (or object).

Declaration of a variable: a definition of the name of the variable and the type or class of value it can contain. Basic syntax: *type variable-name*

Four kinds of variable: parameter, local variable, instance variable (or field), static variable (or class variable).

Parameter: A variable that is declared within the parentheses of a method header. The variable is drawn in a frame for a call on the method.

Local variable: A variable declared in the body of the method. It is drawn in a frame for a call on the method.

Instance variable: A variable that is declared in a class without modifier `static`. An instance variable is placed in every folder of the class.

CS100J About Prelim III: Tuesday, 7:30–9:00PM, 15 April, 155 Olin
Review session: Sunday, 13 April, 1:00–3:00. Philips 101

Static variable: A variable that is declared in a class with modifier **static**. A static variable is placed in the file drawer for the class in which it is declared.

Three kinds of method: procedure, function, constructor:

Procedure definition has keyword **void** before the procedure name. A procedure call is a statement.

Function definition has the result type in place of **void**. A function call is an expression; its value is the value returned by the function.

Constructor definition has neither keyword **void** nor a type, and its name is the same as the name of the class in which it appears. The constructor call is a statement, whose purpose is to initialize (some of) the fields of a newly created folder.

Argument: An expression that occurs within the parentheses of a method call (arguments are separated by commas).

Object (manila folder, or instance) of a class. An entity that is drawn like a manila folder. It has a name or label on its tab. Its contents are the instance methods and instance fields defined in the class definition. We assume you can draw a folder, or instance, of a class. For subclasses, remember that the folder has more than one partition. Look at the homework we had on drawing folders.

New-expression. An expression of the form “**new** class-name (arguments)”. It is evaluated as follows: (1) create a new folder of class class-name and put it in class-name's file drawer. (2) Execute the constructor call “class-name (arguments)”; where the method called appears in the newly created folder. (3) Yield as the result of the new-expression the name of the folder created in step (1).

Frame for a method call. The frame for a method call contains: (1) the name of the method and the program counter, in a box in the upper left, (2) the scope box (see below), (3) the local variables of the method, (4) the parameters of the method.

The scope box for a call contains: For a static method, the name of the class; for an instance method, the name of the folder in which the instance appears.

To execute a method call:

1. Draw a frame for the call. (Fill in its name and program counter in the upper left box. Fill in its scope box on the upper right. Draw local variables and parameters.)
2. Assign the values of the arguments to the parameters.

3. Execute the method body. When a name is used, look for it in the frame for the call. If it is not there, look in the place given by the scope box.

4. Erase the frame for the call.

Class Object. Every class that does not explicitly extend another subclass automatically extends class **Object**. Class **Object** has at least two instance methods: **toString** and **equals**.

Calling one constructor from another. In one constructor, the first statement has to be a call on another constructor in the same class (use keyword **this** instead of the class-name) or a call on a constructor of the superclass (use keyword **super** instead of the class-name). If a constructor call is not the first statement, the call **super()**; is automatically inserted.

Overriding a method. In a subclass, one can redefine a method that was defined in a superclass. This is called overriding the method. In general, the overriding method is called. To call the overridden method **m** (say) of the superclass, use the notation **super.m(...)**.

Real and apparent class. A variable **x** defined using, say, **C x**;, has apparent class **C**. The apparent class is used in determine whether a reference to a field or method is syntactically legal. One can write **x.m(...)**, for example, if and only if method **m** is declared or is inherited in class **C**. The real class of **x** is the class of the object that is in **x**. It could be a subclass. If **x.m(...)** is legal, then it calls the method that is accessible in the real class, not the apparent class.

Casting and instanceof. Just as one can cast an **int i** to another type, using, say, **(byte) i** or **(double) i**, one can cast a variable of some class-type variable to a superclass or subclass. You should know how to use operator **instanceof**. See Sect. 4.2 and 4.3 of the text.