

## 18. Introduction to Classes

### Topics:

- Class Definitions
- Constructors
- Example: The class `Point`
- Functions that work with `Point` Objects
- Defining methods

## What a Simple Class Definition Looks Like

```
class Point(object):
    """
    Attributes:
        x: float, the x-coordinate of a point
        y: float, the y-coordinate of a point
    """
    def __init__(self,x,y):
        self.x = x
        self.y = y
```

A class can be used to "package" related data.

## One Reason for classes: They Elevate the Level Thinking

```
>>> P = Point(2,1)
>>> Q = Point(6,4)
>>> d = P.Dist(Q)
>>> print d
5
```

Here, `Dist` is a method and `P.Dist(Q)` says "compute and return the distance from point P to point Q."

## One Reason for classes: They Elevate the Level Thinking

```
>>> P = Point(2,1)
>>> Q = Point(6,4)
>>> d = P.Dist(Q)
>>> print d
5
```

By having a `Point` class we can think at the "point level" instead of at the "xy level"

## Classes and Types

Recall that a type is a set of values and operations that can be performed on those values.

The four basic "built-in" types:

```
int, float, str, bool
```

Classes are a way to define new types.

## Examples

By suitably defining a rectangle class, we could say something like

```
if R1.intersect(R2):
    print 'Rectangles R1 and R2 intersect'
```

## Examples

By suitably defining a polynomial class, we could perform operations like

$$p = q + r$$

where  $q$  and  $r$  are polynomials that are added together to produce a polynomial  $p$

## How to Define a Class

### A Point Class

```
class Point(object):
    """
    Attributes:
        x: float, the x-coordinate of a point
        y: float, the y-coordinate of a point
    """
    def __init__(self,x,y):
        self.x = x
        self.y = y
```

A class provides a "blue print" for packaging data. The data is stored in the attributes.

### A Point Class

```
class Point(object):
    """
    Attributes:
        x: float, the x-coordinate of a point
        y: float, the y-coordinate of a point
    """
    def __init__(self,x,y):
        self.x = x
        self.y = y
```

This special function, called a constructor, does the packaging.

### A Point Class

```
class Point(object):
    """
    Attributes:
        x: float, the x-coordinate of a point
        y: float, the y-coordinate of a point
    """
    def __init__(self,x,y):
        self.x = x
        self.y = y
```

The name of this class is "Point"

### The " \_\_init\_\_ " Function

```
def __init__(self,x,y):
    """ Creates a Point object

    PreC: x and y are floats
    """
    self.x = x
    self.y = y
```

That's a double underscore: `__init__`

## The "\_\_init\_\_" Function

```
def __init__(self,x,y):
    """ Creates a Point object

    PreC: x and y are floats
    """
    self.x = x
    self.y = y
```

"self" is always the first argument for any method defined in a class.

## The "\_\_init\_\_" Function


```
def __init__(self,x,y):
    """ Creates a Point object

    PreC: x and y are floats
    """
    self.x = x
    self.y = y
```

The attributes are assigned values.

## Calling the Constructor Creates an Object


## Calling the Constructor



```
>>> a = 3
>>> b = 4
>>> Q = Point(a,b)
```

The constructor's name is the name of the class


## Calling the Constructor



```
>>> a = 3
>>> b = 4
>>> Q = Point(a,b)
```

This creates a **Point** object

## Calling the Constructor



```
>>> a = 3
>>> b = 4
>>> Q = Point(a,b)
```

The constructor returns a reference, in effect, the red arrow.

## Objects: The Folder Metaphor

In the office, manila folders organize data.

Objects organize data.

A point object houses float variables  $x$  and  $y$ , called the attributes, where  $(x,y)$  is the point.


## Objects: The Folder Metaphor

In the office manila folders organize data.

Objects organize data.

A color object might house an  $rgb$  list like  $[1,0,1]$  and a string that names it, i.e., 'magenta'

## Visualizing a Point Object



```
>>> a = 3
>>> b = 4
>>> Q = Point(a,b)
```

$x$  and  $y$  are attributes

Attributes are variables that lie inside objects

## Accessing an Attribute

### The "Dot Notation" Again

Not a coincidence: modules are objects

## Accessing Attributes

```
>>> Q = Point(3,4)
>>> print Q
( 3.000, 4.000)
>>> Q.x = Q.x + 5
>>> print Q
( 8.000, 4.000)
```

$Q.x$  is a variable and can "show up" in all the usual places, i.e., in an assignment statement.

## Accessing Attributes

```
>>> Q = Point(3,4)
>>> print Q ←
( 3.000, 4.000)
>>> Q.x = Q.x + 5
>>> print Q ←
( 8.000, 4.000)
```

Seems that we can print an object!

## The "\_\_str\_\_" function

```
def __str__(self):
    return '%6.3f,%6.3f' %(self.x,self.y)
```

This "double underscore" function is part of the class definition.

Whenever a statement like

```
print P
```

is encountered, then P is "prettyprinted" according to the format rules.

## Two Examples

A function that returns a Point Object:

```
RandomPoint(Lx,Rx,Ly,Ry)
```

A function that has input parameters that are Point objects:

```
Midpoint(P,Q)
```

## Computing a Random Point

```
def RandomPoint(Lx,Rx,Ly,Ry):
    """ Returns a point that is randomly chosen
    from the square Lx<=x<=Rx, Ly<=y<=Ry.

    PreC: Lx and Rx are floats with Lx<Rx
    Ly and Ry are floats with Ly<Ry
    """
    x = randu(Lx,Rx)
    y = randu(Ly,Ry)
    P = Point(x,y)
    return P
```

calling the  
constructor

## Computing a Midpoint

```
def Midpoint(P1,P2):
    """ Returns a point that is the midpoint of
    a line segment that connects P1 and P2.

    PreC: P1 and P2 are point objects.
    """
    xm = (P1.x + P2.x)/2.0
    ym = (P1.y + P2.y)/2.0
    Q = Point(xm,ym)
    return Q
```

## Computing a Midpoint

```
def Midpoint(P1,P2):
    """ Returns a point that is the midpoint of
    the line segment that connects P1 and P2.

    PreC: P1 and P2 are points.
    """
    xm = (P1.x + P2.x)/2.0
    ym = (P1.y + P2.y)/2.0
    Q = Point(xm,ym)
    return Q
```

referencing  
a point's  
attributes

calling the  
constructor

## Methods

Methods are functions that are defined inside a class definition.

We have experience using them with strings

```
s.upper(), s.find(s1), s.count(s2),
s.append(s2), s.split(c), etc
```

and lists

```
L.append(x), L.extend(x), L.sort(), etc
```

## Methods

Now we show how to implement them.

We will design a method for the `Point` class that can be used to compute the distance between two points.

It will be used like this:

```
delta = P.Dist(Q)
```

Note the dot notation syntax for method Calls.

## A Point Class Method: Dist

```
class Point(object):
    def __init__(self,x,y):
        self.x = x
        self.y = y

    def Dist(self,other):
        """ Returns distance from self to other.
        PreC: other is a point
        """
        dx = self.x - other.x
        dy = self.y - other.y
        d = sqrt(dx**2+dy**2)
        return d
```

Assume proper importing from math class

## Using the Dist Method

Let's create two point objects and compute the distance between them. This can be done two ways...

```
>>> P = Point(3,4)
>>> Q = Point(6,8)
>>> deltaPQ = P.Dist(Q)
>>> deltaQP = Q.Dist(P)
>>> print deltaPQ,deltaQP
5.0 5.0
```

The usual "dot" notation for invoking a method

## Method Implementation: Syntax Concerns

```
class Point(object)
:
def Dist(self,other):
    """ Returns distance from self to other.
    PreC: P is a point
    """
    dx = self.x - other.x
    dy = self.y - other.y
    d = sqrt(dx**2+dy**2)
    return d
```

Note the use of "self".  
It is always the first argument of a method.

## How to Think "Method"

```
class Point(object):
:
def Dist(self,other):
    """ Returns distance from self to other.
    PreC: P is a point
    """
    dx = self.x - other.x
    dy = self.y - other.y
    d = sqrt(dx**2+dy**2)
    return d
```

Think like this: "We are going to apply the method `dist` to a pair of `Point` objects, `self` and `other`."

## Method Implementation: Syntax Concerns

```
class Point(object):
:
def Dist(self,other):
    """ Returns distance from self to other
    PreC: other is a point
    """
    dx = self.x - other.x
    dy = self.y - other.y
    d = sqrt(dx**2+dy**2)
    return d
```

Two Facts:  
Indentation is important.  
A class method is part of the class definition.


## Visualizing a Method Call Using State Diagrams

Let's see what happens when we execute the following:

```
P = Point(3,4)
Q = Point(6,8)
D = P.Dist(Q)
```


## Visualizing a Method Call

```
P = Point(3,4)
Q = Point(6,8)
D = P.Dist(Q)
```




## Visualizing a Method Call

```
P = Point(3,4)
Q = Point(6,8)
D = P.Dist(Q)
```



## Visualizing a Method Call

```
P = Point(3,4)
Q = Point(6,8)
D = P.Dist(Q)
```




## Method: Dist

```
class Point(object):
    :
    def Dist(self, other):
        """ Returns distance from self to other.
        PreC: other is a point
        """
        dx = self.x - other.x
        dy = self.y - other.y
        d = sqrt(dx**2 + dy**2)
        return d
```


Think of **self** and **other** as input parameters.

## Visualizing a Method Call


```
P = Point(3,4)
Q = Point(6,8)
D = P.Dist(Q)
```




## Visualizing a Method Call




## Visualizing a Method Call



## Visualizing a Method Call



## Visualizing a Method Call



## Checking Things Out

```

>>> P1 = RandomPoint(-10,10)
>>> P2 = RandomPoint(-10,10)
>>> M = Midpoint(P1,P2)
>>> print M.Dist(P1)
4.29339610681
>>> print M.Dist(P2)
4.29339610681

```

## Summary: Base Types vs Classes

### Base Types

Built into Python  
Instances are values  
Instantiate w/ Literals  
Immutable

### Classes

Defined in Modules  
Instances are objects  
Instantiate w/ constructors  
Mutable




## A Note on Copying an Object

There is a difference between creating an alias and creating a genuine second copy of an object.

## This Does Not Create a Copy...


```
>>> Q = Point(3,4)
>>> P = Q
```



It creates an alias, not a copy.


## This Does Create a Copy...

```
>>> Q = Point(3,4)
>>> P = Point(Q.x, Q.y)
```



## And This Also Creates a Copy...

```
>>> Q = Point(3,4)
>>> P = copy(Q)
```



The function `copy` must be imported.

## The Module `copy`

```
from copy import copy
```

Import this function and use it to make copies of objects.

`deepcopy` is another useful function from this module—more later.

## Using `copy`

```
>>> Q = Point(3,4)
>>> P1 = copy(Q)
>>> P1.x = 5
>>> print Q
( 3.000, 4.000)
>>> print P1
( 5.000, 4.000)
```

We are modifying `P1`, but `Q` remains the same

## Methods vs Functions

It is important to understand the differences between methods and functions, i.e., how they are defined and how they are invoked.

## A >>Function<< that Returns the Distance Between Two Points

```
def Dist(P1,P2):
    """ Returns the distance from P1 to P2.
    PreC: P1 and P2 are points
    """
    d = sqrt((P1.x-P2.x)**2+(P1.y-P2.y)**2)
    return d
```

## Methods and (Regular) Functions

```
def Dist(self,other):
    dx = self.x - other.x
    dy = self.y - other.y
    D = sqrt(dx**2+dy**2)
    return D
```

```
>>> P = Point(3,4)
>>> Q = Point(6,8)
>>> P.Dist(Q)
5.0
```

```
def Dist(P,Q):
    dx = P.x - Q.x
    dy = P.y - Q.y
    D = sqrt(dx**2+dy**2)
    return D
```

```
>>> P = Point(3,4)
>>> Q = Point(6,8)
>>> Dist(Q,P)
5.0
```