

Spring 2022 CS 1110 Prelim 1 Reference Sheet

This is a comprehensive reference sheet that might include functions or methods not needed for your prelim.

| List methods | |
|--------------------------------|--|
| <code>lt[i:j]</code> | Returns: if <code>i</code> and <code>j</code> are non-negative indices and $i \leq j-1$, a new list containing the elements in <code>lt</code> from index <code>i</code> to index <code>j-1</code> , or the sublist of <code>lt</code> starting at <code>i</code> if $j \geq \text{len}(s)$ |
| <code>lt.append(item)</code> | Adds <code>item</code> to the end of list <code>lt</code> |
| <code>lt.count(item)</code> | Returns: count of how many times <code>item</code> occurs in list <code>lt</code> |
| <code>lt.index(item)</code> | Returns: index of first occurrence of <code>item</code> in list <code>lt</code> ; raises an error if <code>item</code> is not found. (There's no "find" for lists.) |
| <code>lt.index(y, n)</code> | Returns: index of first occurrence of <code>item</code> in list <code>lt</code> STARTING at position <code>n</code> ; raises an error if <code>item</code> does not occur in <code>lt</code> . |
| <code>lt.insert(i,item)</code> | Insert <code>item</code> into list <code>lt</code> at position <code>i</code> |
| <code>lt.pop(i)</code> | Returns: element of list <code>lt</code> at index <code>i</code> and also removes that element from the list <code>lt</code> . Raises an error if <code>i</code> is an invalid index. |
| <code>lt.remove(item)</code> | Removes the first occurrence of <code>item</code> from list <code>lt</code> ; raises an error if <code>item</code> not found. |
| <code>lt.reverse()</code> | Reverses the list <code>lt</code> in place (so, <code>lt</code> is modified) |
| <code>lt.sort()</code> | Rearranges the elements of <code>x</code> to be in ascending order. |

| String methods | |
|-----------------------------|--|
| <code>s[i:j]</code> | Returns: if <code>i</code> and <code>j</code> are non-negative indices and $i \leq j-1$, a new string containing the characters in <code>s</code> from index <code>i</code> to index <code>j-1</code> , or the substring of <code>s</code> starting at <code>i</code> if $j \geq \text{len}(s)$ |
| <code>s.count(s1)</code> | Returns: the number of times <code>s1</code> occurs in string <code>s</code> |
| <code>s.find(s1)</code> | Returns: index of first occurrence of string <code>s1</code> in string <code>s</code> (-1 if not found) |
| <code>s.find(s1,n)</code> | Returns: index of first occurrence of string <code>s1</code> in string <code>s</code> STARTING at position <code>n</code> . (-1 if <code>s1</code> not found in <code>s</code> from this position) |
| <code>s.index(s1)</code> | Returns: index of first occurrence of string <code>s1</code> in string <code>s</code> ; raises an error if <code>s1</code> is not found in <code>s</code> . |
| <code>s.index(s1,n)</code> | Returns: index of first occurrence of string <code>s1</code> in string <code>s</code> STARTING at position <code>n</code> ; raises an error if <code>s1</code> is not found in <code>s</code> from this position |
| <code>s.isalpha()</code> | Returns: True if <code>s</code> is <i>not empty</i> and its elements are all letters; it returns False otherwise. |
| <code>s.isdigit()</code> | Returns: True if <code>s</code> is <i>not empty</i> and its elements are all numbers; it returns False otherwise. |
| <code>s.islower()</code> | Returns: True if <code>s</code> has at least one letter and all letters are lower case; returns False otherwise (e.g., 'a123' is True but '123' is False). |
| <code>s.isupper()</code> | Returns: True if <code>s</code> has at least one letter and all letters are upper case; returns False otherwise (e.g., 'A123' is True but '123' is False). |
| <code>s.lower()</code> | Returns: a copy of <code>s</code> , all letters converted to lower case. |
| <code>s.join(slist)</code> | Returns: a string that is the concatenation of the strings in list <code>slist</code> separated by string <code>s</code> |
| <code>s.replace(a,b)</code> | Returns: a <i>copy</i> of <code>s</code> where all instances of <code>a</code> are replaced with <code>b</code> |
| <code>s.split(sep)</code> | Returns: a list of the "words" in string <code>s</code> , using <code>sep</code> as the word delimiter (whitespace if <code>sep</code> not given) |
| <code>s.strip()</code> | Returns: copy of string <code>s</code> where all whitespace has been removed from the beginning and the end of <code>s</code> . Whitespace not at the ends is preserved. |
| <code>s.upper()</code> | Returns: a copy of <code>s</code> , all letters converted to upper case. |

| Other useful functions | |
|-------------------------|---|
| <code>elem in lt</code> | Returns: True if the element <code>elem</code> is in list <code>lt</code> ; False otherwise. |
| <code>s1 in s</code> | Returns: True if the substring <code>s1</code> is in string <code>s</code> ; False otherwise. |
| <code>input(s)</code> | prompts user for a response using string <code>s</code> ; returns the user's response as a string. |
| <code>len(s)</code> | Returns: number of characters in <code>s</code> ; it can be 0. |

Even though we will not grade this piece of paper, **please submit this sheet of paper with your exam.**