


**3. Find  $x$ .**



*Here it is*

# SEARCHING, SORTING, AND ASYMPTOTIC COMPLEXITY

Lecture 12

CS2110 – Fall 2009

# What Makes a Good Algorithm?

2

- Suppose you have two possible algorithms or data structures that basically do the same thing; which is *better*?
  
- Well... what do we mean by *better*?
  - Faster?
  - Less space?
  - Easier to code?
  - Easier to maintain?
  - Required for homework?
  
- How do we measure time and space for an algorithm?

# Sample Problem: Searching

3

Determine if a *sorted* array of integers contains a given integer  
First solution: Linear Search (check each element)

```
□ static boolean find(int[] a, int item) {  
□     for (int i = 0; i < a.length; i++) {  
□         if (a[i] == item) return true;  
□     }  
□     return false;  
□ }
```

```
static boolean find(int[] a, int item) {  
    for (int x : a) {  
        if (x == item) return true;  
    }  
    return false;  
}
```

# Sample Problem: Searching

4

Second  
solution:  
*Binary  
Search*

```
static boolean find (int[] a, int item) {  
    int low = 0;  
    int high = a.length - 1;  
    while (low <= high) {  
        int mid = (low + high)/2;  
        if (a[mid] < item)  
            low = mid + 1;  
        else if (a[mid] > item)  
            high = mid - 1;  
        else return true;  
    }  
    return false;  
}
```

# Linear Search vs Binary Search

5

## □ Which one is better?

- Linear Search is easier to program
- But Binary Search is faster... isn't it?

## □ How do we measure to show that one is faster than the other

- Experiment?
- Proof?
- Which inputs do we use?

**Simplifying assumption #1:** Use the *size* of the input rather than the input itself

- For our sample search problem, the input size is  $n+1$  where  $n$  is the array size

**Simplifying assumption #2:** Count the number of “*basic steps*” rather than computing exact times

# One Basic Step = One Time Unit

6

## □ Basic step:

- input or output of a scalar value
- accessing the value of a scalar variable, array element, or field of an object
- assignment to a variable, array element, or field of an object
- a single arithmetic or logical operation
- method invocation (not counting argument evaluation and execution of the method body)

For a conditional, count number of basic steps on the branch that is executed

For a loop, count number of basic steps in loop body times the number of iterations

For a method, count number of basic steps in method body (including steps needed to prepare stack-frame)

# Runtime vs Number of Basic Steps

7

## □ But is this cheating?

- ▣ The runtime is not the same as the number of basic steps
- ▣ Time per basic step varies depending on computer, on compiler, on details of code...

## □ Well...yes, in a way

- ▣ But the number of basic steps is *proportional* to the actual runtime

## Which is better?

- $n$  or  $n^2$  time?
- $100n$  or  $n^2$  time?
- $10,000n$  or  $n^2$  time?

As  $n$  gets large, multiplicative constants become less important

**Simplifying assumption #3:**  
Ignore multiplicative constants

# Using Big-O to Hide Constants


8

- We say  $f(n)$  is *order of*  $g(n)$  if  $f(n)$  is bounded by a constant times  $g(n)$
- **Notation:**  $f(n)$  is  $O(g(n))$
- Roughly,  $f(n)$  is  $O(g(n))$  means that  $f(n)$  grows like  $g(n)$  or slower, to within a constant factor
- "Constant" means fixed and independent of  $n$
- Example:  $(n^2 + n)$  is  $O(n^2)$
- We know  $n \leq n^2$  for  $n \geq 1$
- So  $n^2 + n \leq 2n^2$  for  $n \geq 1$
- So by definition,  $n^2 + n$  is  $O(n^2)$  for  $c=2$  and  $N=1$

**Formal definition:**  $f(n)$  is  $O(g(n))$  if there exist constants  $c$  and  $N$  such that for all  $n \geq N$ ,  $f(n) \leq c \cdot g(n)$



# A Graphical View



□ To prove that  $f(n)$  is  $O(g(n))$ :

- Find an  $N$  and  $c$  such that  $f(n) \leq c g(n)$  for all  $n \in \mathbb{N}$
- We call the pair  $(c, N)$  a *witness pair* for proving that  $f(n)$  is  $O(g(n))$

# Big-O Examples

10

**Claim:**  $100n + \log n$  is  $O(n)$


We know  $\log n \leq n$  for  $n \geq 1$

So  $100n + \log n \leq 101n$   
for  $n \geq 1$

So by definition,

$100n + \log n$  is  $O(n)$   
for  $c = 101$  and  $N = 1$

**Claim:**  $\log_B n$  is  $O(\log_A n)$

since  $\log_B n$  is  $(\log_B A)(\log_A n)$   


**Question:** Which grows faster:  
 $n$  or  $\log n$ ?

# Big-O Examples

11

□ Let  $f(n) = 3n^2 + 6n - 7$

- $f(n)$  is  $O(n^2)$
- $f(n)$  is  $O(n^3)$
- $f(n)$  is  $O(n^4)$
- ...

Only the *leading* term (the term that grows most rapidly) matters

□  $g(n) = 4n \log n + 34n - 89$

- $g(n)$  is  $O(n \log n)$
- $g(n)$  is  $O(n^2)$

□  $h(n) = 20 \cdot 2^n + 40n$

- $h(n)$  is  $O(2^n)$

□  $a(n) = 34$

- $a(n)$  is  $O(1)$

# Problem-Size Examples

12

- Suppose we have a computing device that can execute 1000 operations per second; how large a problem can we solve?

	1 second	1 minute	1 hour
$n$	1000	60,000	3,600,000
$n \log n$	140	4893	200,000
$n^2$	31	244	1897
$3n^2$	18	144	1096
$n^3$	10	39	153
$2^n$	9	15	21

# Commonly Seen Time Bounds

13

$O(1)$	constant	excellent
$O(\log n)$	logarithmic	excellent
$O(n)$	linear	good
$O(n \log n)$	$n \log n$	pretty good
$O(n^2)$	quadratic	OK
$O(n^3)$	cubic	maybe OK
$O(2^n)$	exponential	too slow

# Worst-Case/Expected-Case Bounds

14

□ We can't possibly determine time bounds for all possible inputs of size  $n$

□ **Simplifying assumption #4:** Determine number of steps for either

- worst-case or
- expected-case

## Worst-case

- Determine how much time is needed for the *worst possible* input of size  $n$

## Expected-case

- Determine how much time is needed *on average* for all inputs of size  $n$

# Our Simplifying Assumptions

15

- Use the **size** of the input rather than the input itself – **n**
- Count the number of “basic steps” rather than computing exact times
- Multiplicative constants and small inputs ignored (order-of, big-O)
- Determine number of steps for either
  - worst-case
  - expected-case
- **These assumptions allow us to analyze algorithms effectively**

# Worst-Case Analysis of Searching

16

## Linear Search

```
static boolean find (int[] a, int item)
{
    for (int i = 0; i < a.length; i++) {
        if (a[i] == item) return true;
    }
    return false;
}
```

worst-case time =  $O(n)$

## Binary Search

```
static boolean find (int[] a, int item) {
    int low = 0;
    int high = a.length - 1;
    while (low <= high) {
        int mid = (low + high)/2;
        if (a[mid] < item)
            low = mid+1;
        else if (a[mid] > item)
            high = mid - 1;
        else return true;
    }
    return false;
}
```


worst-case time =  $O(\log n)$



# Comparison of Algorithms

17


## Linear vs. Binary Search



# Comparison of Algorithms

18


## Linear vs. Binary Search



# Comparison of Algorithms

19

## Linear vs. Binary Search



# Analysis of Matrix Multiplication

20

## □ Code for multiplying n-by-n matrices A and B:

By convention, matrix problems are measured in terms of  $n$ , the number of rows and columns

- Note that the input size is really  $2n^2$ , not  $n$
- Worst-case time is  $O(n^3)$
- Expected-case time is also  $O(n^3)$

```
for (i = 0; i < n; i++)
    for (j = 0; j < n; j++) {
        C[i][j] = 0;
        for (k = 0; k < n; k++)
            C[i][j] += A[i][k]*B[k][j];
    }
```

# Remarks

21

- Once you get the hang of this, you can quickly zero in on what is relevant for determining asymptotic complexity
  - ▣ For example, you can usually ignore everything that is not in the innermost loop. Why?
  
- Main difficulty:
  - ▣ Determining runtime for recursive programs

# Why Bother with Runtime Analysis?

22

- Computers are so fast these days that we can do whatever we want using just simple algorithms and data structures, right?
- Well...not really – data-structure/algorithm improvements can be a *very big* win
- Scenario:
  - A runs in  $n^2$  msec
  - A' runs in  $n^2/10$  msec
  - B runs in  $10 n \log n$  msec

Problem of size  $n=10^3$

- A:  $10^3$  sec  $\approx$  17 minutes
- A':  $10^2$  sec  $\approx$  1.7 minutes
- B:  $10^2$  sec  $\approx$  1.7 minutes

Problem of size  $n=10^6$

- A:  $10^9$  sec  $\approx$  30 years
- A':  $10^8$  sec  $\approx$  3 years
- B:  $2 \cdot 10^5$  sec  $\approx$  2 days


1 day = 86,400 sec  $\approx$   $10^5$  sec

1,000 days  $\approx$  3 years

# Algorithms for the Human Genome

23

- Human genome  
= 3.5 billion nucleotides  
~ 1 Gb
  
- @1 base-pair  
instruction/√sec
  - $n^2 \rightarrow 388445$  years
  - $n \log n \rightarrow 30.824$  hours
  - $n \rightarrow 1$  hour



# Limitations of Runtime Analysis

24

- Big-O can hide a very large constant
  - Example: selection
  - Example: small problems
- The specific problem you want to solve may not be the worst case
  - Example: Simplex method for linear programming
- Your program may not be run often enough to make analysis worthwhile
  - Example:
    - one-shot vs. every day
  - You may be analyzing and improving the wrong part of the program
- Very common situation
- Should use profiling tools



# Summary

25

- Asymptotic complexity
  - ▣ Used to measure of time (or space) required by an algorithm
  - ▣ Measure of the *algorithm*, not the *problem*
- Searching a sorted array
  - ▣ Linear search:  $O(n)$  worst-case time
  - ▣ Binary search:  $O(\log n)$  worst-case time
- Matrix operations:
  - ▣ Note:  $n = \text{number-of-rows} = \text{number-of-columns}$
  - ▣ Matrix-vector product:  $O(n^2)$  worst-case time
  - ▣ Matrix-matrix multiplication:  $O(n^3)$  worst-case time
- More later with sorting and graph algorithms