



GENERIC TYPES AND THE JAVA COLLECTIONS FRAMEWORK

Lecture 15
CS2110 – Spring 2013

Generic Types in Java

- When using a collection (e.g., `LinkedList`, `HashSet`, `HashMap`), we generally have a single type `T` of elements that we store in it (e.g., `Integer`, `String`)
- Before Java 5, when extracting an element, had to cast it to `T` before we could invoke `T`'s methods
- Compiler could not check that the cast was correct at compile-time, since it didn't know what `T` was
- Inconvenient and unsafe, could fail at runtime

- Generics in Java provide a way to communicate `T`, the type of elements in a collection, to the compiler
 - Compiler can check that you have used the collection consistently
 - Result: safer and more-efficient code

Example

old

```
//removes 4-letter words from c
//elements must be Strings
static void purge(Collection c) {
    Iterator i = c.iterator();
    while (i.hasNext()) {
        if (((String)i.next()).length() == 4)
            i.remove();
    }
}
```

new

```
//removes 4-letter words from c
static void purge(Collection<String> c) {
    Iterator<String> i = c.iterator();
    while (i.hasNext()) {
        if (i.next().length() == 4)
            i.remove();
    }
}
```

Another Example

old

```
Map grades = new HashMap();
grades.put("John", new Integer(67));
grades.put("Jane", new Integer(88));
grades.put("Fred", new Integer(72));
Integer x = (Integer)grades.get("John");
sum = sum + x.intValue();
```

new

```
Map<String, Integer> grades = new HashMap<String, Integer>();
grades.put("John", new Integer(67));
grades.put("Jane", new Integer(88));
grades.put("Fred", new Integer(72));
Integer x = grades.get("John");
sum = sum + x.intValue();
```

Type Casting

- In effect, Java inserts the correct cast automatically, based on the declared type
- In this example, `grades.get("John")` is automatically cast to `Integer`

```
Map<String, Integer> grades = new HashMap<String, Integer>();
grades.put("John", new Integer(67));
grades.put("Jane", new Integer(88));
grades.put("Fred", new Integer(72));
Integer x = grades.get("John");
sum = sum + x.intValue();
```

An Aside: Autoboxing

- Java also has autoboxing and auto-unboxing of primitive types, so the example can be simplified

```
Map<String, Integer> grades = new HashMap<String, Integer>();
grades.put("John", new Integer(67));
grades.put("Jane", new Integer(88));
grades.put("Fred", new Integer(72));
Integer x = grades.get("John");
sum = sum + x.intValue();
```

- AutoBoxing/Unboxing: converts from "int" to "Integer", "byte" to "Byte", etc

```
Map<String, Integer> grades = new HashMap<String, Integer>();
grades.put("John", 67);
grades.put("Jane", 88);
grades.put("Fred", 72);
sum = sum + grades.get("John");
```

Using Generic Types

- <T> is read, "of T"
 - For example: `Stack<Integer>` is read, "Stack of Integer"
- The type annotation <T> informs the compiler that all extractions from this collection should be automatically cast to T
- Specify type in declaration, can be checked at compile time
 - Can eliminate explicit casts

Advantage of Generics

- Declaring `Collection<String> c` tells us something about the variable c (i.e., c holds only Strings)
 - This is true wherever c is used
 - The compiler checks this and won't compile code that violates this
- Without use of generic types, explicit casting must be used
 - A cast tells us something the programmer *thinks* is true at a single point in the code
 - The Java virtual machine *checks* whether the programmer is right only at runtime

Subtypes: Example

`Stack<Integer>` is *not* a subtype of `Stack<Object>`

```
Stack<Integer> s = new Stack<Integer>();
s.push(new Integer(7));
Stack<Object> t = s; // Gives compiler error
t.push("bad idea");
System.out.println(s.pop().intValue());
```

However, `Stack<Integer>` *is* a subtype of `Stack` (for backward compatibility with previous Java versions)

```
Stack<Integer> s = new Stack<Integer>();
s.push(new Integer(7));
Stack t = s; // Compiler allows this
t.push("bad idea"); // Produces a warning
System.out.println(s.pop().intValue()); //Runtime error!
```

Programming with Generic Types

```
public interface List<E> { // E is a type variable
    void add(E x);
    Iterator<E> iterator();
}

public interface Iterator<E> {
    E next();
    boolean hasNext();
    void remove();
}
```

- To use the interface `List<E>`, supply an actual type argument, e.g., `List<Integer>`
- All occurrences of the *formal type parameter* (E in this case) are replaced by the *actual type argument* (`Integer` in this case)

Wildcards

old

```
void printCollection(Collection c) {
    Iterator i = c.iterator();
    while (i.hasNext()) {
        System.out.println(i.next());
    }
}
```

bad

```
void printCollection(Collection<Object> c) {
    for (Object e : c) {
        System.out.println(e);
    }
}
```

Wildcard

```
void printCollection(Collection<?> c) {
    for (Object e : c) {
        System.out.println(e);
    }
}
```

Wildcards are usually "bounded"

```
static void sort (List<? extends Comparable> c) {
    ...
}
```

- Note that if we declared the parameter `c` to be of type `List<Comparable>` then we could not sort an object of type `List<String>` (even though `String` is a subtype of `Comparable`)
 - Suppose Java treated `List<String>` and `List<Integer>` as a subtype of `List<Comparable>`
 - Then, for instance, a method passed an object of type `List<Comparable>` would be able to store `Integers` in our `List<String>`
- Wildcards specify exactly what types are allowed

Generic Methods

13

Adding all elements of an array to a Collection

bad

```
static void a2c(Object[] a, Collection<?> c) {
    for (Object o : a) {
        c.add(o); // compile time error
    }
}
```

good

```
public class MyClass<T> { ...
    static void a2c(T[] a, Collection<T> c) {
        for (T o : a) {
            c.add(o); // ok
        }
    }
}
```

See the online Java Tutorial for more information on generic types and generic methods

Generic Classes

14

```
public class Queue<T> extends AbstractBag<T> {
    private java.util.LinkedList<T> queue
        = new java.util.LinkedList<T>();

    public void insert(T item) {
        queue.add(item);
    }

    public T extract() throws java.util.NoSuchElementException {
        return queue.remove();
    }

    public void clear() {
        queue.clear();
    }

    public int size() {
        return queue.size();
    }
}
```

Generic Classes

15

```
public class InsertionSort<T extends Comparable<T>> {
    public void sort(T[] x) {
        for (int i = 1; i < x.length; i++) {
            // invariant is: x[0],...,x[i-1] are sorted
            // now find rightful position for x[i]
            T tmp = x[i];
            int j;
            for (j = i; j > 0 && x[j-1].compareTo(tmp) > 0; j--)
                x[j] = x[j-1];
            x[j] = tmp;
        }
    }
}
```

Java Collections Framework

16

- Collections: holders that let you store and organize objects in useful ways for efficient access
 - Goal: conciseness
 - A few concepts that are broadly useful
 - Not an exhaustive set of useful concepts
- The package `java.util` includes interfaces and classes for a general collection framework
 - The collections framework provides
 - Interfaces (i.e., ADTs)
 - Implementations

JCF Interfaces and Classes

17

Interfaces

- Collection
- Set (no duplicates)
- SortedSet
- List (duplicates OK)
- Map (i.e., Dictionary)
- SortedMap
- Iterator
- Iterable
- ListIterator

Classes

- HashSet
- TreeSet
- ArrayList
- LinkedList
- HashMap
- TreeMap

java.util.Collection<E> (an interface)

18

- `public int size();`
 - Return number of elements in collection
- `public boolean isEmpty();`
 - Return true iff collection holds no elements
- `public boolean add(E x);`
 - Make sure the collection includes x; returns true if collection has changed (some collections allow duplicates, some don't)
- `public boolean contains(Object x);`
 - Returns true iff collection contains x (uses equals() method)
- `public boolean remove(Object x);`
 - Removes a single instance of x from the collection; returns true if collection has changed
- `public Iterator<E> iterator();`
 - Returns an Iterator that steps through elements of collection

`java.util.Iterator<E>` (an interface)

19

- `public boolean hasNext();`
 - ▣ Returns true if the iteration has more elements
- `public E next();`
 - ▣ Returns the next element in the iteration
 - ▣ Throws `NoSuchElementException` if no next element
- `public void remove();`
 - ▣ The element most recently returned by `next()` is removed from the underlying collection
 - ▣ Throws `IllegalStateException` if `next()` not yet called or if `remove()` already called since last `next()`
 - ▣ Throws `UnsupportedOperationException` if `remove()` not supported

Additional Methods of `Collection<E>`

20

- `public Object[] toArray();`
 - ▣ Returns a new array containing all the elements of this collection
- `public <T> T[] toArray(T[] dest)`
 - ▣ Returns an array containing all the elements of this collection; uses `dest` as that array if it can
- Bulk Operations:
 - ▣ `public boolean containsAll(Collection<?> c);`
 - ▣ `public boolean addAll(Collection<? extends E> c);`
 - ▣ `public boolean removeAll(Collection<?> c);`
 - ▣ `public boolean retainAll(Collection<?> c);`
 - ▣ `public void clear();`

`java.util.Set<E>` (an interface)

21

- **Set extends Collection**
 - ▣ Set inherits all its methods from Collection
 - **A Set contains no duplicates**
 - ▣ If you attempt to `add()` an element twice then the second `add()` will return false (i.e., the Set has not changed)
- Write a method that checks if a given word is within a set of words
- Write a method that removes all words longer than 5 letters from a Set
- Write methods for the union and intersection of two sets

Set Implementations

22

- `java.util.HashSet<E>` (a hashtable)
 - ▣ Constructors
 - `public HashSet();`
 - `public HashSet(Collection<? extends E> c);`
 - `public HashSet(int initialCapacity);`
 - `public HashSet(int initialCapacity, float loadFactor);`
- `java.util.TreeSet<E>` (a balanced BST [red-black tree])
 - ▣ Constructors
 - `public TreeSet();`
 - `public TreeSet(Collection<? extends E> c);`
 - ...

`java.util.SortedSet<E>` (an interface)

23

- `SortedSet` extends `Set`
- For a `SortedSet`, the `iterator()` returns the elements in sorted order
- Methods (in addition to those inherited from `Set`):
 - ▣ `public E first();`
 - Returns the first (lowest) object in this set
 - ▣ `public E last();`
 - Returns the last (highest) object in this set
 - ▣ `public Comparator<? super E> comparator();`
 - Returns the `Comparator` being used by this sorted set if there is one; returns null if the natural order is being used
 - ▣ ...

`java.lang.Comparable<T>` (an interface)

24

- `public int compareTo(T x);`
 - ▣ Returns a value (< 0), (= 0), or (> 0)
 - (< 0) implies `this` is before `x`
 - (= 0) implies `this.equals(x)` is true
 - (> 0) implies `this` is after `x`
- Many classes implement `Comparable`
 - ▣ `String`, `Double`, `Integer`, `Char`, `java.util.Date`, ...
 - ▣ If a class implements `Comparable` then that is considered to be the class's *natural ordering*

java.util.Comparator<T> (an interface)

25

- `public int compare(T x1, T x2);`
 - Returns a value (< 0), (= 0), or (> 0)
 - (< 0) implies `x1` is before `x2`
 - (= 0) implies `x1.equals(x2)` is true
 - (> 0) implies `x1` is after `x2`
- Can often use a `Comparator` when a class's natural order is not the one you want
 - `String.CASE_INSENSITIVE_ORDER` is a predefined `Comparator`
 - `java.util.Collections.reverseOrder()` returns a `Comparator` that reverses the natural order

SortedSet Implementations

26

- `java.util.TreeSet<E>`
 - constructors:
 - `public TreeSet();`
 - `public TreeSet(Collection<? extends E> c);`
 - `public TreeSet(Comparator<? super E> comparator);`
 - ...
- Write a method that prints out a `SortedSet` of words in order
- Write a method that prints out a `Set` of words in order

java.util.List<E> (an interface)

27

- `List` extends `Collection`
- Items in a list can be accessed via their index (position in list)
- The `add()` method always puts an item at the end of the list
- The `iterator()` returns the elements in list-order
- Methods (in addition to those inherited from `Collection`):
 - `public E get(int index);`
 - Returns the item at position `index` in the list
 - `public E set(int index, E x);`
 - Places `x` at position `index`, replacing previous item; returns the previous item
 - `public void add(int index, E x);`
 - Places `x` at position `index`, shifting items to make room
 - `public E remove(int index);`
 - Remove item at position `index`, shifting items to fill the space;
 - Returns the removed item
 - `public int indexOf(Object x);`
 - Return the index of the first item in the list that equals `x` (`x.equals()`)
 - ...

List Implementations

28

- `java.util.ArrayList<E>` (an array; doubles the length each time room is needed)
 - Constructors
 - `public ArrayList();`
 - `public ArrayList(int initialCapacity);`
 - `public ArrayList(Collection<? extends E> c);`
- `java.util.LinkedList<E>` (a doubly-linked list)
 - Constructors
 - `public LinkedList();`
 - `public LinkedList(Collection<? extends E> c);`
- Both include some additional useful methods specific to that class

Efficiency Depends on Implementation

29

- `Object x = list.get(k);`
 - $O(1)$ time for `ArrayList`
 - $O(k)$ time for `LinkedList`
- `list.remove(0);`
 - $O(n)$ time for `ArrayList`
 - $O(1)$ time for `LinkedList`
- `if (set.contains(x)) ...`
 - $O(1)$ expected time for `HashSet`
 - $O(\log n)$ for `TreeSet`