

CS/ENGRD 2110 FALL 2015

Lecture 5: Local vars; Inside-out rule; constructors
<http://courses.cs.cornell.edu/cs2110>

References to text and JavaSummary.pptx

2

- Local variable: variable declared in a method body
B.10–B.11 slide 45
- Inside-out rule, bottom-up/overriding rule C.15 slide 31-32 and consequences thereof slide 45
- Use of **this** B.10 slide 23-24 and **super** C.15 slide 28, 33
- Constructors in a subclass C.9–C.10 slide 24-29
- First statement of a constructor body must be a call on another constructor —if not Java puts in **super()**; C.10 slide 29

Homework

3

Visit course website, click on **Resources** and then on Code Style **Guidelines**. Study

- 4.2 Keep methods short
- 4.3 Use statement-comments ...
- 4.4 Use returns to simplify method structure
- 4.6 Declare local variables close to first use ...

Local variables

middle(8, 6, 7)

4

```
/** Return middle value of b, c, d (no ordering assumed) */
```

```
public static int middle(int b, int c, int d) {
    if (b > c) {
        int temp = b;
        b = c;
        c = temp;
    }
    // { b <= c }
    if (d <= b) {
        return b;
    }
    // { b < d and b <= c }
    return Math.min(c, d);
}
```

Local variable:
variable
declared in
method body

Parameter: variable
declared in () of
method header

b 8 c 6 d 7
temp ?

All parameters and local variables are created when a call is executed, **before** the method body is executed. They are destroyed when method body terminates.

Scope of local variables

5

```
/** Return middle value of b, c, d (no ordering assumed) */
```

```
public static int middle(int b, int c, int d) {
    if (b > c) {
        int temp = b;
        b = c;
        c = temp;
    }
    // { b <= c }
    if (d <= b) {
        return b;
    }
    // { b < d and b <= c }
    return Math.min(c, d);
}
```

block

Scope of local variable (where it can be used): from its declaration to the end of the block in which it is declared.

Principle: declaration placement

6

```
/** Return middle value of b, c, d (no ordering assumed) */
```

```
public static int middle(int b, int c, int d) {
    int temp;
    if (b > c) {
        temp = b;
        b = c;
        c = temp;
    }
    // { b <= c }
    if (d <= b) {
        return b;
    }
    // { b < d and b <= c }
    return Math.min(c, d);
}
```

Not good! No need for reader to know about **temp** except when reading the then-part of the if-statement

Principle: Declare a local variable as close to its first use as possible.

Assertions promote understanding

```
/** Return middle value of b, c, d (no ordering assumed) */
```

```
public static int middle(int b, int c, int d) {
    if (b > c) {
        int temp = b;
        b = c;
        c = temp;
    }
    // { b <= c }
    if (d <= b) {
        return b;
    }
    // { b < d and b <= c }
    return Math.min(c, d);
}
```


Assertion: Asserting that $b \leq c$ at this point. Helps reader understand code below.

Bottom-up/overriding rule

Which method `toString()` is called by


`c.toString()` ?

Overriding rule or **bottom-up rule:**
To find out which is used, start at the bottom of the object and search upward until a matching one is found.





Inside-out rule

Inside-out rule: Code in a construct can reference names declared in that construct, as well as names that appear in enclosing constructs. (If name is declared twice, the closer one prevails.)



Person's objects and static components

Parameters participate in inside-out rule



Parameter `n` "blocks" reference to field `n`. (`n` is a "shadowed" variable)

Static items participate in inside-out rule

```
C@a0
v
m(int y) {
    int x;
    if (...) {
        int z;
        ... v ... w ...
        ... x ... y ... z
    };
}
```

Variables: static `w`
field `v`
parameter `y`
local variables `x` and `z`

To see what declaration each reference `v`, `w`, `x`, `y`, `z` refers to, look in inside-out fashion:

1. then-block
2. method body
3. parameter list
4. fields
5. static variables


Box for class C

A solution: use this

Memorize: Within an object, `this` evaluates to the name of the object.


In object `Person@a0`, `this` evaluates to `Person@a0`

In object `Person@a1`, `this` evaluates to `Person@a1`



About super

13



Within a subclass object, **super** refers to the partition above the one that contains **super**.

Because of the keyword **super**, this calls **toString** in the **Object** partition.

Calling a constructor from a constructor

14

```


public class Time
private int hr; //hour of day, 0..23
private int min; // minute of hour, 0..59

/** Constructor: instance with h hours and m minutes */
public Time(int h, int m) { ... }

/** Constructor: instance with m minutes ... */
public Time(int m) {
    hr = m / 60;
    min = m % 60;
}
...

```

Want to change body to call first constructor



Calling a constructor from a constructor

15


```

public class Time
private int hr; //hour of day, 0..23
private int min; // minute of hour, 0..59

/** Constructor: instance with h hours and m minutes ... */
public Time(int h, int m) { ... }

/** Constructor: instance with m minutes ... */
public Time(int m) {
    this(m / 60, m % 60);
}

```



Use **this** (Instead of **Time**) to call another constructor in the class.
Must be **first statement in constructor body!**

Principle: Initialize superclass fields first


16

Class **Employee** contains info that is common to all employees — name, start date, salary, etc.

getCompensation gives the salary

Executives also get a bonus. **getCompensation** is overridden to take this into account

Could have other subclasses for part-timers, temporary workers, consultants, etc., each with a different **getCompensation**



Without OO ...

17

Without OO, you would write a long involved method:

```

public double getCompensation(...) {
    if (worker is an executive)
        { ... }
    else if (worker is part time)
        { ... }
    else if (worker is temporary)
        { ... }
    else ...
}

```

OO eliminates need for many of these long, convoluted methods, which are hard to maintain.

Instead, each subclass has its own **getCompensation**.

End up with many more methods, which are usually very short


Principle: initialize superclass fields first

18

```

/** Constructor: employee with name n, year hired d, salary s */
public Employee(String n, int d, double s) {
    name= n;
    start= d;
    salary= s;
}

```



Principle: initialize superclass fields first

19

```
/** Constructor: employee with name n, year hired d, salary s */
public Employee(String n, int d, double s)
```


```
/** Constructor: executive with name n, year hired d, salary of
    $50,000, bonus b */
```

```
public Executive(String n, int d,
    double b)
```

Principle: In subclass constructor, fill in the superclass fields first

How to do that if they are private?

Call constructor in superclass



Principle: initialize superclass fields first


20

```
/** Constructor: employee with name n, year hired d, salary s */
public Employee(String n, int d, double s)
```

```
/** Constructor: executive with name n, year hired d, salary of
    $50,000, bonus b */
```

```
public Executive(String n, int d,
    double b) {
    Employee super
    Employee(n, d, 50000);
    bonus = b;
}
```

To call a superclass constructor, use **super(...)**



Principle: initialize superclass fields first

21

```
/** Constructor: an instance with ...*/
```

```
public C (...) {
    super();
    S0;
    S1;
    ...
}
```

Java syntax: First statement of any constructor you write must be a call on another constructor **this(...);** or **super(...);**

If you don't put one in, Java silently inserts this one:

```
super();
```

