

CS2110, Recitation 2

Arguments to method main,
Packages,
Wrapper Classes,
Characters,
Strings

Demo: Create application

To create a new project that has a method called main with a body that contains the statement

```
System.out.println("Hello World");
```

do this:

- Eclipse: File -> New -> Project
- File -> New -> Class
- Check the method main box
- In the class that is created, write the above statement in the body of main
- Hit the green play button or do menu item Run -> Run

Java Application

```
public static void main(String[] args) { ... }
```

Parameter: String array

A Java program that has a class with a static procedure main, as declared above, is called an **application**.

The program, i.e. the application, is run by calling method main. Eclipse has an easy way to do this.

Method main and its parameter

```
public static void main(String[] args) { ... }
```

Parameter: String array

In Eclipse, when you do menu item

Run -> Run (or click the green Play button)

Eclipse executes the call `main(array with 0 arguments)`;

To tell Eclipse what array of Strings to give as the argument, start by using menu item

Run -> Run Configurations...

or

Run -> Debug Configuration...

(see next slide)


Window Run Configurations

This Arguments pane of Run Configurations window gives argument array of size 3:

args[0]: "SpeciesData/a0.dat"

args[1]: "2"

args[2]: "what for?"



DEMO: Giving an argument to the call on main

Change the program to print the String that is in args[0], i.e. change the statement in the body to

```
System.out.println(args[0]);
```

Then

- Do Run -> Run Configurations
- Click the Arguments tab
- In the Program field, type in "Haloooo there!"
- Click the run button in the lower right to execute the call on main with an array of size 1 ...

PACKAGES AND THE JAVA API

Package

Package: Collection of Java classes and other packages.
See [JavaSummary.pptx](#), slide 20
Available in the course website in the following location:
<http://www.cs.cornell.edu/courses/CS2110/2016sp/links.html>

Three kinds of packages

- (1) The default package: in project directory /src
- (2) Java classes that are contained in a specific directory on your hard drive (it may also contain sub-packages)
- (3) Packages of Java classes that come with Java, e.g. packages `java.lang`, `javax.swing`.

API packages that come with Java

Visit course webpage, click [Links](#), then [Java 8 API Specs](#).
Link:
<http://www.cs.cornell.edu/courses/CS2110/2016sp/links.html>
Scroll down in left col (Packages pane), click on `java.lang`

More realistically:
<http://imgtfy.com/?q=java+8+api>

Finding package documentation

Scroll through here

Package	Description
java.applet	Provides the classes necessary to create applet content.
java.awt	Contains all of the classes for creating windows and other graphical user interface components.
java.awt.color	Provides classes for color spaces.
java.awt.datatransfer	Provides interfaces and classes for transferring data between applications.

Package `java.lang` vs. other packages

You can use any class in package `java.lang`. Just use the class name, e.g.

`Character`

To use classes in other API packages, you have to give the whole name, e.g.

`javax.swing.JFrame`

So you have to write:

```
javax.swing.JFrame jf= new javax.swing.JFrame();
```

Use the import statement!

To be able to use just `JFrame`, put an import statement before the class definition:

```
import javax.swing.JFrame;

public class C {
    ...
    public void m(...) {
        JFrame jf= new JFrame();
        ...
    }
}
```

Imports only class `JFrame`.
Use the asterisk, as in line below, to import all classes in package:
`import javax.swing.*;`

Other packages on your hard drive

One can put a bunch of logically related classes into a package, which means they will all be in the same directory on hard drive. Reasons for doing this? We discuss much later.

Image of Eclipse Package Explorer:

3 projects:

Default package has 2 classes: Rec02, Rec02Tester

pack1 has 1 class: C

Annotations in the screenshot:
 - "project has default package and" points to the (default package) folder.
 - "package pack1" points to the pack1 folder.
 - "Rec02.java" and "Rec02Tester.java" are listed under the default package.
 - "C.java" is listed under pack1.

Hard drive Eclipse Package Explorer

Eclipse Package Explorer view showing the same project structure as the previous slide. A green box at the bottom states: "Eclipse does not make a directory for the default package; its classes go right in directory src".

Importing the package

Every class in package pack1 must start with the package statement

```
package pack1;

public class C {

    /** Constructor: */
    public C() {
    }

}
```

Every class outside the package should import its classes in order to use them

```
import pack1.*;

public class Rec02 {

    public Rec02() {
        C v= new C();
    }

}
```

CHAR AND CHARACTER

Primitive type char

Use single quotes

```
char fred= 'a';
char wilma= 'b';
System.out.println(fred);
```

Unicode: 2-byte representation
 Visit www.unicode.org/charts/ to see all unicode chars

Special chars worth knowing about

- ' ' - space
- '\t' - tab character
- '\n' - newline character
- '\'' - single quote character
- '\"' - double quote character
- '\\ - backslash character
- '\b' - backspace character - NEVER USE THIS
- '\f' - formfeed character - NEVER USE THIS
- '\r' - carriage return - NEVER USE THIS

Backslash, called the escape character

Casting char values

Cast a char to an **int** using unary prefix operator (**int**), Gives unicode representation of char, as an **int**

(int) 'a' gives 97
 (char) 97 gives 'a'
 (char) 2384 gives 'ॐ' — Om, or Aum, the sound of the universe (Hinduism)

No operations on **chars** (values of type **char**)! **BUT**, if used in a relation or in arithmetic, a **char** is automatically cast to type **int**.
 Relations < > <= >= == != ==
 'a' < 'b' same as 97 < 98, i.e. false
 'a' + 1 gives 98

Specs for Class Character

Main pane now contains description of class **Character**:

1. The header of its declaration.
2. A description, including info about Unicode
3. Nested class summary (skip it)
4. Field summary (skip it)
5. Constructor summary (read)
6. Method summary (read)
7. Field detail (skip it)
8. Method detail (read)

Find method **compareTo**
 See a 1-sentence description
 Click on method name
 Takes you to a complete description in Method detail section

Class Character

An object of class **Character** wraps a single **char** (has a field that contains a single **char**)

```
Character c1= new Character('b');
Character c2= new Character('c');
```

Don't know field name

c1 **Character@a1** c2 **Character@b9**

Character@a1

??? 'b'

charValue()
compareTo(Character)
equals(Object)

Character@b9

??? 'c'

charValue()
compareTo(Character)
equals(Object)

Class Character

- Each instance of class **Character** wraps a **char** value —has a field that contains a **char** value. **Character** allows a **char** value to be treated as an object.
- Find methods in each object by looking at API specs on web: docs.oracle.com/javase/8/docs/api/java/lang/Character.html

c.charValue() c's wrapped char, as a **char**
 c.equals(c1) True iff c1 is a **Character** and wraps same **char**
 c.compareTo(c1) 0 if c == c1. < 0 if c < c1. > 0 if c > c1.
 c.toString() c's wrapped char, as a **String**

Static methods in class Character

Lots of static functions. You have to look to see what is available. Below are examples

isAlphabetic(c) These return the obvious boolean value for parameter c, a **char**
 isDigit(c)
 isLetter(c)
 isLowerCase(c)
 isUpperCase(c)
 isWhitespace(c) Whitespace chars are the space ' ', tab char, line feed, carriage return, etc.
 toLowerCase(c) These return a char.
 toUpperCase(c)

We'll explain "static" soon

You can import these using "import static java.lang.Character.*;"

== versus equals

c1 == c2 **false** true iff c1, c2 contain same values
 c3 == c1 **false**
 c1 == c1 **true**
 c1.equals(c2) **true** true iff c2 is also a **Character** object and contains same char as c1
 c3.equals(c1) **Error!!!**

c1 **Character@a1** c2 **Character@b9** c3 **null**

Character@a1

??? 'b'

charValue()
compareTo(Character)
equals(Object)

Character@b9

??? 'b'

charValue()
compareTo(Character)
equals(Object)

STRING

Class String

String s= "CS2110";

String: special place in Java: no need for a new-expression. String literal creates object.

String@x2 ← s String@x2

???"CS2110"

- length()
- charAt(int)
- substring(int)
- substring(int, int)
- equals(Object)
- trim()
- contains(String)
- indexOf(String)
- startsWith(String)
- endsWith(String)
- ... more ...

Find out about methods of class String: docs.oracle.com/javase/8/docs/api/index.html?java/lang/String.html

Lots of methods. We explain basic ones

Important: String object is immutable: can't change its value. All operations/ functions create new String objects


Operator +

+ is overloaded

"abc" + "12\$" evaluates to "abc12\$"

If one operand of concatenation is a String and the other isn't, the other is converted to a String. Sequence of + done left to right

1 + 2 + "ab\$" evaluates to "3ab\$"

"ab\$" + 1 + 2 evaluates to "ab\$32" 

Operator +

```
System.out.println("c is: " + c +
    ", d is: " + d +
    ", e is: " + e);
```

Using several lines increases readability

Can use + to advantage in println statement. Good debugging tool.

- Note how each output number is annotated to know what it is.

Output:

c is: 32, d is: -3, e is: 201

c 32 d -3 e 201

Picking out pieces of a String

s.length(): number of chars in s — 5

01234 Numbering chars: first one in position 0

"CS 13"

s.charAt(i): char at position i

s.substring(i): new String containing chars at positions from i to end — s.substring(2) is ' 13'

s.substring(i,j): new String containing chars at positions i..(j-1) — s.substring(2,4) is ' 13'

Be careful: Char at j not included!

String@x2

length() ? "CS 13"

charAt(int)

substring(int)

substring(int, int)

... more ...

s String@x2

Other useful String functions

- s.trim() — s but with leading/trailing whitespace removed
- s.indexOf(s1) — position of first occurrence of s1 in s (-1 if none)
- s.lastIndexOf(s1) — similar to s.indexOf(s1)
- s.contains(s1) — true iff String s1 is contained in s2
- s.startsWith(s1) — true iff s starts with String s1
- s.endsWith(s1) — true iff s ends with String s1
- s.compareTo(s1) — 0 if s and s1 contain the same string, < 0 if s is less (dictionary order), > 0 if s is greater (dictionary order)

There are more functions! Look at the API specs!