

Reading/Writing Files, Webpages

CS2110, Recitation 8

Reading files/ webpages

I/O classes are in package `java.io`.

To import the classes so you can use them, use

```
import java.io.*;
```

Class File

An object of class **File** contains the path name to a file or directory. Class **File** has lots of methods, e.g.


`f.exists()` `f.canRead()` `f.canWrite()`
`f.delete()` `f.createNewFile()`
`f.length()` ... (lots more) ...

```
File f= new File("res/map1.xml");
```

File path is relative to the package in which the class resides.

Can also use an absolute path. To find out what absolute path's look like on your computer, use

```
f.getAbsolutePath();
```



Class File

`f.isDirectory()`


`f.listFiles()`

`f.list()`

`f.mkdir()`

Suppose `f` contains a `File` that describes a directory.
Store in `b` a `File[]` that contains a `File` element for each file or directory in directory given by `f`

`File[] b = f.listFiles()`



`f.list()`: return an array of file and directory names as Strings, instead of as `File` objects

`f.mkdir()`: create the directory if it does not exist.

Input Streams

Stream: a sequence of data values that is processed —either read or written— from beginning to end. We are dealing with input streams.

Read input stream for a file is by creating an instance of class `FileReader`:

```
FileReader fr= new FileReader(f);
```

```
fr.read() // get next char of file
```

f can be a File
or a String
that gives the
file name

Too low-level! Don't want to do char by char.

Reading a line at a time

Class `BufferedReader`, given a `FileReader` object, provides a method for reading one line at a time.

```
FileReader fr= new FileReader(f);  
BufferedReader br= new BufferedReader(fr);
```

Then:

```
String s= br.readLine(); // Store next line of file in s  
                // (null if none)
```

When finished with reading a file, it is best to close it!

```
br.close();
```

Example: counting lines in a file

```
/** Return number of lines in f.
```

```
Throw IO Exception if problems encountered when reading */
```

```
public static int getSize(File f) throws IOException {
```

```
    FileReader fr= new FileReader(f);
```

```
    BufferedReader br= new BufferedReader(fr);
```

```
    int n= 0; // number of lines read so far
```

```
    String line= br.readLine();
```

```
    while (line != null) {
```

```
        n= n+1;
```

```
        line= br.readLine();
```

```
    }
```

```
    br.close();
```

Don't forget!

```
    return n;
```

```
}
```

(write as while loop)

Always use this pattern to read a file!

```
line= first line;
```

```
while (line != null) {
```

```
    Process line;
```

```
    line= next line;
```

```
}
```

Pattern to read a file

Always use this pattern to read a file!

```
line= first line;  
while (line != null) {  
    Process line;  
    line= next line;  
}
```

```
line= br.readLine();  
while (line != null) {  
    Process line  
    line= br.readLine();  
}
```


Class URL in package java.net

```
URL url= new URL("http://www. ... .... /links.html");
```

A URL (Universal Resource Locator) describes a resource on the web, like a web page, a jpg file, a gif file

The "protocol" can be:

http (HyperText Transfer Protocol)

https

ftp (File Transfer Protocol)

Reading from an html web page

Given is URL url= **new** URL("http://www. /links.html);

To read lines from that webpage, do this:

1. Create an InputStreamReader:

```
InputStreamReader isr=  
    new InputStreamReader(url.openStream());
```

Have to open
the stream

2. Create a Buffered Reader:

```
BufferedReader br= new BufferedReader(isr);
```

3. Read lines, as before, using `br.readLine()`

javax.swing.JFileChooser

Want to ask the user to navigate to select a file to read?

```
JFileChooser jd= new JFileChooser();  
jd.setDialogTitle("Choose input file");  
int returnVal= jd.showOpenDialog(null);
```

```
File f= jd.getSelectedFile();
```

returnVal is one of
JFileChooser.CANCEL_OPTION
JFileChooser.APPROVE_OPTION
JFileChooser.ERROR_OPTION

```
jd.showOpenDialog("/Volumes/Work15A/webpage/ccgb/");
```

Starting always from the user's directory can be a pain for the user. User can give an argument that is the path where the navigation should start

Writing files

Writing a file is similar. First, get a `BufferedWriter`:

```
FileWriter fw= new FileWriter("the file name", false);  
BufferedWriter bw= new BufferedWriter(fw);
```

false: write a new file

true: append to an existing file

Then use

```
bw.write("...");
```

to write a `String` to the file.

```
bw.close(); // Don't forget to close!
```