

THERE IS ROOM IN THE BALCONY!


Romeo, Romeo, where art thou!

Up in the balcony, where it's cheaper!

CS/ENGRD 2110  
SPRING 2018

Lecture 1: Overview and intro to types

<http://courses.cs.cornell.edu/cs2110/2018sp>



```
erik@c:~/speculation$ gcc -o speculative
erik@c:~/speculation$ ./speculative_tabl
(')
trying ffffffff54001a0
6a0c 198
6a50 72
6a78 195
6af3 108
erik@c:~/speculation$ cat /proc/kallsyms
ffffffffb4e33a50 T sys_read
erik@c:~/speculation$
```



# CS2110

3

- Object-oriented programming, reasoning about complex problems
- Testing; Reasoning about correctness
- Algorithmic complexity, analyzing algorithms,
- Data structures: linked lists, trees, hash tables, graphs, etc.
- Programming paradigms: recursion, parallel execution

## Email from July 2017!

4

I'm a rising junior studying ... I took 2110 in Sp 2016. At the time, I couldn't appreciate everything I was taught and how they were taught — I was mostly preoccupied with completing the assignments and passing. But I'm starting to realize how terrific a job you and the entire 2110 staff did teaching the material.

I'm at Verizon as a software engineering intern. Doing JUnit testing has become very routine; it was stressed heavily in 2110. I've had to use basically all my knowledge of Java and OO programming for my internship, and I can safely say that I would be screwed if I hadn't taken 2110.

While taking 2100, a lot of peers (including myself) were frustrated at how we had to master all the subtle nuances of Java. But now I confidently say that I am so thankful that I know all these concepts.





# Is CS2110 right for you?

7

- Knowledge of Java not required
  - ▣ Only ~30% of you know Java –others know Matlab, Python ...
  - ▣ Requirement: comfort with some programming language, on the level of CS1110 (Python based) and CS1112 (Matlab based).  
Prior knowledge of OO not required.
  - ▣ **We assume you do not know Java!**
  - ▣ **If you know Java, the first 3 weeks will be easier for you but you STILL have to learn things, probably unlearn what you learned**

# Welcome to CS2110!

8

## OO Programming and Data Structures

354 Freshmen

157 Sophomores

055 Juniors

038 Seniors

035 Meng/Masters

020 PhD

659 Total

As of Monday, 22 January

### Instructors:

Eleanor Birrell

David Gries

Recitation leaders (TAs): 20

Consultants: 20

Letter grade: 639

S/U grade: 15

AUDIT: 5



# Lectures

9



- TR 10:10-11am, Statler auditorium
  - Attendance mandatory



- ENGRD 2110 or CS 2110?
  - **Same course!** We call it CS 2110 in online materials
  - Non-engineers sign up for CS 2110
  - Engineers should sign up for ENGRD 2110

# Sections (Recitations)

10

T 12:20 4 sections:  
T 1:25 3 sections:  
T 2:30 2 sections:  
T 3:35 2 section:  
W 12:20 3 sections:  
W 01:25 3 sections:  
W 02:30 2 sections:  
W 07:30 1 section:

Some time EARLY, visit StudentCenter and change your section to even out the numbers

- Attendance mandatory
- Sometimes flipped: you watch videos beforehand, come to recitation and do something
- Sometimes review, help on homework, new material
- No permission needed to switch sections, but do register for whichever one you attend

# Recitation Next Week

11

- Java & Eclipse essentials
- Practice with common types
- TO DO:
  - 1) Install Java, Eclipse, DrJava
  - 2) Watch tutorials on API & Strings
  - 3) Complete Quiz 1 and upload to CMS

# Coursework

12

- 7–8 programming assignments (37%)
- Two prelims (14% and 16%)
- Final exam (30%)
- Course evaluation (1%)
- Work in recitations (1-3%)

Formula will change as course progresses and we make changes in assignments, give quizzes, etc.

Exams are most important aspect in determining final grade

# Assignments: a real learning experience

13

- Teams of one or two
  - ▣ A0 and then A1 will be posted soon on the CMS
  - ▣ Finding a partner: choose your own or contact your TA. Piazza can be helpful

One way to do  
an assignment:

Wait until the day  
before it is due.

**Result:** Frustration, anger,  
impatience, long lines in  
consulting room. No fun.

**Not a good educational experience**



# Assignments: a real learning experience

14

One way to do an assignment:  
Read the handout immediately.  
Work on it every (other) day.  
Ponder. Look things up. Get help in  
consulting room, with no lines, or  
office hours. **Fun, hard work, a  
great learning experience**

**Piano lessons:**

**Practice Daily?**

Or put off practicing  
until an hour before  
weekly lesson?



# Academic Integrity... Trust but verify!



15

- 98% of you are honest and don't try to cheat
- We use artificial intelligence tools to check each homework assignment, so catch the other 2%
  - ▣ The software is accurate!
  - ▣ It tests your code and notices similarities between code written by different people
- Sure, you can fool this software
  - ▣ ... but it's easier to just do the assignments
  - ▣ ... and if you try to fool it and screw up, you might fail the assignment or even the whole course.

# Resources

16

- **JavaHyperText**. Course website: Link on Links or Resources page
- Java resource: online materials at Oracle JDK web site
- VideoNote: indexed videos of last semester's lectures.  
<http://www.videonote.com/cornell>. Log in with netid



# Piazza

17

- Click link on our “links” web page to register
- Incredible resource for 24 x 7 help with anything
- We keep an eye on it and answer questions. YOU can (and will) too. Visit the Piazza often.



# CS2111

18

- An “enrichment” course
- Help students who might feel overwhelmed by CS2110
- Gives more explanation of core ideas behind Java, programming, data structures, assignments, etc.
- Taught by Gries, 1 credit S/U
- Only for students who also take CS2110
- Only requirement: Attend weekly lecture

I would just like to thank you for taking the time to hold CS2111 this year. You have no idea how the class helped and impacted a lot of us. I would never have "survived" CS2110 without your generous share of your knowledge. I appreciated your time.

# Obtaining Java and Eclipse

19



- Follow instructions on our [Resources](#) web page
  - ▣ Make sure you have Java JDK 1.8, if not download and install. We explain how on the web page.
  - ▣ Then download and install the Eclipse IDE
- Test it out: launch Eclipse and click “new>Java Project”
  - ▣ This is one of a few ways Java can be used
  - ▣ When program runs, output is visible in a little console window



# DrJava IDE



20

- IDE: Integrated Development Environment
- DrJava is a much simpler IDE, few features
- We use it **only** to demo Java features and programming concepts. Has an “interactions pane”, which allows trying things without requiring a complete Java program. **Great tool!**
- DON'T use it for course assignments –use Eclipse
- **Download jar file** from links page of course website

# Homework!

21

**Homework 1.** Read article **Why Software is So Bad**.

Link: Course website -> Lectures notes (Lecture 1)

**Homework 2.** Get Java, Eclipse, DrJava on your computer.

**Homework 3.** Spend some time perusing the course website.

Look at course information, resources, links, etc.

**Homework 4. BEFORE EACH LECTURE/RECITATION:**

download pdf form of the slides, bring to class and look at them during lecture. We project not only PPT but also Eclipse and other things. Having PPT slides in paper form or on your laptop/tablet can help you during the lecture.

# Assignment 0

22

- Introduction to Java, Eclipse, and assert
- Due February 1 at 11:59pm
- Submit to CMS

AND  
NOW



# Relevant JavaHyperText Entries

24

type

primitive type

type, strong versus weak typing

cast

function

function call

procedure

procedure call

variable

variable declaration

expression

assignment statement

unicode



# A function in Matlab, Python, and Java

25

```
function s = sum(a, b)
    % Return sum of a and b
s = a + b;
```

Matlab

```
def sum(a, b):
    """ return sum of a and b """
    return a + b
```

Python

```
/** return sum of a and b */
public static double sum(double a, double b) {
    return a + b;
}
```

Specification:  
in comment  
before function

return type

Declarations of  
parameters a and b

# Type: Set of values together with operations on them.

26

Type integer:

values: ..., -3, -2, -1, 0, 1, 2, 3, ...

operations: +, -, \*, /, unary -

Can represent them  
in many ways —  
decimal, binary,  
octal, maybe as  
strokes | | | |  
(that's 4)

Do you know how  
your computer  
represents them?

# Type: Set of values together with operations on them.

27

Java Type `int`:

values:  $-2^{31} .. 2^{31}-1$

operations:  $+$ ,  $-$ ,  $*$ ,  $/$ ,  $\%$ , unary  $-$

$b \% c$  : *remainder*  
when  $b$  is divided by  $c$ .

$$67 \% 60 = 7$$

`Integer.MAX_VALUE`: name for max `int` value:  $2^{31}-1$ : 2147483647

Java designers decided on this Principle: primitive operations on type `int` should yield an `int`.

# Types in Java

28

## Primitive Types

- Fully integrated into Java
- We'll cover these today!

## Classes

- We'll talk about these next week...

# Most-used 'primitive' types

29

**int:** values:  $-2^{31} .. 2^{31}-1$

operations: +, −, \*, /, %, unary −

**double:** values like :  $-22.51E6, 24.9$

operations: +, −, \*, /, %, unary −

**char:** values like : 'V' '\$' '\n'

operations: none

**boolean:** values: true false

operations: ! (not), && (and), || (or)

$b \% c$  : remainder  
when  $b$  is divided by  $c$ .  
 $67 \% 60 = 7$

Write values in  
“scientific notation”

Use single quotes for  
type char.  
'\n' is new-line char

Can't use integers  
as booleans!

# Primitive number types

30

<b>Integer types:</b>	<b>byte</b> 1 byte	<b>short</b> 2 bytes	<b>int</b> 4 bytes	<b>long</b> 8 bytes	usual operators
<b>Real types:</b>	<b>float</b> 4 bytes	<b>double</b> 8 bytes		$-22.51E6$ 24.9	usual operators

Use these to save space.

Have an array of 1,000,000 integers in range 0..7?

Use a **byte** array rather than an **int** array

Don't worry about this in next 7-8 weeks. Use **int** and **double**.

# Type: Set of values together with operations on them.

31

Matlab and Python are **weakly typed**:

One variable can contain at different times a number, a string, an array, etc.

One isn't so concerned with types.

Java **strongly typed**:

A variable must be declared before it is used and can contain only values of the type with which it is declared

Valid Python sequence:

```
x= 100;
```

```
x= 'Hello World';
```

```
x= (1, 2, 3, 4, 5 );
```

Corresponding Java

```
int x;
```

```
x= 100;
```

```
x= "Hello";
```

Illegal assignment:  
"Hello" is not an **int**

Declaration of x:  
x can contain only  
values of type **int**

# Weakly typed versus strongly typed

32

## **Weakly typed:**

Shorter programs, generally.

Programmer has more freedom, language is more liberal in applying operations to values.

## **Strongly typed:**

Programmer has to be more disciplined. Declarations provide a place for comments about variables.

More errors caught at compile-time (e.g. it's a syntax error to assign a string to an `int` variable).

Note: weak and strong typing not well defined; literature has several definitions



# Basic variable declaration

33

**Declaration:** gives name of variable, type of value it can contain

**int** x;


Declaration of **x**, can contain an **int** value


**double** area;


Declaration of **area**, can contain a **double** value

**int[]** a;

Declaration of **a**, can contain a pointer to an **int** array. We explain arrays much later

x  **int**

area  **double**

a  **int[]**

# Assignment statement

34

Much like in other languages —need ‘;’ at end:

**<variable>= <expression> ;**

```
int x;  
x= 10;  
... other code  
x= x+1;
```

Have to declare x before assigning to it.

```
int x= 10;  
... other code  
x= x+1;
```

Can combine declaration with an initializing assignment. Shorthand for a declaration followed by an assignment.

# Assignment statement type restriction

35

Every expression has a type, which depends on its operators and the types of its operands in a natural way.

**Rule:** In `x = e;` type of `e` has to be same as or narrower than type of `x`. Reason: To avoid possibly losing info without the programmer realizing it.

```
double y = 5 + 1;
```

The value of `5+1` is automatically cast from type `int` to type `double`.

```
int x = 75.5 + 1;
```

Illegal: The exp value is of type `double`.

```
int x = (int) (75.5 + 1);
```

You can cast to `int` explicitly. `76` will be stored in `x`.


# Casting among types

36

**(int)** 3.2      casts **double** value 3.2 to an **int**

any number  
type

any number  
expression



**(int)** is a unary prefix  
operator, just like **-**

**- - 3**      evaluates to **3**  
**-(int) 3.2**      evaluates to **-3**



# Relevant JavaHyperText Entries

38

type

primitive type

type, strong versus weak typing

cast

function

function call

procedure

procedure call

variable

variable declaration

expression

assignment statement

unicode