

Instance-Based Learning

CS4780/5780 – Machine Learning
Fall 2014

Thorsten Joachims
Cornell University

Reading: Mitchell Chapter 1 & Sections 8.1 - 8.2
Optional Reading: Linden et al., Amazon Recommendations
(<http://www.cs.umd.edu/~samir/498/Amazon-Recommendations.pdf>)

Concept Learning

- **Definition:**

Acquire an operational definition of a general category of objects given positive and negative training examples.

Also called: binary classification, binary supervised learning,...

Concept Learning Example

	correct (complete, partial, guessing)	color (yes, no)	original (yes, no)	presentation (clear, unclear)	binder (yes, no)	A+
1	complete	yes	yes	clear	no	yes
2	complete	no	yes	clear	no	yes
3	partial	yes	no	unclear	no	no
4	complete	yes	yes	clear	yes	yes

Instance Space X: Set of all possible objects describable by attributes (often called features).

Concept c: Subset of objects from X (c is unknown).

Target Function f: Characteristic function indicating membership in c based on attributes (i.e. label) (f is unknown).

Example (x,y): Instance x with label y=f(x).

Training Data S: Collection of examples observed by learning algorithm.

Concept Learning as Learning a Binary Function

- **Task:**

– Learn (to imitate) a function $f: X \rightarrow \{+1, -1\}$

- **Training Examples:**

– Learning algorithm is given the correct value of the function for particular inputs \rightarrow training examples

– An example is a pair (x, y) , where x is the input and $y=f(x)$ is the output of the target function applied to x.

- **Goal:**

– Find a function

$$h: X \rightarrow \{+1, -1\}$$

that approximates

$$f: X \rightarrow \{+1, -1\}$$

as well as possible.

K-Nearest Neighbor (KNN)

- Given: Training data $((\vec{x}_1, y_1), \dots, (\vec{x}_n, y_n))$
 - Attribute vectors: $\vec{x}_i \in X$
 - Labels: $y_i \in Y$
- Parameter:
 - Similarity function: $K: X \times X \rightarrow \mathfrak{R}$
 - Number of nearest neighbors to consider: k
- Prediction rule
 - New example x'
 - K-nearest neighbors: k train examples with largest $K(\vec{x}_i, \vec{x}')$

$$h(\vec{x}') = \arg \max_{y \in Y} \left\{ \sum_{i \in knn(\vec{x}')} 1_{[y_i=y]} \right\}$$

KNN Example

	correct (complete, partial, guessing)	color (yes, no)	original (yes, no)	presentation (clear, unclear)	binder (yes, no)	A+
1	complete	yes	yes	clear	no	yes
2	complete	no	yes	clear	no	yes
3	partial	yes	no	unclear	no	no
4	complete	yes	yes	clear	yes	yes

- How will new examples be classified?

– Similarity function?

– Value of k ?

$$h(\vec{x}') = \arg \max_{y \in Y} \left\{ \sum_{i \in knn(\vec{x}')} 1_{[y_i=y]} \right\}$$

Weighted K-Nearest Neighbor


- Given: Training data $((\vec{x}_1, y_1), \dots, (\vec{x}_n, y_n))$
 - Attribute vectors: $\vec{x}_i \in X$
 - Target attribute: $y_i \in Y$
- Parameter:
 - Similarity function: $K : X \times X \rightarrow \mathfrak{R}$
 - Number of nearest neighbors to consider: k
- Prediction rule
 - New example x'
 - K-nearest neighbors: k train examples with largest $K(\vec{x}_i, \vec{x}')$

$$h(\vec{x}') = \arg \max_{y \in Y} \left\{ \sum_{i \in k_{nn}(\vec{x}')} 1_{[y_i=y]} K(\vec{x}_i, \vec{x}') \right\}$$


Types of Attributes

- Symbolic (nominal)
 - EyeColor {brown, blue, green}
- Boolean
 - alive {TRUE, FALSE}
- Numeric
 - Integer: age [0, 105]
 - Real: height
- Structural
 - Natural language sentence: parse tree
 - Protein: sequence of amino acids

Example: Expensive Housing (>\$200 / sqft)



Example: Effect of k



Hastie, Tibshirani, Friedman 2001

Supervised Learning

- Task:
 - Learn (to imitate) a function $f: X \rightarrow Y$
- Training Examples:
 - Learning algorithm is given the correct value of the function for particular inputs \rightarrow training examples
 - An example is a pair $(x, f(x))$, where x is the input and $f(x)$ is the output of the function applied to x .
- Goal:
 - Find a function $h: X \rightarrow Y$ that approximates $f: X \rightarrow Y$ as well as possible.

Weighted K-NN for Regression

- Given: Training data $((\vec{x}_1, y_1), \dots, (\vec{x}_n, y_n))$
 - Attribute vectors: $\vec{x}_i \in X$
 - Target attribute: $y_i \in \mathfrak{R}$
- Parameter:
 - Similarity function: $K : X \times X \rightarrow \mathfrak{R}$
 - Number of nearest neighbors to consider: k
- Prediction rule
 - New example x'
 - K-nearest neighbors: k train examples with largest $K(\vec{x}_i, \vec{x}')$

$$h(\vec{x}') = \frac{\sum_{i \in k_{nn}(\vec{x}')} y_i K(\vec{x}_i, \vec{x}')}{\sum_{i \in k_{nn}(\vec{x}')} K(\vec{x}_i, \vec{x}')}$$

Collaborative Filtering



Rating Matrix	m_1	m_2	m_3	m_4	m_5	m_6
u_1		1	5		3	5
u_2		5	1	1	3	1
u_3		2	4		1	5
u	?	1	4	?	?	?

