

# Statistical Learning Theory: Expert Learning

CS4780/5780 – Machine Learning  
Fall 2014

Thorsten Joachims  
Cornell University

Reading: Mitchell Chapter 7.5

# Generalization Error Bound: Infinite H, Non-Zero Error

- Setting
  - Sample of  $n$  labeled instances  $S$
  - Learning Algorithm  $L$  using a hypothesis space  $H$  with  $VCDim(H)=d$
  - $L$  returns hypothesis  $\hat{h}=L(S)$  with lowest training error
- Definition: The VC-Dimension of  $H$  is equal to the maximum number  $d$  of examples that can be split into two sets in all  $2^d$  ways using functions from  $H$  (shattering).
- Given hypothesis space  $H$  with  $VCDim(H)$  equal to  $d$  and an i.i.d. sample  $S$  of size  $n$ , with probability  $(1-\delta)$  it holds that

$$Err_P(h_{\mathcal{L}(S)}) \leq Err_S(h_{\mathcal{L}(S)}) + \sqrt{\frac{d \left( \ln \left( \frac{2n}{d} \right) + 1 \right) - \ln \left( \frac{\delta}{4} \right)}{n}}$$

# Outline

- Online learning
- Review of perceptron and mistake bound
- Expert model
  - Halving Algorithm
  - Weighted Majority Algorithm
  - Exponentiated Gradient Algorithm
- Bandit model
  - EXP3 Algorithm

# Online Classification Model

## – Setting

- Classification
- Hypothesis space  $H$  with  $h: X \rightarrow Y$
- Measure misclassifications (i.e. zero/one loss)

## – Interaction Model

- Initialize hypothesis  $h \in H$
- FOR  $t$  from 1 to  $T$ 
  - Receive  $x_t$
  - Make prediction  $\hat{y}_t = h(x_t)$
  - Receive true label  $y_t$
  - Record if prediction was correct (e.g.,  $\hat{y}_t = y_t$ )
  - Update  $h$

# (Online) Perceptron Algorithm

- Input:  $S = ((\vec{x}_1, y_1), \dots, (\vec{x}_n, y_n))$ ,  $\vec{x}_i \in \mathbb{R}^N$ ,  $y_i \in \{-1, 1\}$
- Algorithm:
  - $\vec{w}_0 = \vec{0}$ ,  $k = 0$
  - FOR  $i=1$  TO  $n$ 
    - \* IF  $y_i(\vec{w}_k \cdot \vec{x}_i) \leq 0$  ### makes mistake
      - $\vec{w}_{k+1} = \vec{w}_k + y_i \vec{x}_i$
      - $k = k + 1$
    - \* ENDIF
  - ENDFOR
- Output:  $\vec{w}_k$

# Perceptron Mistake Bound

Theorem: For any sequence of training examples  $S = ((\vec{x}_1, y_1), \dots, (\vec{x}_n, y_n))$  with

$$R = \max \|\vec{x}_i\| ,$$

if there exists a weight vector  $\vec{w}_{opt}$  with  $\|\vec{w}_{opt}\| = 1$  and

$$y_i (\vec{w}_{opt} \cdot \vec{x}_i) \geq \delta$$

for all  $1 \leq i \leq n$ , then the Perceptron makes at most

$$\frac{R^2}{\delta^2}$$

errors.

# Expert Learning Model

- Setting
  - $N$  experts named  $H = \{h_1, \dots, h_N\}$
  - Each expert  $h_i$  takes an action  $y = h_i(x_t)$  in each round  $t$  and incurs loss  $\Delta_{t,i}$
  - Algorithm can select which expert's action to follow in each round
- Interaction Model
  - FOR  $t$  from 1 to  $T$ 
    - Algorithm selects expert  $h_{i_t}$  according to strategy  $A_{w_t}$  and follows its action  $y$
    - Experts incur losses  $\Delta_{t,1} \dots \Delta_{t,N}$
    - Algorithm incurs loss  $\Delta_{t,i_t}$
    - Algorithm updates  $w_t$  to  $w_{t+1}$  based on  $\Delta_{t,1} \dots \Delta_{t,N}$

# Halving Algorithm

- Setting
  - $N$  experts named  $H = \{h_1, \dots, h_N\}$
  - Binary actions  $y = \{+1, -1\}$  given input  $x$ , zero/one loss
  - Perfect expert exists in  $H$
- Algorithm
  - $VS_1 = H$
  - FOR  $t = 1$  TO  $T$ 
    - Predict the same  $y$  as majority of  $h_i \in VS_t$
    - $VS_{t+1} = VS_t$  minus those  $h_i \in VS_t$  that were wrong
- Mistake Bound
  - How many mistakes can the Halving algorithm make before predicting perfectly?