

Lecture 1

**Course Overview,
Python Basics**

We Are (Sort-Of) Full!

- Thank Biology for the new class size
 - Plenty of room in 11:15 lecture
 - However, 9am is at **fire code** capacity
- But labs/sections are all **full**
 - While we have seats, we do not have staff
 - Talk to me if I promised you a seat
- Enrollment limited to *ungraduate students*

About Your Instructor: Walker White



- **Director:** GDIAC
 - **G**ame **D**esign **I**nitiative
at **C**ornell
 - Teach game design
- (and CS 1110 in fall)



CS 1110 Fall 2018

- **Outcomes:**

- **Fluency** in (Python) procedural programming
 - Usage of assignments, conditionals, and loops
 - Ability to create Python modules and programs
- **Competency** in object-oriented programming
 - Ability to recognize and use objects and classes
- **Knowledge** of searching and sorting algorithms
 - Knowledge of basics of vector computation

- **Website:**

- www.cs.cornell.edu/courses/cs1110/2018fa/

Intro Programming Classes Compared

CS 1110: Python

- No prior programming experience necessary
- **No calculus**
- *Slight* focus on
 - **Software engineering**
 - **Application design**

CS 1112: Matlab

- No prior programming experience necessary
- **One semester of calculus**
- *Slight* focus on
 - **Scientific computation**
 - **Engineering applications**

But either course serves as
a pre-requisite to CS 2110

CS 1133: Short Course in Python

- 2-credit course in how to use Python
 - Material is roughly the first half of CS 1110
 - Most of the Python of 1110, but not theory
 - Two assignments; no exams
 - No experience required
- This is the only S/U course this year!
 - CS 1110 is no longer offered S/U
 - Best for students that just want Python

Why Programming in Python?

- Python is **easier for beginners**
 - A lot less to learn before you start “doing”
 - Designed with “rapid prototyping” in mind
- Python is **more relevant to non-CS majors**
 - NumPy and SciPy heavily used by scientists
- Python is a more **modern language**
 - Popular for web applications (e.g. Facebook apps)
 - Also applicable to mobile app development

Class Structure

- **Lectures.** Every Tuesday/Thursday
 - Not just slides; interactive demos almost every lecture
 - Because of enrollment, please stay with your section
 - **Semi-Mandatory.** 1% Participation grade from iClickers
- **Section/labs.** ACCEL Lab or Phillips 318
 - Guided exercises with TAs and consultants helping out
 - Tuesday: 12:20, 1:25, 2:30, 3:35
 - Wednesday: 10:10, 11:15, 12:20, 1:25, 2:30, 3:35, 7:20
 - Contact Jenna (jls478@cornell.edu) for section conflicts
 - **Mandatory.** Missing more than 2 lowers your final grade

Class Structure

- **Lectures.** Every Tuesday/Thursday
 - Not just slides; interactive demos almost every lecture
 - Because of enrollment, please stay with your section
 - **Semi-Mandatory.** 1% Participation grade from iClickers
- **Section/labs.** ACCEL Lab or Phillips 318

All Labs will be use the online system.
But they are not intended to be “online”.

- **Mandatory.** Missing more than 2 lowers your final grade

Class Materials

- **Textbook.** *Think Python, 2nd Ed.* by Allen Downey
 - *Optional* text; only used as a reference
 - Book available for free as PDF or eBook
 - Hardbound copies only available online
- **iClicker.** Acquire one by **next Thursday**
 - Will periodically ask questions during lecture
 - Will get credit for answering – even if wrong
 - iClicker App for smartphone **is not** acceptable
- **Python.** Necessary if you want to use own computer
 - See course website for how to install the software



This Course is OS Agnostic

Windows 10



macOS 10.12 or higher

The macOS Sierra logo, featuring the text "macOS Sierra" in a white, sans-serif font, is centered over a background of a snow-capped mountain range. The mountains are illuminated by warm, golden light, suggesting a sunrise or sunset. The sky is a mix of orange and purple hues.

macOS
Sierra

Do NOT Even THINK It!

A promotional image for macOS Mojave featuring a dark, atmospheric landscape of sand dunes under a night sky. The text "macOS Mojave" is centered in a large, white, sans-serif font.

macOS Mojave

Coming September/October

Do NOT Even THINK It!



Things to Do Before Next Class

1. Register your iClicker
 - Does not count for grade if not registered
2. Enroll in Piazza
3. Sign into CMS
 - Complete the Quiz
 - Complete Survey 0
4. **Complete Lab 0**
 - Install (Anaconda) Python
 - Answer online questions

- Everything is on website!
 - Piazza instructions
 - Class announcements
 - Consultant calendar
 - Reading schedule
 - Lecture slides
 - Exam dates
- Check it regularly:
 - www.cs.cornell.edu/courses/cs1110/2018fa/

A Word About About Grades

- As Cornell students, we know that you care
- But this is **not** a weed-out course
 - Students can do well regardless of experience
- But you may have to work hard!
 - If no experience, budget 10+ hours of homework a week

| | A | B | C | D/F |
|---------------------|------------|------------|------------|------------|
| All Students | 33% | 45% | 20% | 2% |
| AP Students | 50% | 40% | 10% | 0% |
| Some Experience | 45% | 35% | 20% | 0% |
| No Experience | 25% | 50% | 22% | 3% |

A Word About About Grades

- As Cornell students, we know that you care
- But
 - **But there is no S/U this semester!**
- But you may have to work hard!
 - If no experience, budget 10+ hours of homework a week

| | A | B | C | D/F |
|-----------------|-----|-----|-----|-----|
| All Students | 33% | 45% | 20% | 2% |
| AP Students | 50% | 40% | 10% | |
| Some Experience | 45% | 35% | 20% | |
| No Experience | 25% | 50% | 22% | 3% |

This Course is Designed For

- Engineers who need a computing requirement
- Students that want to major/minor in CS

You Should Think Twice If

- You are uncomfortable with college-level math
- You are a junior/senior that has avoided STEM
- **You only want to learn Python**


Getting Started with Python

- Designed to be used from the “command line”
 - OS X/Linux: **Terminal**
 - Windows: **PowerShell**
 - Purpose of the first lab
- Once installed type “python”
 - Starts an *interactive shell*
 - Type commands at >>>
 - Shell responds to commands
- Can use it like a calculator
 - Use to evaluate *expressions*

```
wmwhite —
Last login: Tue Aug 21 10:22:22 on ttys0
[wmwhite@Rlyeh]:~ > python
Python 3.6.5 |Anaconda custom (64-bit)|
[GCC 4.2.1 Compatible Clang 4.0.1 (tags/
Type "help", "copyright", "credits" or '
>>> 1+2
3
>>> 'Hello'+'World'
'HelloWorld'
>>> █
```

This class uses Python 3.6

The Basics



Python and Expressions

- An expression **represents** something
 - Python *evaluates it* (turns it into a value)
 - Similar to what a calculator does

- Examples:

- 2.3

Literal
(evaluates to self)



- $(3 * 7 + 2) * 0.1$

An expression with four
literals and some operators

Representing Values

- **Everything** on a computer reduces to numbers
 - Letters represented by numbers (ASCII codes)
 - Pixel colors are three numbers (red, blue, green)
 - So how can Python tell all these numbers apart?
- **Type:** **Memorize this definition!**
A set of values and the operations on them.
 - Examples of operations: +, -, /, *
 - The meaning of these depends on the type

Example: Type `int`

- Type `int` represents **integers**
 - **values:** ..., -3, -2, -1, 0, 1, 2, 3, 4, 5, ...
 - Integer literals look like this: 1, 45, 43028030 (no commas or periods)
 - **operations:** +, -, *, //, **, unary -
 -  multiply
 -  to power of
- **Principle:** operations on `int` values must yield an `int`
 - **Example:** `1 // 2` rounds result down to 0
 - **Companion operation:** % (remainder)
 - `7 % 3` evaluates to 1, remainder when dividing 7 by 3
 - Operator `/` is not an `int` operation in Python 3

Example: Type float

- Type **float** (floating point) represents **real numbers**
 - **values**: distinguished from integers by decimal points
 - In Python a number with a “.” is a **float literal** (e.g. 2.0)
 - Without a decimal a number is an **int literal** (e.g. 2)
 - **operations**: +, −, *, /, **, unary −
 - Notice that float has a different division operator
 - **Example**: 1.0/2.0 evaluates to 0.5
- **Exponent notation** is useful for large (or small) values
 - $-22.51e6$ is $-22.51 * 10^6$ or -22510000
 - $22.51e-6$ is $22.51 * 10^{-6}$ or 0.00002251

A second kind
of **float** literal

Floats Have Finite Precision

- Python stores floats as **binary fractions**

- Integer mantissa times a power of 2

- Example: 1.25 is $5 * 2^{-2}$

mantissa

exponent

- Impossible to write most real numbers this way exactly

- Similar to problem of writing $1/3$ with decimals

- Python chooses the closest binary fraction it can

- This approximation results in **representation error**

- When combined in expressions, the error can get worse

- **Example:** type `0.1 + 0.2` at the prompt `>>>`

Example: Type **bool**

- Type **boolean** or **bool** represents **logical statements**
 - **values**: **True**, **False**
 - Boolean literals are just **True** and **False** (have to be capitalized)
 - **operations**: **not**, **and**, **or**
 - **not b**: **True** if **b is false** and **False** if **b is true**
 - **b and c**: **True** if **both b and c are true**; **False** otherwise
 - **b or c**: **True** if **b is true** or **c is true**; **False** otherwise
- Often come from comparing **int** or **float** values
 - Order comparison: $i < j$ $i \leq j$ $i \geq j$ $i > j$
 - Equality, inequality: $i == j$ $i != j$



"=" means something else!

Example: Type `str`

- Type `String` or `str` represents **text**
 - **values**: any sequence of characters
 - **operation(s)**: + (catenation, or concatenation)
- **String literal**: sequence of characters in quotes
 - Double quotes: " `abcex3$g<&`" or "Hello World!"
 - Single quotes: `'Hello World!'`
- Concatenation can only apply to strings.
 - `'ab' + 'cd'` evaluates to `'abcd'`
 - `'ab' + 2` produces an **error**

Example: Type `str`

- Type `String` or `str` represents **text**
 - **values**: any sequence of characters
 - **operation(s)**: `+` (catenation, or concatenation)
- **String literal**: sequence of characters in quotes
 - Double quotes: `" abcex3$g<&"` or `"Hello World!"`
 - Single quotes: `'Hello World!'`
- Concatenation can only apply to strings.
 - `'ab' + 'cd'` evaluates to `'abcd'`
 - `'ab' + 2` produces an **error**

The meaning of `+` depends on the **type**

Converting Values Between Types

- Basic form: *type(value)*
 - `float(2)` converts value 2 to type **float** (value now 2.0)
 - `int(2.6)` converts value 2.6 to type **int** (value now 2)
 - Explicit conversion is also called “casting”
- Narrow to wide: **bool** \Rightarrow **int** \Rightarrow **float**
 - *Widening*. Python does automatically if needed
 - **Example:** `1/2.0` evaluates to 0.5 (casts 1 to **float**)
 - *Narrowing*. Python *never* does this automatically
 - Narrowing conversions cause information to be lost
 - **Example:** `float(int(2.6))` evaluates to 2.0