



Matlab Vectors

Lecture 9 (Feb 22)
CS100M - Spring 2007

Announcements

- Prelim 1
 - Feb 22 (tonight) at 7:30pm
 - Statler Auditorium
 - Not our regular classroom
- Topics
 - Reading: CFile 5, Section 5.1
 - Plans for today
 - Matlab vectors

Definitions

- An *array* is a named collection of data values organized into rows and/or columns
- Matlab makes it easy to create & use both 1D arrays and 2D arrays
 - We start with 1D arrays, called *vectors* in Matlab
 - We identify a single data item in a vector by using an *index*
 - In Matlab, the first item of a vector is at index 1

scores	10	15	23	18	18	21
	1	2	3	4	5	6

Accessing Values in a Vector

- To access, say, the 4th item in vector *scores*, we use `scores(4)`
 - In words, this is often called "scores sub 4" because it corresponds to the way subscripts are used in mathematics (e.g., $scores_4$)
- In this example, `scores(1)` holds the value 10
 - `scores(2)` holds the value 15
 - `scores(3)` holds the value 23
 - etc.

scores	10	15	23	18	18	21
	1	2	3	4	5	6

Using Values Held in a Vector

scores	10	15	23	18	18	21
	1	2	3	4	5	6

- You can use a vector variable with its index just like any other Matlab variable
 - `sum = scores(1) + scores(2)` % sum is set to 25
 - `scores(3) = 34` % Changes scores(3)

scores	10	15	34	18	18	21
	1	2	3	4	5	6

Creating Vectors "By Hand"

- Here's one way that we could have created the vector `scores`

```
scores = [10 15 23 18 18 21]      % Create the vector
```

 - The square brackets indicate a vector
 - You can list the values separated by either spaces or commas

```
scores = [10, 15, 23, 18, 18, 21]      % Same thing using commas
```

scores	10	15	23	18	18	21
	1	2	3	4	5	6

Programming with Vectors

- Matlab provides many built-in functions for working with vectors
- For now, we use just one built-in function, the function `length()`
 - This tells how many items are in the vector
 - E.g., `length(scores)` returns the value 6
- Example: Determine the sum of all values in the vector `scores`

```
sum = 0;
for k = 1:length(scores)
    sum = sum + scores(k);
end
```

Example: Average

- Goal: Write a Matlab function `average(v)` which returns the average of the values held in vector `v`
- Pseudocode:
 - Add all the items
 - Report sum/(# of items)

```
function avg = average(v)
sum = 0;
for k = 1:length(v)
    sum = sum + v(k);
end
avg = sum / length(v);
```

Example: Find the Maximum

- Goal: Write a Matlab function `maximum(v)` which returns the maximum value stored in vector `v`
- Pseudocode:
 - Initialize `theMax`
 - Compare `theMax` with each item in turn, updating as needed
 - Report `theMax`
- What happens when `length(v)` is 0?
 - We get an error message
- FYI: You can create an empty vector like this:

```
v = [ ]; % Empty vector
```

```
function theMax = maximum(v)
theMax = v(1);
for k = 2:length(v)
    theMax = max(theMax, v(k));
end
```

Special Functions for Creating Vectors

- Some vectors are used so often that there are special functions for creating them

```
zeros(1, 5) % A vector of length 5 holding all zeros
ones(1, 7)  % A vector of length 7 holding all ones
rand(1, 4)  % A vector of length 4 holding random numbers
```
- Why the extra function arguments?
 - Matlab (= Matrix Laboratory) uses matrices (2D arrays) as its default
 - Thus, `zeros(3, 4)` produces a 3-by-4 matrix of zeros
 - `zeros(1, 5)` produces a 1-by-5 matrix (i.e., a single row of a matrix; also called a *row vector*)
 - `zeros(5, 1)` produces a 5-by-1 matrix (i.e., a single column of a matrix; also called a *column vector*)

Shortcuts for Creating Vectors

- We've already seen another way to create vectors when we were using for-loops
 - We can use ":" notation

```
vec = 1:7; % [1 2 3 4 5 6 7]
vec = 10:-2:0 % [10 8 6 4 2 0]
```
- FYI
 - The for-loop actually converts the ":" notation into a vector before it executes
 - A for-loop will work with *any* vector (e.g., `for k = [2 3 5 7 11 13 17 19]`)

Appending to Vectors

- This code will create the vector `xx` and fill it with values:

```
xx(1) = 111; % [111]
xx(2) = 222; % [111 222]
xx(3) = 333; % [111 222 333]
```
- You can even skip ahead (unspecified items are set to 0)

```
xx(6) = 666; % [111 222 333 0 0 666]
```
- You don't even have to know the last index-value (because Matlab treats "end" as a special value in subscripts)

```
xx(end+1) = 777; % [111 222 333 0 0 666 777]
```

Combining Vectors

- If you put a vector inside a vector then Matlab uses the values to make one new vector

```
▪ Examples
[[1 2 3] [4 5 6]]      % [1 2 3 4 5 6]
[ones(1, 3), zeros(1,2)] % [1 1 1 0 0]
[5 4 3 2 1 [1:1:5]]   % [5 4 3 2 1 1 2 3 4 5]
[1 2 zeros(1, 3)]     % [1 2 0 0 0]
```

Example: Cumulative Sum

- Write a function `csum(v)` that returns the cumulative sum of vector `v`

```
▪ Example:
[2 4 6 6] % Original vector
[2 6 12 18] % Cumulative sum
```

- Note that the cumulative sum of `v` as the same length as the original vector `v`

- Algorithm ideas

- Create a vector (call it `sum`) to hold the sums
- We can figure out `sum(k)` if we know `sum(k-1)` and `v(k)`

Example: Polynomial Evaluation

- Write a function to evaluate an n^{th} order polynomial of x :

$$a_0 + a_1x + a_2x^2 + \dots + a_nx^n$$

- `polyEval(coeff, x)`
Return the value of the polynomial represented by the vector `coeff` evaluated at value `x`

- Note that vector `coeff` has length $n+1$
- Note that `coeff(1)` corresponds to a_0

- Algorithm ideas

- We need a sum and a loop
- Each time through the loop, we add the next term to the sum

- Partial code

```
sum = 0;
for k = 1:length(coeff)
    xpow = x^(k-1);
    sum = sum + coeff(k)*xpow;
end
```

Example: Random Walk

- Write a function `randomWalk(n)` to perform n steps of a random walk in the plane starting from $(0,0)$

- Function header: `function randomWalk(n)`

- At each step, possible moves are up, down, left, or right

- Display the walk

- This part turns out to be easy
- `plot(x, y, '-')` where `x` and `y` are vectors draws connecting lines from $(x(0), y(0))$ to $(x(1), y(1))$ to $(x(2), y(2))$ to...

Random Walk Algorithm

- To do the drawing, we need all the steps stored in two vectors: `x` and `y`

- For n steps we need vectors of length $n+1$

- E.g., if we use vectors of length 2, we can hold

- The starting position $(0,0)$
- And one step to either $(1,0)$, $(0,1)$, $(-1,0)$, or $(0,-1)$

- Pseudocode

```
Load x and y with n+1 zeros
for each step k
    Choose a random direction
    Update x(k+1) and y(k+1)
    Draw the result
```

