

CS1110. Lecture 2, 22 Jan 2008. Objects & classes

Reading for this lecture: Section 1.3. It's most important that you **study this section over the weekend** and **practice** what is taught using DrJava.



PLive: Activities 3-3.1, 3-3.2, 3-3.4 (not 3-3.3), 3-4.1, 3-4.2.

Summary of lectures: On course page, click on "Handouts" and then "Outline of lectures held so far".

Quote for the day:
Computers in the future may weigh no more than 1.5 tons.

--Popular Mechanics, forecasting the relentless march of science, 1949

CMS: Course Management System.

Maintain grades, handle submitted assignments, post grades, handle regrades, etc. Developed by the CS Department. Java based.

From course web page, click on CMS

Click on "sign in", enter cornell netid, password. Then, you will either be in the CMS and see the course description or you will see something like this:

CMS Overview
My Courses
CS1110 (student)

AEWs

Sign up for the 1-credit AEW sections for CS1110.

Two hrs per week. Nothing else.

Not remedial.

If you see CS1110, click on it. If not, email Maria Witlox your netid, ask her to register you in the CMS for CS1110: mwitlox@cs.cornell.edu

Two aspects of a programming language

- Organization – structure
- Procedural – commands to do something

Example: Recipe book

- Organization: Several options; here is one:
 - Appetizers
 - list of recipes
 - Beverages
 - list of recipes
 - Soups
 - list of recipes
 - ...

- Procedural: Recipe: sequence of instructions to carry out


Parts to this course

structural
objects
classes
methods
inheritance

procedural
assignment,
return,
if-statement
iteration (loops)
recursion

miscellaneous
GUIs
exception handling
Testing/debugging

A class is a file-drawer. Contents: manila folders, each containing the same kind of information




Name on tab (c1): anything you want, as long as it is unique

manila folder: an **object** or **instance** of the class


name, address, owes: **variables**, called **fields** of the folder

A class is a file-drawer. Contents: manila folders, each containing the same kind of information



Instructions to be carried out by different people: change the name, get the name, bill the patient, receive money from patient, insert teeth xrays into the folder, ...

A class is a file-drawer. Contents: manila folders, each containing the same kind of information



Instructions to be carried out by different people: methods. getName is a **function**; it returns a value. deposit is a **procedure**; it does some task, doesn't return value

pat `c1`
variable contains the name of the folder

`c1`
name `L. Lee` Patient
address `New York`
owes `$250.00`
getName()
deposit(double d)

`pat.getName()` function call. Its value is "L. Lee"

`pat.deposit(250.0);` procedure call. Subtract 250.0 from field `owes`.

7

pat `c1`
variable contains the name of the folder

`c1`
name `L. Lee` Patient
address `New York`
owes `$250.00`
getName()
deposit(double d)

`new Patient()` An expression: create a new folder (put it in file-drawer `Patient`) and give as the value of the expression the name of the folder.

`pat = new Patient();` A statement: evaluate `new Patient()` and store its value (the name of the new folder) in variable `pat`.

8

j `a0`
variable contains name of folder

An object (manila folder) of class `Javax.swing.JFrame` is associated with a window on your computer monitor. It has (among others) these functions:
`getHeight()` `getWidth()` `getX()` `getY()`
`getTitle()` `isResizable()`
and these procedures:
`show()` `hide()`
`setTitle()` `setSize(int, int)`
`setLocation(int, int)` `setResizable(boolean)`

We will demo the use of most of these methods

In groups of 2, draw an object (manila folder) of this class, and put the name `a0` on its tab.

9

j `a0`
variable contains the name of the folder

`j = new javax.swing.JFrame();`
`j.show();`
...

Expression `new JFrame()`
Create new folder and put in file drawer `JFrame`.

Statement `jf = new JFrame();`
Create new folder, as above, and place its name in variable `jf`.

Thereafter, use
`jf.method-name (arguments, if any)`
to call methods of folder (object) `jf`.

- Read section 1.3.
- Practice what we did in class in DrJava.
- Try the self-review exercises on page 40.

10

package: A collection of classes that are placed in the same directory on your hard drive. Think of it as a room that contains file cabinets with one drawer for each class.

package `java.io` classes having to do with input/output
package `java.net` classes having to do with the internet
package `java.awt` classes having to do with making GUIs
package `javax.swing` newer classes having to do with GUIs

To reference class `JFrame` in package `javax.swing`, use:
`javax.swing.JFrame`

Instead: `import javax.swing.*;`
Then use simply `JFrame`

11