

A Problem with Subclasses

```

class Fraction(object):
    """Instances are normal fractions n/d"""
    # INSTANCE ATTRIBUTES
    # _numerator: int
    # _denominator: int > 0

class BinaryFraction(Fraction):
    """Instances are fractions k/2^n"""
    # INSTANCE ATTRIBUTES same but
    # _denominator: int = 2^n, n >= 0

def __init__(self,k,n):
    """Make fraction k/2^n"""
    assert type(n) == int and n >= 0
    super().__init__(k,2 ** n)
    
```

```

>>> p = Fraction(1,2)
>>> q = BinaryFraction(1,2) # 1/4
>>> r = p*q
    
```

↓ Python converts to

```

>>> r = p.__mul__(q) # ERROR
    
```

__mul__ has precondition
 type(q) == Fraction

1

The isinstance Function

- `isinstance(<obj>, <class>)`
 - True if <obj>'s class is same as or a subclass of <class>
 - False otherwise
- Example:**
 - `isinstance(e, Executive)` is True
 - `isinstance(e, Employee)` is True
 - `isinstance(e, object)` is True
 - `isinstance(e, str)` is False
- Generally preferable to `type`
 - Works with base types too!

e id4

Executive

_name: Fred

_start: 2012

_salary: 0.0

_bonus: 0.0

id4

Employee

object

2

Fixing Multiplication

```

class Fraction(object):
    """Instances are fractions n/d"""
    # _numerator: int
    # _denominator: int > 0

def __mul__(self,q):
    """Returns: Product of self, q
    Makes a new Fraction; does not
    modify contents of self or q
    Precondition: q a Fraction"""
    assert isinstance(q, Fraction)
    top = self.numerator*q.numerator
    bot = self.denominator*q.denominator
    return Fraction(top,bot)
    
```

```

>>> p = Fraction(1,2)
>>> q = BinaryFraction(1,2) # 1/4
>>> r = p*q
    
```

↓ Python converts to

```

>>> r = p.__mul__(q) # OKAY
    
```

Can multiply so long as it
 has numerator, denominator

3

Error Types in Python

- All errors are instances of class `BaseException`
- This allows us to organize them in a hierarchy

BaseException

__init__(self,msg)

__str__(self)

...

Exception (BE)

AssError (E)

BaseException

↑

Exception

↑

AssError

id4

AssertionError

'My error'

→ means "extends" or "is an instance of"

4

Python Error Type Hierarchy

<http://docs.python.org/library/exceptions.html>

Why so many error types?

5

Handling Errors by Type

- `try-except` blocks can be restricted to **specific** errors
 - Do except if error is an **instance** of that type
 - If error not an instance, do not recover
- Example:**

```

try:
    val = input() # get number from user
    x = float(val) # convert string to float
    print("The next number is "+str(x+1))
except ValueError:
    print("Hey! That is not a number!")
    
```

May have IOError (points to input())
 May have ValueError (points to float(val))
 Only recovers ValueError. Other errors ignored. (points to except block)

6

Creating Errors in Python

- Create errors with raise
 - **Usage:** raise <exp>
 - exp evaluates to an object
 - An instance of Exception
- Tailor your error types
 - **ValueError:** Bad value
 - **TypeError:** Bad type
- Still prefer **asserts** for preconditions, however
 - Compact and easy to read

```

def foo(x):
    assert x < 2, 'My error'
    ...

```

Identical

```

def foo(x):
    if x >= 2:
        m = 'My error'
        err = AssertionError(m)
        raise err

```

7

Creating Your Own Exceptions

```

class CustomError(Exception):
    """An instance is a custom exception"""
    pass

```

This is all you need

- No extra fields
- No extra methods
- No constructors

Inherit everything

Only issues is choice of parent error class. Use Exception if you are unsure what.

8

Handling Errors by Type

- try-except can put the error in a variable
- **Example:**

```

try:
    val = input() # get number from user
    x = float(val) # convert string to float
    print("The next number is "+str(x+1))
except ValueError as e:
    print(e.args[0])
    print("Hey! That is not a number!")

```

Some Error subclasses have more attributes

9

Accessing Attributes with Strings

- **hasattr(<obj>,<name>)**
 - Checks if attribute exists
- **getattr(<obj>,<name>)**
 - Reads contents of attribute
- **delattr(<obj>,<name>)**
 - Deletes the given attribute
- **setattr(<obj>,<name>,<val>)**
 - Sets the attribute value
- **<obj>._dict_**
 - List all attributes of object

id1

Point3	
x	2.0
y	3.0
z	5.0

Treat object like dictionary

id2

dict	
'x'	2.0
'y'	3.0
'z'	5.0

10

Typing Philosophy in Python

- **Duck Typing:**
 - "Type" object is determined by its methods and properties
 - Not the same as type() value
 - Preferred by Python experts
- Implement with **hasattr()**
 - **hasattr(<object>,<string>)**
 - Returns true if object has an attribute/method of that name
- This has many problems
 - The name tells you nothing about its specification

```

class Fraction(object):
    """Instances are fractions n/d"""
    # _numerator: int
    # _denominator: int > 0
    ...
    def __eq__(self,q):
        """Returns: True if self, q equal,
        False if not, or q not a Fraction"""
        if (not (hasattr(q,'numerator') and
                hasattr(q,'denominator'))):
            return False
        left = self.numerator*q.denominator
        right = self.denominator*q.numerator
        return left == right

```

11

Final Word on Typing

- How to implement/use typing is **controversial**
 - Major focus in **designing new languages**
 - Some langs have no types; others complex types
- Trade-of between **ease-of-use** and **robustness**
 - Complex types allow automated bug finding
 - But make they also make code harder to write
- What we really care about is **specifications**
 - **Duck Typing:** we *think* the value meets a spec
 - Types **guarantee** that a specification is met

12