



DSFA
Spring 2021

Lecture 6

Census

Announcements

- Homework 2 due Friday 2/26
 - Lab 3 will be released today
 - Purchase access to Vocareum today!
-

Tables Review

Table Structure

- A Table is a sequence of labeled columns
- Labels are strings
- Columns are arrays, all with the same length

The diagram illustrates a table structure with three columns: Name, Code, and Area (m2). The table contains two rows of data: California and Nevada. Annotations highlight the structure: a 'Label' callout points to the 'Code' header; a 'Row' callout points to the entire second row (Nevada); and a 'Column' callout points to the 'Code' column.

Name	Code	Area (m2)
California	CA	163696
Nevada	NV	110567

Table Methods

- Creating and extending tables:
 - `Table().with_columns` and `Table.read_table`
 - Finding the size: `t.num_rows` and `t.num_columns`
 - Referring to columns: labels, relabeling, and indices
 - `t.labels` and `t.relabeled`; column indices start at 0
 - Accessing data in a column
 - `t.column` takes a label or index and returns an array
 - Using array methods to work with data in columns
 - `a.item(row_index)` returns a value in an array
 - `a.sum()`, `a.min()`, `a.max()` or `sum(a)`, `min(a)`, `max(a)`
 - Creating new tables containing some of the original columns:
 - `select`, `drop`
-

Manipulating Rows

- `t.sort(column)` sorts the rows in increasing order
- `t.take(row_numbers)` keeps the numbered rows
 - Each row has an index, starting at 0
- `t.where(column, are.condition)` keeps all rows for which a column's value satisfies a condition
- `t.where(column, value)` keeps all rows for which a column's value equals some particular value
- `t.with_row` makes a new table that has another row

(Demo)

Create an array of names of point guards (PG) who made more than \$15M/year

Top



Give a table containing the name, team, and salary of all players whose name contains the letter 'i', whose team contains the letter 'o', and whose salary was less than \$1M/year

Top



Calculate the average salary

Top



Census Data

The Decennial Census

- Every ten years, the Census Bureau counts how many people there are in the U.S.
 - In between censuses, the Bureau estimates how many people there are each year.
 - Article 1, Section 2 of the Constitution:
 - “Representatives and direct Taxes shall be apportioned among the several States ... according to their respective Numbers ...”
-

Analyzing Census Data

Leads to the discovery of interesting features and trends in the population

(Demo)

Census Table Description

- Values have column-dependent interpretations
 - The SEX column: 1 is *Male*, 2 is *Female*
 - The POPESTIMATE2010 column: *7/1/2010 estimate*
- In this table, some rows are sums of other rows
 - The SEX column: 0 is *Total (of Male + Female)*
 - The AGE column: 999 is *Total* of all ages
- Numeric codes are often used for storage efficiency
- Values in a column have the same type, but are not necessarily comparable (AGE 12 vs AGE 999)