

03 – More on Commands

CS 2043: Unix Tools and Scripting, Spring 2019 [1]

Matthew Milano

January 28, 2019

Cornell University

Table of Contents

1. Flags & Command Clarification

Flags & Command Clarification

Flags and Options

- Most commands take flags and optional arguments.
- These come in two general forms:
 - Switches (no argument required), and
 - Argument specifiers (for lack of a better name).
- When specifying flags for a given command, keep in mind:
 - Flags modify the behavior of the command / how it executes.
 - Some flags take precedence over others, and some flags you specify can implicitly pass additional flags to the command.
- There is no absolute rule here: research the command.

Flags and Options: Formats

- A flag that is
 - One letter is specified with a single dash (**-a**).
 - More than one letter is specified with two dashes (**--all**).
 - The reason is because of how switches can be combined.
- We generally use “flag” and “switch” interchangeably:
 - “flag” the command, telling it that “action X” should occur
 - specify to the command to “switch on/off action X”

Flags and Options: Switches

- *Switches* take no arguments, and can be specified in a couple of different ways.
- Switches are usually one letter, and multiple letter switches usually have a one letter alias.
- One option:
 - `ls -a`
 - `ls --all`
- Two options:
 - `ls -l -Q`
 - `ls -lQ`
- *Usually* applied from left to right in terms of operator precedence, but not always:
 - This is up to the developer of the tool.
 - Prompts: `rm -fi <file>`
 - Does **not** prompt: `rm -if <file>`

Flags and Options: Argument Specifiers

- The `--argument="value"` format, where the `=` and quotes are needed if `value` is more than one word.
 - Yes: `ls --hide="Desktop" ~/`
 - Yes: `ls --hide=Desktop ~/`
 - One word, no quotes necessary
 - No: `ls --hide = "Desktop" ~/`
 - Spaces by the `=` will be misinterpreted
 - It used `=` as the argument to `hide`
- The `--argument value` format (space after the `argument`).
 - Quote rules same as above.
 - `ls --hide "Desktop" ~/`
 - `ls --hide Desktop ~/`
- Usually, `--argument value` and `--argument=value` are interchangeable.
 - Not always!

Flags and Options: Conventions, Warnings

- Generally, always specify the flags before the arguments.
- `ls -l ~/Desktop/` and `ls ~/Desktop/ -l` both work.
 - Sometimes flags after arguments **get ignored**.
 - Depends both on the command, and the flag(s).
- The special sequence `--` signals the end of the options.
 - Executes as expected: `ls -l -a ~/Desktop/`
 - Only uses `-l`: `ls -l -- -a ~/Desktop/`
 - `"ls: cannot access -a: No such file or directory`
 - The `-a` was treated as an **argument**, and there is no `-a` directory (for me)
- In this example:
 - `-l` and `-a` are the **flags**.
 - `~/Desktop/` is the **argument**.

Flags and Options: Conventions, Warnings (cont)

- The special sequence `--` that signals the end of the options is often most useful if you need to do something special.
- Suppose I *wanted* to make the folder `-a` on my **Desktop**.

```
$ cd ~/Desktop # for demonstration purpose
$ mkdir -a      # fails: invalid option -- 'a'
$ mkdir -- -a   # success! (ls to confirm)
$ rmdir -a      # fails: invalid option -- 'a'
$ rmdir -- -a   # success! (ls to confirm)
```

- This trick can be useful in **many** scenarios, and generally arises when you need to work with special characters of some sort.

Your new best friend

- How do I know what the flags / options for all of these commands are?

The **Manual** Command

`man command_name`

- Loads the manual (manpage) for the specified command.
 - Unlike google, manpages are **system-specific**.
 - Usually very comprehensive. Sometimes *too* comprehensive.
 - Type `/keyword` to search for **keyword**, and hit **<enter>**.
 - The **n** key jumps to the next search result.
- Search example on next page if that was confusing. Intended for side-by-side follow-along.

Man oh man

- The `man` command is really useful!

```
$ man man # you now have the manual loaded
$ /useful # type /useful, then hit enter
##### [[[ first result highlighted ]]]
$ n      # followed by enter
##### [[[ next result highlighted ]]]
# The default 'pager' is `less`, type `q`
# without backticks to exit.
```

- Subtle differences depending on distribution, e.g. `ls -B`
- BSD/OSX: Force printing of non-printable characters in file names as `\xxx`.
 - `xxx` is the numeric value of the character in **octal**.
- GNU (Fedora, Ubuntu): don't list implied entries ending with `~`
 - Files ending with `~` are *temporary* backup files that certain programs generate (e.g. some text-editors, your OS).

References

- [1] Stephen McDowell, Bruno Abrahao, Hussam Abu-Libdeh, Nicolas Savva, David Slater, and others over the years. “Previous Cornell CS 2043 Course Slides”.