

CS/ENGRD 2110 Object-Oriented Programming and Data Structures

Spring 2011
Thorsten Joachims



Lecture 4: Interfaces and Types

Interfaces

- What is an interface?
 - Informally, it is a specification of how an agent interacts with the outside world
- Java has a construct called **Interface** which is used formally for this purpose
 - an **Interface** describes how a class interacts with its clients
 - method names, argument/return types, fields

2

Java interface

```
interface IPuzzle {
    void scramble();
    int tile(int r, int c);
    boolean move(char d);
}
```

```
class IntPuzzle implements IPuzzle {
    public void scramble() {...}
    public int tile(int r, int c) {...}
    public boolean move(char d) {...}
}
```

- name of interface: IPuzzle
- a class implements this interface by implementing public instance methods as specified in the interface
- the class may implement other methods

3

Notes

- An interface is not a class!
 - cannot be instantiated
 - incomplete specification
- Class header must assert **implements I** for Java to recognize that the class implements interface I
- A class may implement several interfaces:
 - **class X implements Ipod, Ipad {...}**

4

Why an **interface** construct?

- Good software engineering
 - specify and enforce boundaries between different parts of a team project
- Can use interface as a type
 - allows more generic code
 - reduces code duplication
- Examples

```
Map<String, Command> h
    = new HashMap<String, Command>();

List<Object> t = new ArrayList<Object>();

Set<Integer> s = new HashSet<Integer>();
```

5

Example of code duplication

- Suppose we have two implementations of puzzles:
 - class **IntPuzzle** uses an int to hold state
 - class **ArrayPuzzle** uses an array to hold state
- Say the client wants to use both implementations
 - perhaps for benchmarking both implementations to pick the best one
 - client code has a display method to print out puzzles
- What would the display method look like?

6

Observation

```

class Client{
  IntPuzzle p1 = new IntPuzzle();
  ArrayPuzzle p2 = new ArrayPuzzle();
  ...display(p1)...display(p2)...

  public static void display(IntPuzzle p){
    for (int r = 0; r < 3; r++)
      for (int c = 0; c < 3; c++)
        System.out.println(p.tile(r,c));
  }

  public static void display(ArrayPuzzle p){
    for (int r = 0; r < 3; r++)
      for (int c = 0; c < 3; c++)
        System.out.println(p.tile(r,c));
  }
}

```

Code duplicated because
IntPuzzle
and
ArrayPuzzle
are different

7

- Two display methods are needed because **IntPuzzle** and **ArrayPuzzle** are different types, and parameter **p** must be one or the other
- But the code inside the two methods is identical!
 - code relies only on the assumption that the object **p** has an instance method **tile(int,int)**
- Is there a way to avoid this code duplication?

8

One Solution — Abstract Classes

```

abstract class Puzzle {
  abstract int tile(int r, int c);
  ...
}
class IntPuzzle extends Puzzle {
  public int tile(int r, int c) {...}
  ...
}
class ArrayPuzzle extends Puzzle {
  public int tile(int r, int c) {...}
  ...
}

public static void display(Puzzle p){
  for (int r = 0; r < 3; r++)
    for (int c = 0; c < 3; c++)
      System.out.println(p.tile(r,c));
}

```

Puzzle
codeClient
code

9

Another Solution — Interfaces

```

interface IPuzzle {
  int tile(int r, int c);
  ...
}
class IntPuzzle implements IPuzzle {
  public int tile(int r, int c) {...}
  ...
}
class ArrayPuzzle implements IPuzzle {
  public int tile(int r, int c) {...}
  ...
}


public static void display(IPuzzle p){
  for (int r = 0; r < 3; r++)
    for (int c = 0; c < 3; c++)
      System.out.println(p.tile(r,c));
}

```

Puzzle
codeClient
code

10


Interfaces and Types



- Interface names can be used in type declarations
 - IPuzzle p1, p2;
- When a class implements an interface:
 - **IntPuzzle** and **ArrayPuzzle** are **subtypes** of **IPuzzle**
 - **IPuzzle** is a **supertype** of **IntPuzzle** and **ArrayPuzzle**

11

Multiple “Inheritance”



- Unlike classes, types do not form a tree!
 - a class may implement several interfaces.
 - an interface may be implemented by several classes.

12

Extending a Class vs Implementing an Interface

- A class can
 - implement many interfaces, but
 - extend only one class
- To share code between two classes
 - put shared code in a common superclass
 - interfaces cannot contain code

13

Subinterfaces

- Suppose you want to extend the interface to include more methods
 - `IPuzzle`: `scramble`, `move`, `tile`
 - `ImprovedPuzzle`: `scramble`, `move`, `tile`, `hint`
- Two approaches
 - start from scratch and write an interface
 - extend the `IPuzzle` interface


14

```
interface IPuzzle {
    void scramble();
    int tile(int r, int c);
    boolean move(char d);
}

interface ImprovedPuzzle extends IPuzzle {
    void hint();
}
```

- Example:
 - `IPuzzle` is a superinterface of `ImprovedPuzzle`
 - `ImprovedPuzzle` is a subinterface of `IPuzzle`
 - `ImprovedPuzzle` is a subtype of `IPuzzle`
- An interface can extend multiple superinterfaces
- A class that implements an interface must implement all methods declared in all superinterfaces

15



```
interface C extends A,B {...}
class F extends D implements A {...}
class E extends D implements A,B {...}
```

16

Static vs Dynamic Types

- Every variable (more generally, every expression that denotes some kind of data) has a **static*** or **compile-time type**
 - derived from declarations – you can see it
 - known at compile time, without running the program
 - does not change
- Every object has a **dynamic** or **runtime type**
 - obtained when the object is created using `new`
 - not known at compile time – you can't see it

* Warning! No relation to Java keyword `static`

17

Example


```
int i = 3, j = 4;
Integer x = new Integer(i+3*j-1);
System.out.println(x.toString());
```

- **static type** of the variables `i, j` and the expression `i+3*j-1` is `int`
- **static type** of the variable `x` and the expression `new Integer(i+3*j-1)` is `Integer`
- **static type** of the expression `x.toString()` is `String` (because `toString()` is declared in the class `Integer` to have return type `String`)
- **dynamic type** of the object created by the execution of `new Integer(i+3*j-1)` is `Integer`

18

Reference vs Primitive Types

- Reference types
 - classes, interfaces, arrays
 - e.g.: **Integer**



- Primitive types
 - int, long, short, byte, boolean, char, float, double

x: [13]

19

Why Both `int` and `Integer`?

- Some data structures work only with reference types (`Hashtable`, `Vector`, `Stack`, ...)
- Primitive types are more efficient


```
for (int i = 0; i < n; i++) {...}
```

20

Upcasting and Downcasting

- Applies to reference types only
- Used to assign the value of an expression of one (static) type to a variable of another (static) type
 - upcasting: subtype \rightarrow supertype
 - downcasting: supertype \rightarrow subtype
- A crucial invariant:

If during execution, an expression E is ever evaluated and its value is an object O , then the **dynamic type** of O is a **subtype** of the **static type** of E .

21

Upcasting

- Example of upcasting:

```
Object x = new Integer(13);
```

- static type of expression on rhs is **Integer**
- static type of variable **x** on lhs is **Object**
- **Integer** is a subtype of **Object**, so this is an upcast

- **static type** of expression on rhs must be a subtype of **static type** of variable on lhs – compiler checks this
- upcasting is always type correct – preserves the invariant automatically

22

Downcasting

- Example of downcasting:

```
Integer x = (Integer)y;
```

- static type of **y** is **Object** (say)
- static type of **x** is **Integer**
- static type of expression `(Integer)y` is **Integer**
- **Integer** is a subtype of **Object**, so this is a downcast
- In any downcast, **dynamic type** of object must be a subtype of **static type** of cast expression
- runtime check, **ClassCastException** if failure
- needed to maintain invariant (and only time it is needed)

23

Is the Runtime Check Necessary?

- Yes, because dynamic type of object may not be known at compile time

```

void bar() {
    foo(new Integer(13));
}

String("x")

void foo(Object y) {
    int z = ((Integer)y).intValue();
    ...
}
  
```

24

Upcasting with Interfaces

- Java allows up-casting for types from interfaces:

```
IPuzzle p1 = new ArrayPuzzle();
IPuzzle p2 = new IntPuzzle();
```
- Static types of right-hand side expressions are **ArrayPuzzle** and **IntPuzzle**, resp.
- Static type of left-hand side variables is **IPuzzle**
- rhs static types are subtypes of lhs static type, so this is ok

25

Why Upcasting?

- Subtyping and upcasting can be used to avoid code duplication
- Puzzle example: you and client agree on interface **IPuzzle**

```
interface IPuzzle {
    void scramble();
    int tile(int r, int c);
    boolean move(char d);
}
```

26

Solution

```
interface IPuzzle {
    int tile(int r, int c);
    ...
}
class IntPuzzle implements IPuzzle {
    public int tile(int r, int c) {...}
    ...
}
class ArrayPuzzle implements IPuzzle {
    public int tile(int r, int c) {...}
    ...
}

public static void display(IPuzzle p){
    for (int r = 0; r < 3; r++)
        for (int c = 0; c < 3; c++)
            System.out.println(p.tile(r,c));
}
```

Puzzle
codeClient
code

27

Method Dispatch

```
public static void display(IPuzzle p) {
    for (int row = 0; row < 3; row++)
        for (int col = 0; col < 3; col++)
            System.out.println(p.tile(row,col));
}
```

- Which **tile** method is invoked?
 - depends on **dynamic type** of object **p** (**IntPuzzle** or **ArrayPuzzle**)
 - we don't know what it is, but whatever it is, we know it has a **tile** method (since any class that implements **IPuzzle** must have a **tile** method)

28

Method Dispatch

```
public static void display(IPuzzle p) {
    for (int row = 0; row < 3; row++)
        for (int col = 0; col < 3; col++)
            System.out.println(p.tile(row,col));
}
```

- **Compile-time check**: does the **static type** of **p** (namely **IPuzzle**) have a **tile** method with the right type signature? **If not → compile error**
- **Runtime**: go to **object** that is the value of **p**, find its **dynamic type**, look up its **tile** method
- The compile-time check guarantees that an appropriate **tile** method exists!

29

Note on Casting

- Up- and downcasting merely allow the object to be viewed at compile time as a different static type
- Important: when you do a cast, either up or down, **nothing changes**
 - not the dynamic type of the object
 - not the static type of the expression

30

Another Use of Upcasting

- Heterogeneous Data Structures
- Example:


```
IPuzzle[] pzls = new IPuzzle[9];
pzls[0] = new IntPuzzle();
pzls[1] = new ArrayPuzzle();
```
- expression `pzls[i]` is of type `IPuzzle`
- objects created on right hand sides are of subtypes of `IPuzzle`

31

Java `instanceof`

- Example:


```
if (p instanceof IntPuzzle) {...}
```
- true if dynamic type of `p` is a subtype of `IntPuzzle`
- usually used to check if a downcast will succeed

32

Example

- suppose `twist` is a method implemented only in `IntPuzzle`

```
void twist(IPuzzle[] pzls) {
    for (int i = 0; i < pzls.length; i++) {
        if (pzls[i] instanceof IntPuzzle) {
            IntPuzzle p = (IntPuzzle)pzls[i];
            p.twist();
        }
    }
}
```

33

Avoid Useless Downcasting

bad

```
void moveAll(IPuzzle[] pzls) {
    for (int i = 0; i < pzls.length; i++) {
        if (pzls[i] instanceof IntPuzzle)
            ((IntPuzzle)pzls[i]).move("N");
        else ((ArrayPuzzle)pzls[i]).move("N");
    }
}
```

good

```
void moveAll(IPuzzle[] pzls) {
    for (int i = 0; i < pzls.length; i++)
        pzls[i].move("N");
}
```

34

Conclusion

- Interfaces have two main uses
 - software engineering: good fences make good neighbors
 - subtyping
- Subtyping is a central idea in modern programming languages
 - inheritance and interfaces are two methods for creating subtype relationships

35