



RECURSION

Lecture 7
CS2110 – Fall 2015

Overview references to sections in text

2


- Note: We've covered everything in JavaSummary.pptx!
- What is recursion? 7.1-7.39 slide 1-7
- Base case 7.1-7.10 slide 13
- How Java stack frames work 7.8-7.10 slide 28-32

Function equals

3

```
public class Object {  
    /** Return true iff this object is  
     * the same as ob */  
    public boolean equals(Object b) {  
        return this == b;  
    }  
}
```

x.equals(y) is same as
 $x == y$
except when x is null!



This gives a null-pointer exception:

null.equals(y)

x ? y ?
Object Object

Overriding function `equals`

4

Override function `equals` in a class to give meaning to:

“these two (possibly different) objects of the class have the same values in some of their fields”

For those who are mathematically inclined, like any equality function, `equals` should be reflexive, symmetric, and transitive.

Reflexive: `b.equals(b)`

Symmetric: `b.equals(c) = c.equals(b)`

Transitive: if `b.equals(c)` and `c.equals(d)`, then `b.equals(d)`

Function equals in class Animal

5

```
public class Animal {  
    /** = “h is an Animal with the same  
     values in its fields as this Animal” */  
    public boolean equals (Object h) {  
        if (!(h instanceof Animal))  
            return false;  
        Animal ob= (Animal) h;  
        return name.equals(ob.name) &&  
              age == ob.age;  
    }  
}
```

a0

Object
equals(Object)

toString() Animal

name [] age []
Animal(String, int)

equals()
toString()

...


1. Because of **h is an Animal** in spec,
need the test **h instanceof Animal**

Function equals in class Animal

6

```
public class Animal {  
    /** = "h is an Animal with the same  
     * values in its fields as this Animal" */  
    public boolean equals (Object h) {  
        if (!(h instanceof Animal))  
            return false;  
        Animal ob= (Animal) h;  
        return name.equals(ob.name) &&  
              age == ob.age;  
    }  
}
```

a0



2. In order to be able to reference fields in partition **Animal**, need to cast `h` to **Animal**

Function equals in class Animal

7

```
public class Animal {  
    /** = "h is an Animal with the same  
     * values in its fields as this Animal" */  
    public boolean equals (Object h) {  
        if (!(h instanceof Animal))  
            return false;  
        Animal ob= (Animal) h;  
        return name.equals(ob.name) &&  
               age == ob.age;  
    }  
}
```

a0

Object

equals(Object)

toString() Animal

name [] age []
Animal(String, int)

equals()
toString()

...

3. Use **String equals** function to check for equality of **String** values. Use **==** for primitive types

Why can't the parameter type be Animal?

8

```
public class Animal {  
    /** = "h is an Animal with the same  
     * values in its fields as this Animal" */  
    public boolean equals (Animal h) {  
        if (!(h instanceof Animal))  
            return false;  
        Animal ob= (Animal) h;  
        return name.equals(ob.name) &&  
               age == ob.age;  
    }  
}
```

a0

Object

equals(Object)

toString() Animal

name [] age []
Animal(String, int)


equals()
toString()

...

What is wrong with this?

Sum the digits in a non-negative integer

```
/** return sum of digits in n.  
 * Precondition: n >= 0 */  
public static int sum(int n) {  
    if (n < 10) return n;  
    // { n has at least two digits }  
    // return first digit + sum of rest  
    return sum(n/10) + n%10 ;  
}
```



sum calls itself!

E.g. $\text{sum}(7) = 7$

E.g. $\text{sum}(8703) = \text{sum}(870) + 3;$


Two issues with recursion

10

```
/** return sum of digits in n.  
 * Precondition: n >= 0 */  
public static int sum(int n) {  
    if (n < 10) return n; sum calls itself!  
    // { n has at least two digits }  
    // return first digit + sum of rest  
    return sum(n/10) + n%10 + ;  
}
```

1. Why does it work? How does the method executed?
2. How do we understand a given recursive method or how do we write/develop a recursive method?

Stacks and Queues



first second ... last

Americans wait in a
line the Brits wait in a
queue !

Stack: list with (at least) two basic ops:

- * Push an element onto its top
- * Pop (remove) top element

Last-In-First-Out (LIFO)

Like a stack of trays in a cafeteria

Queue: list with (at least) two basic ops:

- * Append an element
- * Remove first element


First-In-First-Out (FIFO)

Stack Frame

12

A “frame” contains information about a method call:

At runtime Java maintains a **stack** that contains frames for all method calls that are being executed but have not completed.



Method call: push a frame for call on **stack** assign argument values to parameters execute method body. Use the frame for the call to reference local variables parameters.

End of method call: pop its frame from the **stack**; if it is a function leave the return value on top of **stack**.

Frames for methods sum main method in the system

13

```
public static int sum(int n) {  
    if (n < 10) return n;  
    return sum(n/10) + n%10;  
}
```

```
public static void main(  
    String[] args) {  
    int r= sum(824);  
    System.out.println(r);  
}
```

Frame for method in the system
that calls method main

frame:

n _____
return info

frame:

r _____ args _____
return info

frame:

?
return info

Example: Sum the digits in a non-negative integer

14

```
public static int sum(int n) {  
    if (n < 10) return n;  
    return sum(n/10) + n%10;  
}
```

```
public static void main(  
    String[] args) {  
    int r= sum(824);  
    System.out.println(r);  
}
```

Frame for method in the system
that calls method main: main is
then called

main

system

r ____ args ____
return info

?

return info

Example: Sum the digits in a non-negative integer

15

```
public static int sum(int n) {  
    if (n < 10) return n;  
    return sum(n/10) + n%10;  
}
```

```
public static void main(  
    String[] args) {  
    int r= sum(824);  
    System.out.println(r);  
}
```

Method main calls sum:

main

system

n 824

return info

r _____ args _____

return info

?

return info

Example: Sum the digits in a non-negative integer


```
public static int sum(int n) {
    if (n < 10) return n;
    return sum(n/10) + n%10;
}
```

```
public static void main(
    String[] args) {
    int r= sum(824);
    System.out.println(r);
}
```

$n \geq 10$ sum calls sum:

main

system



Example: Sum the digits in a non-negative integer


17

```
public static int sum(int n) {  
    if (n < 10) return n;  
    return sum(n/10) + n%10;  
}
```

```
public static void main(  
    String[] args) {  
    int r= sum(824);  
    System.out.println(r);  
}
```

$n \geq 10$. sum calls sum:

main
system



Example: Sum the digits in a non-negative integer

```
public static int sum(int n) {
    if (n < 10) return n;
    return sum(n/10) + n%10;
}
```

```
public static void main(
    String[] args) {
    int r= sum(824);
    System.out.println(r);
}
```

$n < 10$ sum stops: frame is popped
and n is put on stack:

main

system


$n \underline{8}$	return info
$n \underline{82}$	return info
$n \underline{824}$	return info
$r \underline{\quad}$	$\underline{\quad} \text{args} \underline{\quad}$
?	return info

Example: Sum the digits in a non-negative integer

19

```
public static int sum(int n) {  
    if (n < 10) return n;  
    return sum(n/10) + n%10;  
}
```

```
public static void main(  
    String[] args) {  
    int r= sum(824);  
    System.out.println(r);  
}
```




Using return value 8 stack computes
 $8 + 2 = 10$ pops frame from stack puts
return value 10 on stack

Example: Sum the digits in a non-negative integer

20

```
public static int sum(int n) {  
    if (n < 10) return n;  
    return sum(n/10) + n%10;  
}
```

```
public static void main(  
    String[] args) {  
    int r= sum(824);  
    System.out.println(r);  
}
```



Using return value 10 stack computes
 $10 + 4 = 14$ pops frame from stack
puts return value 14 on stack

Example: Sum the digits in a non-negative integer

21

```
public static int sum(int n) {  
    if (n < 10) return n;  
    return sum(n/10) + n%10;  
}
```

```
public static void main(  
    String[] args) {  
    int r= sum(824);  
    System.out.println(r);  
}
```

Using return value 14 main stores
14 in r and removes 14 from stack

main

14
r 14 args __
return info
?
return info

Summary of method call execution

22

Memorize this!

- 1. A frame for a call contains parameters local variables and other information needed to properly execute a method call.
- 2. To execute a method call: push a frame for the call on the stack, assign values to parameters, execute method body, pop frame for call from stack, and (for a function) push returned value on stack

When executing method body look in frame
for call for parameters and local variables.

Questions about local variables

23

```
public static void m(...) {  
    ...  
    while (...) {  
        int d= 5;  
        ...  
    }  
}
```

```
public static void m(...) {  
    int d;  
    ...  
    while (...) {  
        d= 5;  
        ...  
    }  
}
```

In a call `m()`
when is local variable `d` created and when is it destroyed?
Which version of procedure `m` do you like better? Why?

Recursion is used extensively in math

24

Math definition of n factorial

$$0! = 1$$

$$n! = n * (n-1)! \text{ for } n > 0$$

Math definition of b^c for $c \geq 0$

$$b^0 = 1$$

$$b^c = b * b^{c-1} \text{ for } c > 0$$

Lots of things defined recursively:
expression grammars trees
We will see such things later

$$\text{E.g. } 3! = 3*2*1 = 6$$

Easy to make math definition
into a Java function!

```
public static int fact(int n) {  
    if (n == 0) return 1;  
  
    return n * fact(n-1);  
}
```

Two views of recursive methods

25

- How are calls on recursive methods executed?
We saw that. Use this only to gain understanding / assurance that recursion works
- How do we understand a recursive method — know that it satisfies its specification? How do we write a recursive method?
This requires a totally different approach.
Thinking about how the method gets executed will confuse you completely! We now introduce this approach.

Understanding a recursive method

26

Step 1. Have a precise spec!

Step 2. Check that the method works in **the base case(s)**: Cases where the parameter is small enough that the result can be computed simply and without recursive calls.

If $n < 10$ then n consists of a single digit. Looking at the spec we see that that digit is the required sum.

```
/** = sum of digits of n.  
 * Precondition: n >= 0 */  
public static int sum(int n) {  
    if (n < 10) return n;  
  
    // n has at least two digits  
    return sum(n/10) + n%10 ;  
}
```

Understanding a recursive method

27

Step 1. Have a precise spec!

Step 2. Check that the method works in **the base case(s)**.

Step 3. Look at the **recursive case(s)**. In your mind replace each recursive call by what it

does according to the method spec and verify that the correct result is then obtained.

return sum(n/10) + n%10;

return (sum of digits of n/10) + n%10; // e.g. n = 843

/ = sum of digits of n.**

*** Precondition: n >= 0 */**

public static int sum(int n) {

if (n < 10) return n;

// n has at least two digits

return sum(n/10) + n%10 ;

}

Understanding a recursive method

28

Step 1. Have a precise spec!

Step 2. Check that the method works in **the base case(s)**.

Step 3. Look at the **recursive case(s)**. In your mind replace each recursive call by what it does acc. to the spec and verify correctness.

Step 4. (No infinite recursion) Make sure that the args of recursive calls are in some sense smaller than the pars of the method.

$$n/10 < n$$

```
/** = sum of digits of n.  
 * Precondition: n >= 0 */  
public static int sum(int n) {  
    if (n < 10) return n;  
  
    // n has at least two digits  
    return sum(n/10) + n%10 ;  
}
```

Understanding a recursive method

29

Step 1. Have a precise spec!

Important! Can't do step 3 without it

Step 2. Check that the method works in **the base case(s)**.

Step 3. Look at the **recursive case(s)**. In your mind replace each recursive call by what it does according to the spec and verify correctness.

Once you get the hang of it this is what makes recursion easy! This way of thinking is based on math induction which we will see later in the course.

Step 4. (No infinite recursion) Make sure that the args of recursive calls are in some sense smaller than the pars of the method

Writing a recursive method

30

Step 1. Have a precise spec!

Step 2. Write the **base case(s)**: Cases in which no recursive calls are needed Generally for “small” values of the parameters.

Step 3. Look at all other cases. See how to define these cases in terms **of smaller problems of the same kind**. Then implement those definitions using recursive calls for those **smaller problems of the same kind**. Done suitably point 4 is automatically satisfied.

Step 4. (No infinite recursion) Make sure that the args of recursive calls are in some sense smaller than the pars of the method

Examples of writing recursive functions

31

For the rest of the class we demo writing recursive functions using the approach outlined below. The java file we develop will be placed on the course webpage some time after the lecture.

Step 1. Have a precise spec!

Step 2. Write the **base case(s)**.

Step 3. Look at all other cases. See how to define these cases in terms **of smaller problems of the same kind**. Then implement those definitions using recursive calls for those **smaller problems of the same kind**.

The Fibonacci Function

Mathematical definition:

$$\begin{aligned}\text{fib}(0) &= 0 && \text{two base cases!} \\ \text{fib}(1) &= 1 \\ \text{fib}(n) &= \text{fib}(n - 1) + \text{fib}(n - 2) \quad n \geq 2\end{aligned}$$

Fibonacci sequence: 0 1 1 2 3 5 8 13 ...

```
/** = fibonacci(n). Pre: n >= 0 */
static int fib(int n) {
    if (n <= 1) return n;
    // { 1 < n }
    return fib(n-2) + fib(n-1);
}
```



Fibonacci (Leonardo Pisano) 1170-1240?

Statue in Pisa Italy
Giovanni Paganucci
1863

Check palindrome-hood

33

A String palindrome is a String that reads the same backward and forward.

A String with at least two characters is a palindrome if

- (0) its first and last characters are equal and
- (1) chars between first & last form a palindrome:

have to be the same

e.g. AMANAPLANACANALPANAMA

have to be a palindrome

A recursive definition!

Example: Is a string a palindrome?

34

```
/** = "s is a palindrome" */  
public static boolean isPal(String s) {  
    if (s.length() <= 1)  
        return true;  
  
    // { s has at least 2 chars }  
    int n= s.length()-1;  
    return s.charAt(0) == s.charAt(n) && isPal(s.substring(1,n));  
}
```

Substring from
s[1] to s[n-1]

isPal("racecar") returns true
isPal("pumpkin") returns false

- A man a plan a caret a ban a myriad a sum a lac a liar a hoop a pint a catalpa a gas an oil a bird a yell a vat a caw a pax a wag a tax a nay a ram a cap a yam a gay a tsar a wall a car a luger a ward a bin a woman a vassal a wolf a tuna a nit a pall a fret a watt a bay a daub a tan a cab a datum a gall a hat a fag a zap a say a jaw a lay a wet a gallop a tug a trot a trap a tram a torr a caper a top a tonk a toll a ball a fair a sax a minim a tenor a bass a passer a capital a rut an amen a ted a cabal a tang a sun an ass a maw a sag a jam a dam a sub a salt an axon a sail an ad a wadi a radian a room a rood a rip a tad a pariah a revel a reel a reed a pool a plug a pin a peek a parabola a dog a pat a cud a nu a fan a pal a rum a nod an eta a lag an eel a batik a mug a mot a nap a maxim a mood a leek a grub a gob a gel a drab a citadel a total a cedar a tap a gag a rat a manor a bar a gal a cola a pap a yaw a tab a raj a gab a nag a pagan a bag a jar a bat a way a papa a local a gar a baron a mat a rag a gap a tar a decal a tot a led a tic a bard a leg a bog a burg a keel a doom a mix a map an atom a gum a kit a baleen a gala a ten a don a mural a pan a faun a ducat a pagoda a lob a rap a keep a nip a gulp a loop a deer a leer a lever a hair a pad a tapir a door a moor an aid a raid a wad an alias an ox an atlas a bus a madam a jag a saw a mass an anus a gnat a lab a cadet an em a natural a tip a caress a pass a baronet a minimax a sari a fall a ballot a knot a pot a rep a carrot a mart a part a tort a gut a poll a gateway a law a jay a sap a zag a fat a hall a gamut a dab a can a tabu a day a batt a waterfall a patina a nut a flow a lass a van a mow a nib a draw a regular a call a war a stay a gam a yap a cam a ray an ax a tag a wax a paw a cat a valley a drib a lion a saga a plat a catnip a pooh a rail a calamus a dairyman a bater a canal Panama

Example: Count the e's in a string

36

```
/** = number of times c occurs in s */
public static int countEm(char c String s) {
    if (s.length() == 0) return 0;
    // { s has at least 1 character }
    if (s.charAt(0) != c)
        return countEm(c s.substring(1));
    // { first character of s is c}
    return 1 + countEm (c s.substring(1));
}
```

substring s[1..]
i.e. s[1] ...
s(s.length()-1)

- `countEm('e' "it is easy to see that this has many e's") = 4`
- `countEm('e' "Mississippi") = 0`