

## Recitation on analysis of algorithms

**Formal definition of  $O(n)$**

We give a formal definition and show how it is used:

$f(n)$  is  $O(g(n))$   
iff

There is a positive constant  $c$  and a real number  $N$  such that:  
 $f(n) \leq c * g(n)$  for  $n \geq N$

**Example:**  
 $f(n) = n + 6$   
 $g(n) = n$   
 We show that  $n+6$  is  $O(n)$

Let  $f(n)$  and  $g(n)$  be two functions that tell how many statements two algorithms execute when running on input of size  $n$ .  
 $f(n) \geq 0$  and  $g(n) \geq 0$ .

$n + 6$  ---this is  $f(n)$   
 $\leq$  <if  $6 \leq n$ , write as>  
 $n + n$   
 $=$  <arith>  
 $2 * n$   
 <choose  $c = 2$ >  
 $= c * n$  ---this is  $c * g(n)$   
 So choose  $c = 2$  and  $N = 6$

**What does it mean?**

$f(n)$  is  $O(g(n))$   
iff

There is a positive constant  $c$  and a real number  $x$  such that:  
 $f(n) \leq c * g(n)$  for  $n \geq N$

Let  $f(n)$  and  $g(n)$  be two functions that tell how many statements two algorithms execute when running on input of size  $n$ .  
 $f(n) \geq 0$  and  $g(n) \geq 0$ .

We showed that  $n+6$  is  $O(n)$ . In fact, you can change the 6 to any constant  $c$  you want and show that  $n+c$  is  $O(n)$

It means that as  $n$  gets larger and larger, any constant  $c$  that you use becomes meaningless in relation to  $n$ , so throw it away.

An algorithm that executes  $O(n)$  steps on input of size  $n$  is called a **linear algorithm**

What's the difference between executing 1,000,000 steps and 1,000,0006? It's insignificant

**Of-used execution orders**

In the same way, we can prove these kinds of things:

1.  $\log(n) + 20$  is  $O(\log(n))$  (logarithmic)
2.  $n + \log(n)$  is  $O(n)$  (linear)
3.  $n/2$  and  $3*n$  are  $O(n)$
4.  $n * \log(n) + n$  is  $n * \log(n)$
5.  $n^2 + 2*n + 6$  is  $O(n^2)$  (quadratic)
6.  $n^3 + n^2$  is  $O(n^3)$  (cubic)
7.  $2^n + n5$  is  $O(2^n)$  (exponential)

**Understand? Then use informally**

1.  $\log(n) + 20$  is  $O(\log(n))$  (logarithmic)
2.  $n + \log(n)$  is  $O(n)$  (linear)
3.  $n/2$  and  $3*n$  are  $O(n)$
4.  $n * \log(n) + n$  is  $n * \log(n)$
5.  $n^2 + 2*n + 6$  is  $O(n^2)$  (quadratic)
6.  $n^3 + n^2$  is  $O(n^3)$  (cubic)
7.  $2^n + n5$  is  $O(2^n)$  (exponential)

Once you fully understand the concept, you can use it informally. **Example:**

An algorithm takes  $(7*n + 6) / 3 + \log(n)$  steps. It's obviously linear, i.e.  $O(n)$

**Some Notes on  $O()$**

- Why don't logarithm bases matter?
  - For constants  $x, y$ :  $O(\log_x n) = O((\log_y y)(\log_y n))$
  - Since  $(\log_y y)$  is a constant,  $O(\log_x n) = O(\log_y n)$
- Usually:  $O(f(n)) \times O(g(n)) = O(f(n) \times g(n))$ 
  - Such as if something that takes  $g(n)$  time for each of  $f(n)$  repetitions . . . (loop within a loop)
- Usually:  $O(f(n)) + O(g(n)) = O(\max(f(n), g(n)))$ 
  - "max" is whatever's dominant as  $n$  approaches infinity
  - Example:  $O((n^2-n)/2) = O((1/2)n^2 + (-1/2)n) = O((1/2)n^2) = O(n^2)$

**runtimeof MergeSort**

```

/** Sort b[h..k] */
public static void mS(Comparable[] b, int h, int k) {
    if (h >= k) return;

    int e = (h+k)/2;
    mS(b, h, e);
    mS(b, e+1, k);
    merge(b, h, e, k);
}
    
```

Throughout, we use **mS** for **mergeSort**, to make slides easier to read

We will count the number of comparisons mS makes  
Use **T(n)** for the number of array element comparisons that mS makes on an array of size n

**Runtime**

```

public static void mS(Comparable[] b, int h, int k) {
    if (h >= k) return;

    int e = (h+k)/2;
    mS(b, h, e);
    mS(b, e+1, k);
    merge(b, h, e, k);
}
    
```

$T(0) = 0$   
 $T(1) = 0$

Use **T(n)** for the number of array element comparisons that mS makes on an array of size n

**Runtime**

```

public static void mS(Comparable[] b, int h, int k) {
    if (h >= k) return;


    int e = (h+k)/2;
    mS(b, h, e);
    mS(b, e+1, k);
    merge(b, h, e, k);
}
    
```

**Recursion:**  $T(n) = 2 * T(n/2) + \text{comparisons made in merge}$

Simplify calculations: assume n is a power of 2

```

/** Sort b[h..k].
Pre: b[h..e] and b[e+1..k] are already sorted.*/
public static void merge (Comparable b[], int h, int e, int k) {
    Comparable[] c = copy(b, h, e);
    int i = h; int j = e+1; int m = 0;
    /* inv: b[h..i-1] contains its final, sorted values
       b[j..k] remains to be transferred
       c[m..e-h] remains to be transferred */
    for (i = h; i != k+1; i++) {
        if (j <= k && (m > e-h || b[j].compareTo(c[m]) <= 0)) {
            b[i] = b[j]; j++;
        } else {
            c[m] = c[m]; m++;
        }
    }
}
    
```



```

/** Sort b[h..k]. Pre: b[h..e] and b[e+1..k] are already sorted.*/
public static void merge (Comparable b[], int h, int e, int k) {
    Comparable[] c = copy(b, h, e);
    int i = h; int j = e+1; int m = 0;
    for (i = h; i != k+1; i = i+1) {
        if (j <= k && (m > e-h || b[j].compareTo(c[m]) <= 0)) {
            b[i] = b[j]; j = j+1;
        } else {
            c[m] = c[m]; m = m+1;
        }
    }
}
    
```

Loop body:  $O(1)$ .  
Executed  $k+1-h$  times.

Number of array element comparisons is the size of the array segment - 1.  
**Simplify: use the size of the array segment  $O(k-h)$  time**

**Runtime**

We show how to do an analysis, assuming n is a power of 2 (just to simplify the calculations)

Use **T(n)** for number of array element comparisons to mergesort an array segment of size n

```

public static void mS(Comparable[] b, int h, int k) {
    if (h >= k) return;
    int e = (h+k)/2;
    mS(b, h, e);
    mS(b, e+1, k);
    merge(b, h, e, k);
}
    
```

$T(e+1-h)$  comparisons  
 $T(k-e)$  comparisons  
 $(k+1-h)$  comparisons

Thus:  $T(n) < 2 T(n/2) + n$ , with  $T(1) = 0$

### Runtime

Thus, for any n a power of 2, we have

$T(1) = 0$   
 $T(n) = 2 * T(n/2) + n$  for  $n > 1$

We can prove that

$T(n) = n \lg n$

$\lg n$  means  $\log_2 n$

### Proof by recursion tree of $T(n) = n \lg n$

$T(n) = 2 * T(n/2) + n$ , for  $n > 1$ , a power of 2, and  $T(1) = 0$

merge time at level  
 $n = n$   
 $2(n/2) = n$   
 $(n/2)2 = n$

Each level requires n comparisons to merge.  $\lg n$  levels.  
 Therefore  $T(n) = n \lg n$  mergeSort has time  $O(n \lg n)$

### Runtime

Definition:  $T(n)$  by:  $T(1) = 0$   
 $T(n) = 2T(n/2) + n$

Theorem: For  $n \geq 0$  a power of 2,  $P(n)$  holds, where:  
 $P(n): T(n) = n \lg n$

Proof by induction:

Base case:  $n = 1$ :  $P(1)$  is  $T(1) = 1 \lg 1$   
 $T(1) = 0$ , by definition.  
 $1 = 2^0$ , so  $1 \lg 1 = 0$ .

$\lg n$  means  $\log_2 n$

### Runtime

Theorem. For n a power of 2,  $T(n) = 2T(n/2) + n$ , with  $T(1) = 0$

Claim:  $T(n) = n \lg n$

Proof by induction:  
 $T(2k) = 2 T(k) + 2k$  (definition)  
 inductive hypothesis:  
 $T(k) = k \lg k$

Therefore:

$$T(2k) = 2 k \lg k + 2k$$

= algebra

$$= 2 k (\lg(2k) - 1) + 2k$$

= algebra

$$= 2 k \lg(2k)$$

Why is  $\lg n = \lg(2n) - 1$ ?  
 Rests on properties of  $\lg$ .  
 See next slides

$\lg n$  means  $\log_2 n$

### Proof of $\lg n = \lg(2n) - 1$ , n a power of 2

Since  $n = 2^k$  for some k:

$$\lg(2n) - 1$$

= <definition of  $\lg$ >

$$\lg(2 * 2^k) - 1$$

= <arith>

$$\lg(2^1 2^k) - 1$$

= <property of  $\lg$ >

$$\lg(2^1) + \lg(2^k) - 1$$

= <arith>

$$1 + \lg(2^k) - 1$$

= <arith, definition of  $\lg$ >

$$\lg n$$

$\lg n$  means  $\log_2 n$   
 Thus, if  $n = 2^k$   
 $\lg n = k$

### MergeSort vs QuickSort

- Covered QuickSort in Lecture
- MergeSort requires extra space in memory
  - The way we've coded it, we need to make that extra array  $c$
  - QuickSort was done "in place" in class
- Both have "average case"  $O(n \lg n)$  runtime
  - MergeSort always has  $O(n \lg n)$  runtime
  - QuickSort has "worst case"  $O(n^2)$  runtime
    - Let's prove it!

### Quicksort

h	j	k
<= x	x	>= x

- Pick some "pivot" value in the array
- Partition the array:
  - Finish with the pivot value at some index j
  - everything to the left of j ≤ the pivot
  - everything to the right of j ≥ the pivot
- Run QuickSort on the array segment to the left of j, and on the array segment to the right of j

### Runtime of Quicksort

- Base case:** array segment of 0 or 1 elements takes no comparisons  
 $T(0) = T(1) = 0$
- Recursion:**
  - partitioning an array segment of n elements takes n comparisons to some pivot
  - Partition creates length m and r segments (where  $m + r = n - 1$ )
  - $T(n) = n + T(m) + T(r)$

```

/** Sort b[h..k] */
public static void QS
    (int[] b, int h, int k) {
    if (k - h < 1) return;
    int j= partition(b, h, k);
    QS(b, h, j-1);
    QS(b, j+1, k);
}
    
```

### Runtime of Quicksort

- $T(n) = n + T(m) + T(r)$ 
  - Look familiar?
- If m and r are balanced ( $m \approx r \approx (n-1)/2$ ), we know  $T(n) = n \lg n$ .
- Other extreme:
  - $m = n - 1, r = 0$
  - $T(n) = n + T(n-1) + T(0)$

```

/** Sort b[h..k] */
public static void QS
    (int[] b, int h, int k) {
    if (k - h < 1) return;
    int j= partition(b, h, k);
    QS(b, h, j-1);
    QS(b, j+1, k);
}
    
```

### Worst Case Runtime of Quicksort

- When  $T(n) = n + T(n-1) + T(0)$
- Hypothesis:**  $T(n) = (n^2 - n)/2$
- Base Case:**  $T(1) = (1^2 - 1)/2 = 0$
- Inductive Hypothesis:** assume  $T(k) = (k^2 - k)/2$   
 $T(k+1) = k + (k^2 - k)/2 + 0$   
 $= (k^2 + k)/2$   
 $= ((k+1)^2 - (k+1))/2$
- Therefore,** for all  $n \geq 1$ :  
 $T(n) = (n^2 - n)/2 = O(n^2)$

```

/** Sort b[h..k] */
public static void QS
    (int[] b, int h, int k) {
    if (k - h < 1) return;
    int j= partition(b, h, k);
    QS(b, h, j-1);
    QS(b, j+1, k);
}
    
```

### Worst Case Space of Quicksort

You can see that in the worst case, the depth of recursion is  $O(n)$ . Since each recursive call involves creating a new stack frame, which takes space, in the worst case, Quicksort takes space  $O(n)$ . That is not good!

To get around this, rewrite QuickSort so that it is iterative but it sorts the smaller of two segments recursively. It is easy to do. The implementation in the java class that is on the website shows this.

```

/** Sort b[h..k] */
public static void QS
    (int[] b, int h, int k) {
    if (k - h < 1) return;
    int j= partition(b, h, k);
    QS(b, h, j-1);
    QS(b, j+1, k);
}
    
```