

Lecture 14

Miscellaneous Topics II: Enumerations, Pointers to Functions (& Prelim Review)

Enumerations

- Sometimes, when programming, we need to deal with a limited range of constants:
 - A finite set of colors
 - Result codes
- It is useful to define a set of constants which can be used in place of the actual integer values:
 - increases readability of code
 - protects you against integer values changing
- We can do this with constants

```
// Define error codes
const short cNoError      = 0;
const short cBadArg       = 1;
const short cBadResult    = 2;
const short cUnknownErr  = 3;
```

Enumerations

- This is fine, but it means that all functions which deal with these errors simply return (or take as arguments) a short type.
- If we used an enumeration, we can define a new data type as well as defining constant names.
- The syntax would look like this:

```
// Define error codes
enum RonsError
{
    cNoError = 0,    // Values are optional, default is 0
    cBadArg,       // If a value is not present,
    cBadResult,    // assign previous value + 1
    cUnknownErr
};
```

Enumerations

- Consider the following:

```
enum RonsError
{
    cNoError = 0,    // Values are optional, default initial
    cBadArg,       // value is 0
    cBadResult,    // If a value is not present,
    cUnknownErr    // assign previous value + 1
};

int main()
{
    RonsError rerr = RonsFunction(); // An arbitrary function
    if (rerr != cNoError)
        cerr << "Oooops, Error:" << rerr << endl;
    else
        cout << "No error" << endl;
}
```

Enumerations

```
int main()
{
    RonsError rerr = RonsFunction(); // An arbitrary function
    if (rerr != cNoError)
        cerr << "Oooops, Error:" << rerr << endl;
    else
        cout << "No error" << endl;
}
```

- The variable `rerr` is not treated as an integer type.
- If I try to assign an integer value directly to it, I will get a compile time error.
- Although I could use a cast to force a value into the enumeration variable.
- This gives us some protection against accidentally assigning raw integer values to a variable of type `RonsError`.

Demonstration #1

Enumerations

Pointers to Functions

- What is a pointer to a function?
 - A pointer just like any other
 - Data pointed at by the pointer is actually machine code for the function pointed at.
- How is it declared?

```
// Define a pointer to a function
int (*f)(int start,int stop);
```

- This declares a variable `f` which is a pointer to a function that returns an `int` and takes two `ints` as parameters.
- Now, just like any other pointer, the declaration does no allocation.
- So, in this case, `f` points at nothing and any attempt to dereference it will have very spectacular side effects!
- You *cannot* dynamically allocate memory for function pointers.

Pointers to Functions

- You can only set pointer-to-function variables equal to pointers to existing functions.
- How do you do that?
- Consider the following code:

```
int SimpleAdd(int arg1,int arg2)
{
    return arg1 + arg2;
}
int main()
{
    int (*f)(int start,int stop);
    f = SimpleAdd;
    // f now points at the function "SimpleAdd"
    // What can we do with it now?
}
```

Pointers to Functions

- We can call it!
- How do you call a function when you have a pointer to it?
- Consider the following:

```
int SimpleAdd(int arg1,int arg2)
{
    return arg1 + arg2;
}
int main()
{
    int (*f)(int start,int stop);
    f = SimpleAdd;
    int x = (*f)(3,4); // Call the function pointed at by f
    int y = f(3,4);
    cout << "x is : " << x << endl;
}
```

Demonstration #1

Function Pointers

Pointers to Functions

- OK, interesting concept. But what use is it?
- Most frequently used to allow a programmer to pass a function to another function.
- Suppose I am writing a function which contains variables which need to be acted on.
- Suppose that I want to be able to have multiple ways to act on those variables.
- A function pointer as a parameter is a good solution.
- Quick Case Study: The Project SALSA environment has multiple layers:
 - VCSAPI (server communication, file downloads)
 - File Delivery Layer (versioning logic, GUI code)
 - Runway (front end)

Pointers to Functions

- Whenever we download a file we want to provide a friendly progress bar.
- The problem is that the file download actually happens in the VCSAPI which has no GUI code in it at all!
- The solution is that the VCSAPI call which actually downloads a file take a *function pointer* as a parameter :

```
typedef short (*VCSAPI_ProgressCallback)(short);
VCSAPI_Error VCSAPI_FileGet(VCSAPI_Server server,
    VCSAPI_FileRecord *fileRecPtr,
    VCSAPI_ProgressCallback prog,
    short callbackInterval,
    char *localPath,
    int *serverRC,char **serverMSG)
```

- The FDL (which manages all of the GUI code for versioning dialogs, etc.) can pass a pointer to a function which updates a graphical progress bar.



Lecture 14

Final Thoughts