# gamedesigninitiative at cornell university

#### Lecture 16

# Perspective in 2D Games

### Take Away for Today

- What is the game "camera"?
  - How does it relate to screen space? Object space?
  - How does the camera work in a 2D game? 3D?
- How do we give 2D games depth?
  - Advantages, disadvantages of *orthographic view*
  - Advantages, disadvantages of axonometric view
- How does "tileability" affect art in games?




#### The Game Camera

- What makes a game 3-D?
  - Everything is shown on a 2-D screen (mostly)
- 3D game have a user controlled "camera"
  - Position camera to look at art from all sides
  - 3-D art has enough information to allow this
- CS/INFO 3152 limits you to a 2-D game
  - The game camera has a *fixed perspective*
  - You render all art to one visible side



### Camera in 2D Games


World origin





# Specifying the Camera

- Camera is a coord space
  - Called "eye space"
  - Eye position at origin
- How to move camera?
  - Transforms again!
- Inverse of scrolling
  - Scrolling: move obj to eye
  - Camera: move eye to obj
  - Two matrices are inverses





#### Camera in XNA

- Purpose of BasicEffects class
  - View property holds eye space transform
  - ... also, Texture property holds current texture
- Set camera with an effect pass
  - effect.CurrentTechnique.Passes
  - Call pass.Apply() before you draw
  - Works with both sprites and triangles
  - See GameCanvas.cs in *Programming Lab 2*




## Drawing for a Perspective

- 3D Models make it easy
  - Rotate model to position
  - Flatten to jpeg, tiff, etc...
- But 3D modeling is hard
  - Very technical programs
  - Cannot draw "by hand"
- How to draw perspective?
  - Artist "captures" camera
- Realism creates problems







# Plane Projection in Drawing




The concept of the picture plane may be better understood by looking through a window or other transparent plane from a fixed viewpoint. Your lines of sight, the multitude of straight lines leading from your eye to the subject, will all intersect this plane. Therefore, if you were to reach out with a grease pencil and draw the image of the subject on this plane you would be "tracing out" the infinite number of points of intersection of sight rays and plane. The result would be that you would have "transferred" a real three-dimensional object to a two-dimensional plane.

# Plane Projection in Drawing



















2D games rely on **distortional** perspectives




## Orthographic Projection

- Project perpendicular to an axis
  - Top-down: perpendicular to z-axis
  - Side scrolling: perpendicular to y-axis
- Very easy to do artistically
  - Art objects are flat tiles
  - Layer tiles via compositing
- But enforces 2-D gameplay
  - 3rd dimension lost; cannot be seen
  - Distorted: All rays to eye are parallel



# Orthographic Projection




### Parallax Scrolling

- Gives depth to orthographic projection
  - Objects in background have distance
  - Rate of scrolling depends on distance
- Implement with multiple background layers
  - Each layer scrolls at a different rate
  - See course website for sample code
- Often requires some degree of transparency
  - *Composite* front layers with back layers




# Parallax Scrolling





### **Axonometric Projection**

- Off axis view of object
  - View along all 3-axes
- Once again: distorted
  - Not a true projection
  - No vanishing point
  - Axes are "foreshortened"
- Allows 3-D gameplay
  - "Cliffs" are visible
  - May also hide objects!





# **Axonometric Projection**





# **Axonometric Projection**






## **Projection Types**

#### Isometric

- All axes are equal
- If need all dimensions
- Used in classic RPGs

#### Dimetric


- z-axis is very short
- x, y axes are equal
- Orthographic+depth
- For aesthetic reasons only





## **Projection Geometry**

- Axes relative to screen
  - z goes "into" the screen
  - x, y are in screen plane
- Axonometric coodinates
  - May not be "true" coords
  - "Meaning" of x, y, z?
- Orthographic substitutes
  - Side-scroller: *y* is height
  - Top-down: z is height








#### **Isometric View**

$$\frac{h}{w} = \frac{1}{\sqrt{3}}$$

- If need all axes visible
- Used in classic RPGs










#### **Isometric View**

- x, y, z =Axonometric Coords
- x', y' =Screen Coordinates

$$x' = x - z$$
  
 $y' = y + \frac{1}{2}(x+z)$ 








Side View



### Isometric View: Zaxxon







# Dimetric View (Side-Depth)

$$\frac{h}{w} = \frac{1}{6}$$

- For horizontal movement
- Gives depth to side
- Example: platformer









# Dimetric View (Side-Depth)

- x, y, z =Axonometric Coords
- x', y' =Screen Coordinates

$$x' = x + \frac{1}{2}(z)$$
  
 $y' = y + \frac{1}{4}(z)$ 

$$y' = y + \frac{1}{4}(z)$$






Side View




# Dimetric View (Top-Depth)

$$\frac{h}{w} = \frac{2}{5}$$

- For full 2D movement
- z still goes into screen
- Example: stealth games









# Dimetric View (Top-Depth)

- x, y, z =Axonometric Coords
- x', y' =Screen Coordinates

$$x' = x + \frac{1}{4}(z)$$
  
 $y' = y + \frac{1}{2}(z)$ 

$$y' = y + \frac{1}{2}(z)$$








# Dimetric View (Top Down)






# Drawing for Axonometric View

- Use boxes shown on slide
  - Tiling boxes is easy
  - Draw shape inside box
- Complex, large shapes?
  - Glue together boxes
  - Draw inside box group
- Objects need many angles
  - Transparency is tricky
  - Standard: 8 compass points
- Example: LakeHills.ai









## Drawing for Axonometric View


- Use boxes shown on slide
  - Tiling boxes is easy
  - Draw shape inside box
- Complex, large shapes?
  - Glue together boxes
  - Draw inside box group
- Objects need many angles
  - Transparency is tricky
  - Standard: 8 compass points
- Example: LakeHills.ai


















# **Isometric Walking Animation**










# **Isometric Walking Animation**



# Which Style to Use?

### **Orthographic**

#### **Axonometric**

- Advantages
  - Easy to make tiles
  - Easy to composite
- Disadvantages
  - Movement is 2D
  - Game feels flat
- Common in this class

- Advantages
  - Sort of easy to tile
  - Some 3-D movement
- Disadvantages
  - Harder to composite
  - Objects may be hidden
- Lot of work for artist




# Combining the Perspectives





# Combining the Perspectives





### Summary

- Camera represents "eye space" coordinates
  - 3D games have arbitrary camera movement
  - 2D games are limited to scrolling movement
- 2-D art requires you chose a projection
  - Orthographic is easy, but limits gameplay
  - Axonometric has better gameplay, but harder to draw
- Axonmetric type depends on style of game
  - Isometric common to classic RPGs
  - Dimetric gives depth to traditional orthographic

