

## CS412/413

### Introduction to Compilers Radu Rugina

Lecture 35: Exception Handling  
26 Apr 02

## Exceptions

- Many languages allow exceptions: alternate return paths from a function
  - null pointer, overflow, emptyStack,...
- Function either terminates normally or with an exception
  - total functions  $\Rightarrow$  robust software
  - no encoding error conditions in result
- Several different exception models: effect on implementation efficiency

CS 412/413 Spring 2002

Introduction to Compilers

2

## Generating Exceptions

- Java, C++: statement `throw E` is statement that terminates exceptionally with exception `E`
- Exception propagates lexically within current function to nearest enclosing `try..catch` statement containing it (exception handler)
- Handlers may `re-throw` exceptions
- If not caught within function, propagates dynamically upward in call chain.
- Tricky to implement dynamic exceptions efficiently

CS 412/413 Spring 2002

Introduction to Compilers

3

## Declaration of Exceptions

- Must a function declare all exceptions it can throw?
  - § **Implementer convenience**: annoying to declare all exceptions (overflow, null pointers,...)
  - § **vs. Client robustness**: want to know all exceptions that can be generated
- Java: must declare "non-error" exceptions
- ML: cannot declare exceptions at all (good for quick hacking, bad for reliable software)
- C++: declaration is optional (useless to user, compiler)

CS 412/413 Spring 2002

Introduction to Compilers

4

## Naming Exceptions

- Java, C++: exceptions are objects
  - name of exception is name of object's class
  - exceptional return distinguished from normal return

```
Exception m() throws Exception {
    if (c) throw new Exception();
    else return new Exception(); }
```
- ML: exceptions are special names with associated data

```
Exception OutOfRange of int * int
... raise OutOfRange(n,m)
```
- Ada: exceptions are simple tags

```
SomethingWrong : exception;
raise SomethingWrong;
```

CS 412/413 Spring 2002

Introduction to Compilers

5

## Desired Properties

- Exceptions are for unusual situations and should not slow down common case:
  1. No performance cost when function returns normally
  2. Little cost for executing a `try..catch` block—when exception is not thrown.
  3. Cost of throwing and catching an exception may be somewhat more expensive than normal termination
- Not easy to find such an implementation!

CS 412/413 Spring 2002

Introduction to Compilers

6

## Lexical Exception Throws

- Some exceptions can be turned into goto statements; can identify lexically

```
try {
  if (b) throw new Foo();
  else x = y;
} catch (Foo f) { ... }

⇒ if (b) { f = new Foo(); goto l1; }
   x = y; goto l2;
   l1: { ... }
   l2:
```

CS 412/413 Spring 2002

Introduction to Compilers

7

## Dynamic Exception Throws

- Cannot always statically determine the exception handlers...
- Need to **dynamically** find closest enclosing try..catch that catches the particular exception being thrown
- No generally accepted technique! (See Appel, Muchnick, Dragon Book for absence of discussion)

CS 412/413 Spring 2002

Introduction to Compilers

8

## Impl. 1: Extra Return Value

- Return an extra (hidden) boolean from every function indicating whether function returned normally or not
- ```
throw e ⇒ return (true, e)
return e ⇒ return (false, e)
a = f(b, c) ⇒ (exc, t1) = f(b,c);
              if (exc) goto handle_exc_34;
              a = t1;
```
- No overhead for try..catch blocks
  - Simple run-time mechanism: just need return (true, e), a check, and a jump to statically determined handler
  - Can express as source-to-source translation
  - Drawback = function call overhead:** every function call requires extra parameter, extra check

CS 412/413 Spring 2002

Introduction to Compilers

9

## Impl. 2: setjmp/longjmp

- setjmp(buf) saves all regs + stack state into a buffer, returns 0
- longjmp(buf) restores state in buf, makes setjmp "return 1"
- Implementation: CatchStack \*stk;

try S catch C

```
{ CatchInfo current;
  stk->push(current);
  if (!setjmp(current->buf))
    S
  else C;
  stk->pop();}
```

throw e

```
CatchInfo *current = top(stk);
while (!handles(current,e))
  current = stk->pop();
current->data = e;
longjmp(current->buf);
```

CS 412/413 Spring 2002

Introduction to Compilers

10

## setjmp/longjmp Summary

- Advantages:**
  - Easy to implement, portable
  - No overhead as long as try/catch, throw unused
- Disadvantages:**
  - Is not thread-safe (stk must be thread-specific)
  - Setjmp/longjmp turn off inter-procedural optimizations and optimizations of heap variables
  - There is overhead executing try/catch, try/catch/finally even if no exception is thrown
  - May need to walk up through several enclosing try..catch blocks until right one is found

CS 412/413 Spring 2002

Introduction to Compilers

11

## Impl. 3: PC-Based Techniques

- Idea:** map PC values to exception handlers!
- Need to map PC values at throw statements and call sites
- Approach one:** place markers in the code (implicit mapping)

```
call foo
.int handlerinfo
add $4, %esp #normal post-call code
```

- Extra info after each call about handlers
- Throw statements are also calls (to run-time exception dispatcher routines)
- If routine not found, walk up stack one frame at a time (fp known)
- In each frame, check table for matching handlers

CS 412/413 Spring 2002

Introduction to Compilers

12

### Example

```

f() throws B = (
  try g()
  catch A => S1
)
try h()
catch B => S2
)
g() throws A, B = (
  try h()
  catch B => S3
)
h() throws A, B = (
  throw A
)

```

CS 412/413 Spring 2002 Introduction to Compilers 13

### PC-Based Techniques, Part2

- Drawback of code markers: return from calls must skip the inserted info after the call
- Alternative approach: use explicit tables which map PC addresses to handlers
  - Either use hash tables
  - Or map ranges of PC addresses
  - To find a handler: lookup current PC for matching entry
  - Entry contains info about the kind of exception handled and the actual handler address
  - Also need to unwind the stack if no matching handlers
  - Need to set up PC map tables

CS 412/413 Spring 2002 Introduction to Compilers 14

### PC-Based Techniques

- Advantages:
  - no cost for try/catch: tables created by compiler
  - no extra cost for function call
  - throw → catch is reasonably fast (one table lookup per stack frame, can be cached)
- Disadvantages:
  - can't implement as source-to-source translation
  - must restore callee-save registers during walk up stack (can use symbol table info to find them)
  - table lookup/stack unwinding more complex if using Java/C++ exception model (need dynamic type discrimination mechanism, finalization code in Java, destructors in C++)

CS 412/413 Spring 2002 Introduction to Compilers 15

### Summary

- Several different exception implementations commonly used
- Extra return value, setjmp/longjmp impose overheads but can be implemented in C
- PC-based techniques (using static exception tables) have no overhead except on throw, but require back end compiler support

CS 412/413 Spring 2002 Introduction to Compilers 16