the gamedesigninitiative at cornell university

Lecture 11

Networking

CS 3152: Game Networking Issues

Consistency

- Do our games agree?
  - Where do I see objects?
  - Where do you see them?
  - Who is **authoritative**?
- How to force agreement?
  - Do I wait for everyone?
  - Do I guess and fix errors?

Security

- What cheats are possible?
  - View hidden data
  - Enter invalid states
  - Improve player skill
- How do we cheat proof?
  - Technical solutions?
  - Community policing?

CS 3152: Game Networking Issues

Consistency

- Do our games agree?
  - Where do I see objects?
  - Where do [illegible]
- How to force agreement?
  - Do I wait for everyone?
  - Do I guess and fix errors?

Today's Lecture

Security

- What cheats are possible?
  - View hidden data
  - Enter invalid [illegible]
- How do we cheat proof?
  - Technical solutions?
  - Community policing?

Not going to cover

The Issue of Consistency

- *Latency* is root of all evil
  - **Local** actions are instant
  - **Network** actions are slow
- **Example**: targeting
  - Want "geometric fidelity"
  - Fire a weapon along ray
  - Hits first object on ray
  - But movement is fast!



How to tell these cases apart?

World State vs. Local State

- **State**: all objects in game
  - **Local State**: on a machine
  - **World State**: "true" state
- *Where* is the world state?
  - On a single machine?
  - Union of local states?
- States may be *inconsistent*
  - Local disagrees with world
  - Is this really a problem?
  - What can we do about it?



The Question of Authority

Centralized Authority

- One computer is authority
  - Stores the full world state
  - Local states must match it
- Often call this the "server"



Distributed Authority

- Authority is divided up
  - Each object has an owner
  - Must match if not owner
- Classically call this "P2P"



Authority and Latency



- Lack of authority enforces a delay
  - Only draw what authority tells you
  - Requires round trip from your input
  - Round-trip time (RTT) can be > 200 ms
- This makes the game less responsive
  - Need some way to compensate for this

Authority and Latency



- Lack of authority enforces a delay
  - Only draw what authority tells you
  - Requir
  -
- This makes the game less responsive
  - Need some way to compensate for this

Need to understand basics before solving this

Networking Breaks into Two Phases

Matchmaking

- Service to find other players
  - Groups players in a session
  - But does not run session
- Why make your own?
  - Control user accounts
  - Implement skill ladders
- 3rd party services common
  - Apple GameCenter
  - GooglePlay API
  - Unity's server classes

Game Session

- Service to run the core game
  - Synchronizes player state
  - Supports minor adds/drops
- Why make your own?
  - Must tailor to your game
  - You often have no choice
- Limited 3rd party services
  - Often just a networking API
  - For limited class of games
  - **Examples**: Unity, Unreal

Networking Breaks into Two Phases

Matchmaking

- Service to find other players
  - Groups players in a session
  - But does not run session
- Wh[illegible]
  - [illegible]ement skill ladders
- 3rd party services common
  - Apple GameCenter
  - GooglePlay API
  - Unity's server classes

Simplify if possible

Game Session

- Service to run the core game
  - Synchronizes player state
  - Supports minor adds/drops
- Wh[illegible]
  - [illegible] often have no choice
- Limited 3rd party services
  - Often just a networking API
  - For limited class of games
  - **Examples**: Unity, Unreal

Our main focus

Matchmaking: Apple/iOS

- Uses the **GameKit** library
  - Supports multiplayer games
  - Also leaderboards/achievements
  - Not a full game engine
- Very simple matchmaking
  - Specify the number of players
  - Invite anyone on friends list
  - Invite anyone in BlueTooth range
  - Or allow Apple to hook you up
- Can be simultaneous with session
  - Add more players if slots available



iOS Matchmaking Classes

Real Time

- You handle authority
  - Allows variety of strategies
  - Focus of rest of lecture
- `GKMatchmakerViewController`
  - Classic matchmaking UI
  - You add a listener/delegate
- `GKMatchmaker`
  - Controller with no UI
  - Allows a custom view

Turn Based

- Apple handles authority
  - Stores state on Apple server
- `GKTurnBasedMatchmaker-ViewController`
  - Classic matchmaking UI
  - You add a listener/delegate
- `GKTurnBasedMatch`
  - Controller with no UI
  - Allows a custom view

iOS Matchmaking Classes

Real Time

- You handle authority
  - Allows variety of strategies
  - Focus of rest of lecture
- GKMatchmakerViewController
  - Cla
  - You
- GKMatchmaker
  - Controller with no UI
  - Allows a custom view

Turn Based

- Apple handles authority
  - Stores state on Apple server
- GKTurnBasedMatchmaker-
  ng UI
  You add a listener/delegate
- GKTurnBasedMatch
  - Controller with no UI
  - Allows a custom view

Will require you to use Objective-C++

Advantages of a Custom UI

Matchmaking: Android

- Part of the Google Play API
  - Supports multiplayer games
  - Also leaderboards/achievements
  - Also some minor game analytics
- Works exactly like GameKit
  - Choose real-time or turn-based
  - Use Google UI or a custom one
  - Only differ in terminology
- Has a native C++ API
  - No need for Java or JNI
  - See reading for documentation



Custom Matchmaking

- Typically need to have a separate server
  - Fixed, hard-coded IP that your app connects to
  - Custom user accounts that you manage
  - How Unity works (though they give software)
- **AdHoc Servers**: The cheap but ugly solution
  - One app declares itself to be a server
  - Other apps type in the IP address of that app
- **Benefit**: cross-platform matchmaking
  - Only way for iOS to play with Android

Custom Matchmaking

- Typically need to have a separate server
  - Fixed, harc connects to
  - Custom us age
  - How Unity e software)

This is allowed, but not if you are going to release on store

- **AdHoc Servers**: The cheap but ugly solution
  - One app declares itself to be a server
  - Other apps type in the IP address of that app
- **Benefit**: cross-platform matchmaking
  - Only way for iOS to play with Android

Game Session: Part of Core Loop



Decoupling the Network Loop



Decoupling the Network Loop



Decoupling Enables Latency Masking

- Animation is "buying time"
  - Looks fast and responsive
  - But no real change to state
  - Animation done at update
- **Examples:**
  - Players wait for elevator
  - Teleportation takes time
  - Many hits needed per kill
  - Bullets have flying time
  - Inertia limits movement



Game Session: Dedicated Server

- Server developer provides
  - Acts as central authority
  - May be several servers
  - May use cloud services
- **Pros:**
  - Could be real computer
  - More power/responsiveness
  - No player has advantage
- **Cons:**
  - Lag if players not nearby
  - Expensive to maintain



Game Session: AdHoc Server

- One client acts as host
  - Acts as central authority
  - Chosen by matchmaker
  - But may change in session
- **Pros:**
  - Cheap long-term solution
  - Can group clients spatially
- **Cons:**
  - Server is a mobile device
  - Host often has advantages
  - Must migrate if host is lost



Game Session: AdHoc Server

- One client acts as host
  - Acts as central authority
  - Chosen by matchmaker
  - But may change in session
- **Pr**
  - n
  - lly
- **Cons:**
  - Server is a mobile device
  - Host often has advantages
  - Must migrate if host is lost

Predominant commercial architecture



Game Session: True P2P

- Authority is distributed
  - Each client owns part of state
  - Special algorithms for conflict
  - Coordinator for adds/drops
- **Pros:**
  - No lag on owned objects
  - Lag limited to "attacks"
  - Same advantages as adhoc
- **Cons:**
  - Incredibly hard to implement
  - High networking bandwidth



Game Session: True P2P

- Authority is distributed
  - Each client owns part of state
  - Special algorithms for conflict
  - Coordinator for adds/drops
- **Pr**
  - s
  -
  - oc
- **Cons:**
  - Incredibly hard to implement
  - High networking bandwidth

Almost no-one does this outside academia



Game Session: True P2P

Game Session: True P2P

Melee is easy to latency mask!

Synchronization Algorithms

- Clients must be **synchronized**
  - Ensure they have same state
  - … or differences do not mattter
- Synchronization != authority
  - Authority determines true state
  - Not *how* clients updated
  - Or *when* clients are updated
- Major concept in networking
  - Lots of complicated algorithms
  - Also a **patent mindfield**
  - Take distributed systems course



Synchronization Algorithms

Pessimistic

- Everyone sees same world
  - Ensure local = world state
  - Forces a drawing delay
- Best on fast networks
  - Local LAN play
  - Bluetooth proximity
- Or games with limited input
  - Real time strategy
  - Simulation games

Optimistic

- Allow some world drift
  - Best guess + roll back
  - Fix mistakes if needed
- Works on any network
  - Lag errors can be fixed
  - But fixes may be distracting
- Works great for shooters
  - Player controls only avatar
  - All else approximated

Synchronization Algorithms

Pessimistic

- Everyone sees same world
  - Ensure local = world state
  - Forces a drawing delay
- Best on fast networks
  - Local LAN play
  - Bluetooth proximity
- Or games with limited input
  - Real time strategy
  - Simulation games

Optimistic

- Allow some world drift
  - Best guess + roll back
  - Fix mistakes if needed
- Works on any network
  - Lag errors can be fixed
  - But fixes may be distracting
- Works great for shooters
  - Can also approximated

Also great for distributed authority

Pessimistic: Lock-Step Synchronization

- **Algorithm**: play by "turns"
  - Players send turn actions
  - Even if no action was taken
  - Wait for response to render
- **Problems**
  - *Long* Internet latency
  - Variable latencies (jitter)
  - Speed set by slowest player
  - What if moves are lost?
- More common in LAN days



Pessimistic: Bucket Synchronization

- **Algorithm**: turns w/ timeout
  - Often timeout after 200 ms
  - But can be adapted to RTT
  - All moves are buffered
  - Executed at end of *next* turn
- **Problems**
  - Variable latencies (> a turn)
  - Speed set by slowest player
  - What if moves are lost?
- Used in classic RTS games



Pessimistic: Bucket Synchronization

- **Algorithm**: turns w/ timeout
  - Often timeout after 200 ms
  - But can be adapted to RTT
  - All moves are buffered
  - Executed at end of *next* turn
- **Problems**
  - Variable latencies (> a turn)
  - Speed set by slowest player
  - What if moves are lost?
- Used in classic RTS games

Optimistic: Personal State



Networking

Optimistic: Opponent State



Networking

Advantages of Sending Actions

Dead Reckoning

- Assume velocity constant
  - Simulate the new position
  - Treats like physics object
- Generalize to other actions



Error Smoothing

- Can interpolate late actions
  - Create simulation for action
  - Avg into original simulation
- Continue until converge



The Perils of Error Correction

Physics: Challenge of Synchronization



- Deterministic bi-simulation is very hard
  - Physics engines have randomness (not Box2D)
  - Not all architectures treat floats the same
- Need to mix interpolation with snapshots
  - Like error correction in optimistic concern
  - Run simulation forward from snapshots

Physics: Challenge of Synchronization



- Deterministic bi-simulation is very hard
  - Physics engines have randomness (not Box2D)
  - Not all arbi
- Need to r
  - Like error correction in optimistic concern
  - Run simulation forward from snapshots

See today's reading

Physics: Challenge of Authority



- Distributed authority is very difficult
  - Authority naturally maps to player actions
  - Physics is a set of interactions
- Who owns an uncontrolled physics object?
  - **Gaffer:** The client that set in motion
  - Collisions act as a form of "authority tag"

Summary

- **Consistency:** local state agrees with world state
  - Caused by latency; takes time for action to be sent
  - Requires complex solutions since must draw now!
- **Authority** is how we measure world state
  - Almost all games use a centralized authority
  - Distributed authority is beyond scope of this class
- **Synchronization** is how we ensure consistency
  - Pessimistic synchronization adds a sizeable input delay
  - Optimistic synchronization requires a lot of overhead