



File Organizations and Indexing



Alternative File Organizations

Many alternatives exist, *each ideal for some situation, and not so good in others:*

- **Heap files:** Suitable when typical access is a file scan retrieving all records.
- **Sorted Files:** Best if records must be retrieved in some order, or only a 'range' of records is needed.
- **Hashed Files:** Good for equality selections.
 - ◆ File is a collection of *buckets*. Bucket = *primary page* plus zero or more *overflow pages*.
 - ◆ **Hashing function h :** $h(r)$ = bucket in which record r belongs. h looks at only some of the fields of r , called the *search fields*.



Desired Operations

- ❖ Scan records
- ❖ Equality search
- ❖ Range search
- ❖ Insert record
- ❖ Delete record

Cost Model for Our Analysis

We ignore CPU costs, for simplicity:

- **B**: The number of data pages
- **R**: Number of records per page
- **D**: (Average) time to read or write disk page
- Measuring number of page I/O's ignores gains of pre-fetching blocks of pages; thus, even I/O cost is only approximated.
- Average-case analysis; based on several simplistic assumptions.

☒ Good enough to show the overall trends!

Assumptions in Our Analysis

- ❖ Single record insert and delete.
- ❖ Heap Files:
 - Equality selection on key; exactly one match.
 - Insert always at end of file.
- ❖ Sorted Files:
 - Files compacted after deletions.
 - Selections on sort field(s).
- ❖ Hashed Files:
 - No overflow buckets, 80% page occupancy.

Cost of Operations

	Heap File	Sorted File	Hashed File
Scan all recs	BD	BD	1.25 BD
Equality Search	0.5 BD	D log₂B	D
Range Search	BD	D (log₂B + # of pages with matches)	1.25 BD
Insert	2D	Search + BD	2D
Delete	Search + D	Search + BD	2D

☒ Several assumptions underlie these (rough) estimates!

Indexes

- ❖ An *index* on a file speeds up selections on the *search key fields* for the index.
 - Any subset of the fields of a relation can be the search key for an index on the relation.
 - *Search key* is *not* the same as *key* (minimal set of fields that uniquely identify a record in a relation).
- ❖ An index contains a collection of *data entries*, and supports efficient retrieval of all data entries k^* with a given key value k .

Alternatives for Data Entry k^* in Index

- ❖ Three alternatives:
 - ⌚ *Data record with key value k*
 - ⌚ *$\langle k, \text{rid of data record with search key value } k \rangle$*
 - ⌚ *$\langle k, \text{list of rids of data records with search key } k \rangle$*
- ❖ Choice of alternative for data entries is orthogonal to the indexing technique used
 - Examples of indexing techniques: B+ trees, hash-based structures
 - Typically, index contains auxiliary information that directs searches to the desired data entries

Alternatives for Data Entries (Contd.)

- ❖ **Alternative 1:**
 - If this is used, index structure is a file organization for data records (like Heap files or sorted files).
 - At most one index on a given collection of data records can use Alternative 1. (Otherwise, data records duplicated, leading to redundant storage and potential inconsistency.)
 - If data records very large, # of pages containing data entries is high. Implies size of auxiliary information in the index is also large, typically.

Alternatives for Data Entries (Contd.)

❖ Alternatives 2 and 3:


- Data entries typically much smaller than data records. So, better than Alternative 1 with large data records
- If more than one index is required on a given file, at most one index can use Alternative 1; rest must use Alternatives 2 or 3.
- Alternative 3 more compact than Alternative 2, but leads to variable sized data entries even if search keys are of fixed length.

Index Classification

- ❖ **Primary vs. secondary:** If search key contains primary key, then called primary index.
 - **Unique** index: Search key contains a candidate key.
- ❖ **Clustered vs. unclustered:** If order of data records is the same as, or 'close to', order of data entries, then called clustered index.
 - Alternative 1 implies clustered, but not vice-versa.
 - A file can be clustered on at most one search key.
 - Cost of retrieving data records through index varies *greatly* based on whether index is clustered or not!

Clustered vs. Unclustered Index

- ❖ Suppose that Alternative (2) is used for data entries, and that the data records are stored in a Heap file.
 - To build clustered index, first sort the Heap file (with some free space on each page for future inserts).
 - Overflow pages may be needed for inserts. (Thus, order of data recs is 'close to', but not identical to, the sort order.)



Summary

- ❖ Many alternative file organizations exist, each appropriate in some situation.
- ❖ If selection queries are frequent, sorting the file or building an *index* is important.
 - Hash-based indexes only good for equality search.
 - Sorted files and tree-based indexes best for range search; also good for equality search. (Files rarely kept sorted in practice; B+ tree index is better.)
- ❖ Index is a collection of data entries plus a way to quickly find entries with given key values.
