Introduction

CS 4410 Operating Systems



[R. Agarwal, L. Alvisi, A. Bracy, M. George, F. B. Schneider, E. G. Sirer, R. van Renesse]

What an OS does

- OS is an intermediary between programs and hardware.
- OS creates an environment to execute programs in a convenient and efficient manner:
 - allocates resources (CPU, storage, ...)
 - controls programs
 - cooperation (sharing and synchronization)
 - isolation (protection and resource management)



Ways to view an OS

- Services it provides to programs
- Components implementing those services
 - internal design and implementation
 - Real hardware is difficult to use directly

Why Study OS?

Learn solutions to problems arising in all systems:

- Resource sharing (scheduling)
- Cooperation (concurrent programming: communication, synchronization)
- System structure (abstractions, interfaces)

Systems vs Programs (I)

How designing an OS differs from designing a program

- Measure of success: OS concerned with extensibility, security, reliability, ...
- External interface: OS more complicated and subject to change. E.g. I/O devices
- Structuring techniques: OS employs
 - modules, layers, client-server, event-handler, transaction

Systems vs Programs (II)

How designing an OS differs from designing a program

- OS must bridge mismatched performance characteristics.
 - Registers vs RAM vs Disk
 - Phone vs Laptop vs Server

What makes systems complex?

Emergent properties: Evident only when components are combined.

Example: Millennium Bridge (London)



What makes systems complex?

Propagation of Effects: When small changes have disproportionate effects

Examples:

- Power failures in power grid
- Change auto tire size from 13" to 15"
 - » kills suspension
- Boeing 737 max 8 design
 - » 4th generation of 737
 - » larger engines, mounted further forward and higher
 - » pushes up nose of jet
 - » compensated by sensors and software...

What makes systems complex?

Incommensurate Scaling: Different parts follow different scaling rules

Examples:

- Height limits on skyscrapers
- Size limits on cargo ships
 - » Horizon distance is linear in size of object
 - » Stopping distance is proportional to object volume.

How to Manage Complexity

- Modularity: Good modularity minimizes connections between components
- **Abstraction**: Separate interface from internals; separate specification from implementation
- Hierarchy: Constrains interactions so easier to understand

CIS Partner Finding Social

9/08/2020 • 7:30PM-10:30PM ET • tinyurl.com/yx8rcnrf



All majors and gender identities welcome!



Women in Computing at Cornell



OS has many roles

Referee

 Manages shared resources: CPU, memory, disks, networks, displays, cameras, etc.

Illusionist

Look! Infinite memory! Your own private processor!

Glue

- Offers set of common services
- Separates apps from I/O devices

OS as Referee

Resource allocation

 Multiple concurrent tasks, how does OS decide who gets how much?

<u>Isolation</u>

- A faulty app should not disrupt other apps or OS
- OS must export less than full power of underlying hardware


Communication/Coordination

Apps need to share state

OS as Illusionist (1)

<u>Virtualization</u>: Resources seem present but aren't

- processor, memory, screen space, disk, network
- the entire computer:
 - fooling the illusionist itself!
 - ease of debugging, portability, isolation



OS as Illusionist (2)

Abstraction: Enables new assumptions for clients

- Atomic operations
 - HW guarantees atomicity at word level
 - what happens during concurrent updates to complex data structures?
 - what if computer crashes during a block write?
- Reliable communication channels
 - At the hardware level, packets are lost...

OS as Glue

Simplify app design and facilitate sharing due to:

- send/receive of byte streams
- read/write files
- pass messages
- share memory
- UI

Decouples HW and app development

Issues in OS Design

- Structure: how is the OS organized?
- Concurrency: how are parallel activities created and controlled?
- **Sharing:** how are resources shared?
- Naming: how are resources named by users?
- Protection: how are distrusting parties protected from each other?
- **Security:** how to authenticate, authorize, and ensure privacy?
- **Performance:** how to make it fast?

Issues in OS Design

- Reliability: how do we deal with failures?
- Portability: how to write once, run anywhere?
- Extensibility: how do we add new features?
- Communication: how do we exchange information?
- Scale: what happens as demands increase?
- **Persistence:** how do we make information outlast the processes that created it?
- Accounting: who pays the bill and how do we control resource usage?