

# **MEMORY MANAGEMENT**

**Professor Ken Birman**  
**CS4414 Lecture 5**

# IDEA MAP FOR TODAY

Understanding where an object resides is very important in modern systems. In C++, you can't write correct code unless you master this topic

Global objects live in data segments

Inline objects live on the stack

Dynamically created objects live in the heap

Address space for a Linux process:  
many kinds of segments

If time permits: How malloc  
manages the heap

# WHAT HAPPENS WHEN YOU RUN A COMMAND?

Linux really has three concepts of what a command can be

1. The bash shell has some built-in commands
2. You can take any sequence of commands and put them in a file, change its mode to “executable”, and then the file name behaves like a Linux command. You can even pass it arguments, include loops, etc!
3. A compiled program, perhaps starting with C++ source

# WHAT HAPPENS WHEN YOU RUN A PROGRAM?


Bash sees that you are trying to execute a program – it finds the file and checks, and learns that it is an executable (and remembers this, for quicker future responses)

Bash uses Linux to prepare an address space and then load and execute the program in the new address space. This is done with the **fork** and **exec** systems calls. (Both have several variants).

We'll discuss later... details not important today

# ADDRESS SPACE?

**A page is a 4K  
block of memory**



Every program runs in an isolated address context.

Within it, the addresses your program sees are “virtual”. They don’t match directly to addresses in physical memory.

A “page table” managed by Linux maps virtual to physical, at a granularity that would usually be 4k (4096) bytes per page.

# ... PAGES ARE GROUPED INTO SEGMENTS

Rather than just treating memory as one range of pages from address 0 to whatever the current size needed might be, Linux is segmented. There are often **gaps** between them.

Definition: A segment is just a range of virtual memory with some base address, and some total size, and access rules.

One segment might be as small as a single page, or could be huge with many pages. We don't normally worry about page boundaries

# A FEW SEGMENT TYPES LINUX SUPPORTS

**Code:** This kind of segment holds compiled machine instructions

**Data:** Uses for constants and initialized global objects

**Stack:** A stack segment is used for memory needed to call methods, or for inline variables (I'll show you an example).

**Heap:** A heap segment is used for dynamically allocated memory that will be used for longer periods (again, I'll show you)

**Mapped files:** The file can be accessed as a `byte[]` vector!

# GAPS



The address space will often have “holes” in it.

These are ranges of memory that don't correspond to any allocated page.

If you try and access those regions, you'll get a segmentation fault and your process will crash.



# STACKS, HEAPS

Our programs often need to dynamically allocate memory to hold new objects. Later they might free that memory.


The stack and the heap are two resources for doing this.

# STACKS VERSUS HEAPS


A **stack** is a managed region of memory that has a concept of a stack pointer. You “push” objects on the stack, and the stack pointer changes (the value gets *smaller*) by the size of the object ... later you “pop” the object and the stack pointer gets larger.

Stack segment encloses the entire stack.  
But not all of it is “in use”

In Linux, stacks always grow from big addresses down towards small addresses



# ... HEAPS




A heap is a memory region allocated via **malloc(size)/free**. Access the memory via *pointers*. Use a “static cast” to tell C++ what type of data your region will hold.

It is important to learn the associated concepts if these are new to you!

The C++ operators include the **\*** operator, as in `*ptr = 17`, and the **→** operator (typed as `->`). **\*** is used for vectors or arrays. **→** is used if your memory region holds a data structure of some kind.

# ... HEAPS



C++ trusts you to

- Allocate the proper number of bytes
- Stay within the bounds of the allocated region

**NUMA heaps:** Linux maintains one heap region (pool) per DRAM module, tries put your new memory “close” to your thread.

# WHAT ABOUT OBJECTS IN THE HEAP?

In C++ all objects need to live somewhere, and the heap is a very common choice.

The C++ keyword **new** will automatically do the malloc and then call the object constructor. Later you call delete.

But you can also call malloc “by hand” if needed.

# INITIALIZATION IS VERY IMPORTANT!

Malloc doesn't zero or initialize the region. In C++ we normally use objects with constructors that initialize the fields to desired values.

For this reason, new memory won't be automatically zeroed: that would be wasted work. A program's data segment is initially zero, but that is really a special case.

Of course you can always zero a memory region “by hand”

# YOUR C++ PROGRAM “CONTROLS” WHERE THE VARIABLES IT USES WILL LIVE

// This is typical of what you might find in a .hpp file

// The example describes a class called Cat, with some fields and methods

```
int    cat_count;           // Global: Lives in a data segment
class Cat {                 // Definition: Used only by g++
public:
    int cat_id;             // The object will have space for a 32-bit int
    std::string name;      // ... and for a “string object”
    Cat(std::string given_name) ; // Constructor to initialize a new Cat instance
};
```

# YOUR C++ PROGRAM “CONTROLS” WHERE THE VARIABLES IT USES WILL LIVE

// In the .cpp file, we give these values

```
int    cat_count = 0;           // Global: Lives in a data segment

Cat::Cat(std::string given_name) { // Constructor to initialize a new Cat instance
    Cat::name = given_name;
    Cat::cat_id = cat_count++;
}
}
```



# YOUR C++ PROGRAM “CONTROLS” WHERE THE VARIABLES IT USES WILL LIVE

```
external Cat fluffy; // Global, initialized “elsewhere”
external int cat_count;
Cat irma(“Irma”); // Global, initialized here. Object will live in data segment
int main(int argc, char** argv) {
    Cat streetcat(“Grizabella”); // Stack, created now, actually on the stack.
                                // The object will be deallocated when scope exits
    Cat *catptr = new Cat(“Mistophelles”); // Heap! Remains allocated until you call delete
}
```

**Scope:** The execution block in which the variable is accessible

# PUZZLE: WHERE IS THE BYTE[] FOR STRINGS?

We used `std::string` to hold the cat names. Where is the memory?

Internally, a `std::string` includes a **pointer** to a character array: a byte vector, terminated with a null byte (`'\0'`).

But where is the string itself, in memory?  
You can access it as the `c_str()`...

*In the heap! `std::string` makes a copy using `malloc` and `memcpy`  
If you copy a `std::string`, a heap char string is made by the copy constructor*

# MALLOC AND FREE

You don't see it, but internally, C++ implements **new** using **malloc**, and **delete** using **free**. These are library methods built in C that manage pools of memory: one per DRAM module on your NUMA computer.

Notice that **new** and **delete** are not needed for global or stack-allocated objects. Question: *why not?*

# GLOBAL AND STACK ALLOCATION

A global object will be assigned space in the data segment. The compiler handles this, and runs the constructor either at compile time, or (if the constructor uses things that aren't constants), when the program starts execution.

A stack allocated object will be assigned a chunk of space on the stack when the line of code executes to create the object. The constructor runs when this occurs.

# THE STACK IS ALSO USED FOR METHOD CALLS

Roles of the stack:

- Hold return PC

- Hold stack-allocated data

- Hold values of registers that will temporarily be used but then restored to whatever was previously in them

- Hold method arguments that don't fit into registers

- Hold results from a method, if the result is “large”

# CALLING A METHOD...

C++ generates code to put arguments into registers, or onto the stack. It has its own rules to decide which case applies.

The Intel hardware automatically pushes the caller's PC to the stack. Later it uses this to return to where the call was done.

On return, Intel pops the PC from the stack. C++ pops anything it pushed, and we are back to the state from before the call.

# C++ NOTATIONS FOR ACCESSING THINGS

C++ has a concept of a “namespace” used to understand the variable you are referencing.

For example, `std::queue` is a reference to a class called `queue` that was defined in the standard library (`std::` means “standard”)

Pronunciation hint: Ken just says “st-it-id” for `std::`

# VARIABLES VERSUS POINTERS

Suppose some variable `cat` is in the current scope, and we access it. Some examples:

```
auto cat2 = cat;           // Constructs a copy
cid = cat.cat_id;        // References a member
auto cptr = &cat;         // Creates a pointer to cat
```



# POINTER: A VARIABLE HOLDING AN ADDRESS

A pointer variable has a 64-bit number in it: a memory location.

You need to make sure it points to a sensible place!

But then can access members, like `cptr → cat_id`. `(*cptr).cat_id` is equivalent: `(*cptr)` “is” the cat object that `cptr` points to.

# ACCESS BY REFERENCE

Often you see methods with types like this:

```
int sum(const int& a, const int& b) { return a+b; }
```

The & “a will be a reference to the argument” Thus, a acts like a second name – an *alias* – for the argument supplied by the caller.

The by reference notation, &, can only be used if the passed argument is a variable – it could appear on the left side of an “=”

# C++ ALLOWS REFERENCE RETURN VALUES

For example, you can write a method that returns a reference to some object that is in an array, or even one it just created!

But beware.... A reference or pointer to an object on the stack will be “unsafe” if that stack scope terminates!

And a reference or pointer into the heap is only valid as long as you haven't deleted the object in the heap that it points to!

# ARRAYS USE A FORM OF REFERENCES

C++ has two concepts of array indexing.

If `myvec` is of type `int[10]`, then `myvec[k]` is the  $k$ 'th element.  
Note that C++ doesn't check for illegal index values!

Overloaded operators become method calls,  
to methods defined by the class



But you can also “overload” the `[]` operator for classes of your own. For example, `cat.litter[k]` could be the  $k$ 'th kitten in a list.

# SHARED\_PTR

When working with pointers, people often call malloc, but then forget to call free. C++ isn't garbage collected, so the malloc'ed objects will linger for as long as the program runs.

This is called a memory leak. The heap segment grows and grows. Eventually a process can run out of space and crash.

# SHARED\_PTR





Professional C++ developers prefer not to use pointers directly. We “wrap” them in a `shared_ptr` template.

With a `shared_ptr`, when the object has no more references to it, the **delete** method is called automatically.

This adds garbage collection to C++, in a controlled form!

# SHARED\_PTR



Example:

```
auto my_ptr = new shared_ptr<foo>(constructor args);
```

```
auto ptr_2 = my_ptr; // Auto-increments reference count!
```

When a `shared_ptr` goes out of scope, the reference count is decremented automatically. **Delete** is called if it reaches 0.

# USE A SHARED\_PTR LIKE ANY POINTER

Suppose `foo` has a field “name”.

With a `foo* pt`, you write `pt→name`; `pt` holds an address.

With a `shared_ptr<foo> pt`, you use the identical notation! The shared pointer object holds the address of the `foo` object. By overloading the `→` operator, the `shared_ptr` mimics a pointer!



# MEMORY LEAK

Suppose that your program includes code that might be causing a memory leak.

The memory is consumed, but never released, so the heap gets larger and larger. You'll see this in "top" and your program will slow down when the memory region gets really large.

Best tool for finding leaks: **valgrind**

# MALLOC IS “INEXPENSIVE” BUT NOT FREE

It maintains a big pool of memory and uses various techniques to try and keep memory compact.

- **Fragmentation.** Refers to an accumulation of tiny chunks of memory that can't be reused because they are too small for most purposes.
- **Compaction.** Free looks for chances to combine small chunks into larger ones, which are more likely to be useful in future mallocs.

This is different from **garbage collection**, which refers to mechanisms that automatically free an object that no longer has any references to it.

# MALLOC/FREE IMPLEMENT DYNAMIC MEMORY MANAGEMENT FOR C++

One worry: malloc is not infinitely fast and can be a bottleneck.

Many performance-intensive applications maintain freelists:

- Only use malloc if the free list is empty.
- This reduces the pressure on the malloc/free subsystem.

# HOW A FREELIST WORKS

When you create your class Foo, you also maintain a list of pointers to freed Foo objects: `std::list<Foo*> freelist;`

Suppose `fptr` points to a Foo (allocated using **new**):

- When finished with `fptr`, put it on the freelist (and don't **delete** it). The destructor won't run: `fptr` is still in use.
- When you need another Foo, check to see if there is a free one on the list. If so, reuse it instead of creating a new object.


# WHICH SEGMENTS HOLD WHICH KINDS OF MEMORY?

Let's tour the computer from the hardware "up".

The NUMA computer has a big memory region that encompasses all memory on the machine. Any thread with permission can access any part of this memory (local memory is cheapest).

There may also be memory regions associated with devices such as computer displays, cameras, etc.

# VISUALIZING AN ACTIVE PROCESS




# DIFFERENT THREADS IN ONE PROCESS SHARE THE SAME ADDRESS SPACE

The memory of a computer is actually linear, although with gaps used in various ways by the hardware and operating system.

We “think” of the address space as if each thread was next to the other threads, but if you look at the addresses each has its own memory segment.

Linux manages a “mapping” from the addresses each process sees to the actual physical memory. Called a “page table”.

# VISUALIZING AN ACTIVE PROCESS





# DIFFERENT PROCESSES HAVE DISTINCT ADDRESS SPACES

Each distinct process has its own address space mapping.

Thus an address can mean different things: my 0x10000 might contain code for fast-wc, but your 0x10000 could be part of a data segment.

The hardware knows which process is running, so it can use the proper page table mapping to know which memory it wants.

# MAPPED FILES

We will discuss more in a future lecture.

But Linux has a system call that will map a file into memory so that the bytes are directly accessible without doing read/write

For sharing between processes (particularly helpful across programming languages!). *Shared file are limited to one writer.*

# VIRTUAL AND PHYSICAL MEMORY

The hardware allows us to “page out” chunks of memory to a disk. If the process touches such a page, a “page fault” occurs.

Then the kernel loads the missing page and lets the process resume execution.

When low on space, this can help... but it also can be costly!

# SOME SEGMENTS ARE SHARED BY MULTIPLE PROCESSES

A mapped file appears in memory, like `char*` array. You can access the bytes directly.

Linux picks the “base address” (hence the same file can easily show up at different places in different processes!)

Changes are automatically rewritten back to the disk. Only one process can do updates; others are “read only”

# SOME SEGMENTS ARE SHARED BY MULTIPLE PROCESSES

Consider the standard C++ library. Lots of programs use it!

This segment is read-only, so more than one program can share a single copy. We call it a “dynamically linked library” or DLL

We’ll learn how Linux implements DLLs later in the course.

# HOW SEGMENTS GROW

Heaps and stacks are the two kinds of segments that can grow as needed, or shrink.

A stack has a limited maximum size, but Linux initially makes it small. As methods call each other and stack space is needed, Linux finds out and quietly grows the “top” of the stack.

This is a case of a “handled” segmentation fault. If you use up the limit, then you get a “stack overflow” error, and a crash.

# HOW SEGMENTS GROW

The heap has an initial size, but can be expanded by calling the “sbrk” Linux system call.

Malloc uses this to request extra space. The heap grows at the bottom, towards larger addresses.

With NUMA, there is one heap per RAM, and memory is allocated on a RAM close to the thread that called malloc.


# WHAT IF YOU ACCESS A SEGMENT ILLEGALLY?

The most notorious way for a process to crash in Linux is a “segmentation fault”

This means it tried to read from an address that isn't mapped into its address space, or from an “unreadable” region (or write, or execute).

Linux terminates the whole process and might also save a “core” file for you to study using gdb to understand what crashed.





## **DEEPER DIVE**

**From the textbook,  
if we have time**

# Mechanisms in Procedures

- **Passing control**
  - To beginning of procedure code
  - Back to return point
- **Passing data**
  - Procedure arguments
  - Return value
- **Memory management**
  - Allocate during procedure execution
  - Deallocate upon return
- **Mechanisms all implemented with machine instructions**
- **x86-64 implementation of a procedure uses only those mechanisms required**

```
P (...) {  
  •  
  •  
  y = Q(x);  
  print(y)  
  •  
}
```


```
int Q(int i)  
{  
  int t = 3*i;  
  int v[10];  
  •  
  •  
  return v[t];  
}
```

# Mechanisms in Procedures

- **Passing control**
  - To beginning of procedure code
  - Back to return point
- **Passing data**
  - Procedure arguments
  - Return value
- **Memory management**
  - Allocate during procedure execution
  - Deallocate upon return
- **Mechanisms all implemented with machine instructions**
- **x86-64 implementation of a procedure uses only those mechanisms required**

```
P (...) {  
  •  
  •  
  y = Q(x);  
  print(y)  
  •  
}
```

```
int Q(int i)  
{  
  int t = 3*i;  
  int v[10];  
  •  
  •  
  return v[t];  
}
```




# Mechanisms in Procedures

- **Passing control**
  - To beginning of procedure code
  - Back to return point
- **Passing data**
  - Procedure arguments
  - Return value
- **Memory management**
  - Allocate during procedure execution
  - Deallocate upon return
- **Mechanisms all implemented with machine instructions**
- **x86-64 implementation of a procedure uses only those mechanisms required**

```
P (...) {  
  •  
  •  
  y = Q(x);  
  print(y)  
  •  
}
```

```
int Q(int i)  
{  
  int t = 3*i;  
  int v[10];  
  •  
  •  
  return v[t];  
}
```



# Mechanisms in Procedures

- **Passing control**
  - To beginning of procedure code
  - Back to return point
- **Passing data**
  - Procedure arguments
  - Return value
- **Memory management**
  - Allocate during procedure execution
  - Deallocate upon return
- **Mechanisms all implemented with machine instructions**
- **x86-64 implementation of a procedure uses only those mechanisms required**

```
P (...) {  
  •  
  •  
  y = Q(x);  
  print(y)  
  •  
}
```

```
int Q(int i)  
{  
  int t = 3*i;  
  int v[10];  
  •  
  •  
  return v[t];  
}
```


# Today

## ■ Procedures

- Mechanisms
- **Stack Structure**
- Calling Conventions
  - Passing control
  - Passing data
  - Managing local data
- Illustration of Recursion


# x86-64 Stack

- **Region of memory managed with stack discipline**
  - Memory viewed as array of bytes.
  - Different regions have different purposes.
  - (Like the format of Linux executable files, a policy decision)



# x86-64 Stack


- Region of memory managed with stack discipline





# x86-64 Stack


- Region of memory managed with stack discipline
- Grows toward lower addresses
- Register `%rsp` contains lowest stack address
  - address of “top” element



# x86-64 Stack: Push

## ■ `pushq Src`


- Fetch operand at *Src*
- Decrement `%rsp` by 8
- Write operand at address given by `%rsp`



# x86-64 Stack: Push

## ■ `pushq Src`


- Fetch operand at *Src*
- Decrement `%rsp` by 8
- Write operand at address given by `%rsp`



# x86-64 Stack: Pop

## ■ `popq Dest`

- Read value at address given by `%rsp`
- Increment `%rsp` by 8
- Store value at `Dest` (usually a register)



# x86-64 Stack: Pop


## ■ `popq Dest`

- Read value at address given by `%rsp`
- Increment `%rsp` by 8
- Store value at `Dest` (usually a register)

val

Stack Pointer: `%rsp`  +8

Stack "Bottom"



Stack "Top"

Increasing  
Addresses


Stack  
Grows  
Down

# x86-64 Stack: Pop

- `popq Dest`
  - Read value at address given by `%rsp`
  - Increment `%rsp` by 8
  - Store value at `Dest` (usually a register)

Stack Pointer: `%rsp` →

Stack "Bottom"



Increasing  
Addresses

Stack  
Grows  
Down

(The stack pointer is updated but pop leaves the value itself in memory)

# Thought question

- Why would we care that the value was not somehow “removed” or erased?

# Thought question

- **Why would we care that the value was not somehow “removed” or erased?**
- **... if some other method allocates space on the stack but doesn't initialize the variables, their initial value will be taken from whatever was already there.**
- **In an application that has internal security rules about which methods can access which data, this could conceivably allow some method to get at data, or a pointer, it should not have been allowed to see!**
- **Some Linux hacks have taken advantage of this property.**



# Today

## ■ Procedures

- Mechanisms
- Stack Structure
- Calling Conventions
  - **Passing control**
  - Passing data
  - Managing local data
- Illustration of Recursion

# Code Examples

```
void multstore(long x, long y, long *dest)
{
    long t = mult2(x, y);
    *dest = t;
}
```

```
0000000000400540 <multstore>:
400540: push    %rbx           # Save %rbx
400541: mov     %rdx,%rbx      # Save dest
400544: callq  400550 <mult2>  # mult2(x,y)
400549: mov     %rax,(%rbx)    # Save at dest
40054c: pop     %rbx           # Restore %rbx
40054d: retq                               # Return
```

```
long mult2(long a, long b)
{
    long s = a * b;
    return s;
}
```

```
0000000000400550 <mult2>:
400550: mov     %rdi,%rax      # a
400553: imul   %rsi,%rax      # a * b
400557: retq                               # Return
```

# Procedure Control Flow

- Use stack to support procedure call and return
- **Procedure call:** `call label`
  - Push return address on stack
  - Jump to *label*
- **Return address:**
  - Address of the next instruction right after call
  - Example from disassembly
- **Procedure return:** `ret`
  - Pop address from stack
  - Jump to address

# Control Flow Example #1

```

0000000000400540 <multstore>:
.
.
400544: callq  400550 <mult2>
400549: mov    %rax, (%rbx)
.
.

```

```

0000000000400550 <mult2>:
400550: mov    %rdi,%rax
.
.
400557: retq

```

0x130

0x128




0x120

%rsp

%rip

0x120

0x400544



# Control Flow Example #2

```

0000000000400540 <multstore>:
.
.
400544: callq  400550 <mult2>
400549: mov    %rax, (%rbx) ←
.
.

```

```

0000000000400550 <mult2>:
400550: mov    %rdi,%rax ←
.
.
400557: retq

```

0x130

0x128

0x120

0x118


0x400549

%rsp

0x118

%rip

0x400550



# Control Flow Example #3

```

0000000000400540 <multstore>:
.
.
400544: callq  400550 <mult2>
400549: mov   %rax, (%rbx)
.
.

```

```

0000000000400550 <mult2>:
400550: mov   %rdi,%rax
.
.
400557: retq

```

0x130

0x128

0x120

0x118




0x400549

%rsp

0x118

%rip

0x400557



# Control Flow Example #4

```

0000000000400540 <multstore>:
.
.
400544: callq  400550 <mult2>
400549: mov   %rax, (%rbx)
.
.

```

```


0000000000400550 <mult2>:
400550: mov   %rdi,%rax
.
.
400557: retq

```

0x130

0x128

0x120




%rsp

0x120

%rip

0x400549



# Today

## ■ Procedures


- Mechanisms
- tack Structure
- Calling Conventions
  - Passing control
  - **Passing data**
  - Managing local data
- Illustrations of Recursion & Pointers




# Procedure Data Flow

## Registers


### ■ First 6 arguments



### ■ Return value



## Stack



### ■ Only allocate stack space when needed

# Data Flow Examples

```
void multstore
(long x, long y, long *dest)
{
    long t = mult2(x, y);
    *dest = t;
}
```

```
0000000000400540 <multstore>:
    # x in %rdi, y in %rsi, dest in %rdx
    ...
400541: mov     %rdx,%rbx        # Save dest
400544: callq  400550 <mult2>    # mult2(x,y)
    # t in %rax
400549: mov     %rax,(%rbx)      # Save at dest
    ...
```

```
long mult2
(long a, long b)
{
    long s = a * b;
    return s;
}
```

```
0000000000400550 <mult2>:
    # a in %rdi, b in %rsi
400550: mov     %rdi,%rax        # a
400553: imul   %rsi,%rax        # a * b
    # s in %rax
400557: retq                               # Return
```

# SUMMARY AND TAKE-AWAYS

Visualize your application as a collection of memory segments.

Some are restricted in various ways: read only, can or cannot grow (and if so, from which end), executable.

Mapped files are a form of segment that allow distinct processes to share memory (even if coded in different languages!)