

CS4620/5620: Lecture 12


Viewing

Announcements

- Grading slots on next Thursday
 - Please sign up as a group
- If you don't have a group yet for PA I send mail immediately to cs4620-staff-I
- Debugging your program
 - See things everywhere
 - Use white
 - Use encoded information: ray direction $(-1, 1) \rightarrow (0, 1)$
 - point of intersection
 - normal

Pipeline of transformations

- Standard sequence of transforms




Orthographic transformation chain

- Start with coordinates in object's local coordinates
- Transform into world coords (modeling transform, M_m)
- Transform into eye coords (camera xf., M_{cam})
- Orthographic projection, M_{orth}
- Viewport transform, M_{vp}

$$p_s = M_{vp} M_{orth} M_{cam} M_m p_o$$


Viewing a cube of size 2

- Start by looking at a restricted case: the *canonical view volume*



Viewing a cube of size 2


- To draw in image, need coordinates in pixel units, though
- Exactly the opposite of mapping (i,j) to (u,v) in ray generation
- Pixel centers at integer values now



Windowing transforms

- This transformation is worth generalizing: take one axis-aligned rectangle or box to another

– a useful, if mundane, piece of a transformation chain




Cornell CS4620/5620 Fall 2011 • Lecture 12

[Shirley3e f. 6-16; eq. 6-6]

© 2011 Kavita Bala • 7
(with previous instructors James Marschner)

Viewport transformation



$$\begin{bmatrix} x_{\text{screen}} \\ y_{\text{screen}} \\ 1 \end{bmatrix} = \begin{bmatrix} \frac{n_x}{2} & 0 & \frac{n_x-1}{2} \\ 0 & \frac{n_y}{2} & \frac{n_y-1}{2} \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_{\text{canonical}} \\ y_{\text{canonical}} \\ 1 \end{bmatrix}$$

Cornell CS4620/5620 Fall 2011 • Lecture 12

© 2011 Kavita Bala • 8
(with previous instructors James Marschner)

Viewport transformation

- In 3D, carry along z for the ride
- one extra row and column

$$M_{vp} = \begin{bmatrix} \frac{n_x}{2} & 0 & 0 & \frac{n_x-1}{2} \\ 0 & \frac{n_y}{2} & 0 & \frac{n_y-1}{2} \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

Cornell CS4620/5620 Fall 2011 • Lecture 12

© 2011 Kavita Bala • 9
(with previous instructors James Marschner)

Orthographic transformation chain

- Start with coordinates in object's local coordinates
- Transform into world coords (modeling transform, M_m)
- Transform into eye coords (camera xf., M_{cam})
- Orthographic projection, M_{orth}
- Viewport transform, M_{vp}


$$p_s = M_{vp} M_{orth} M_{cam} M_m p_o$$

Cornell CS4620/5620 Fall 2011 • Lecture 12

© 2011 Kavita Bala • 10
(with previous instructors James Marschner)

Orthographic projection

- First generalization: different view rectangle
- retain the minus-z view direction, y axis up vector



- specify view by left, right, top, bottom (as in RT)
- also near, far; note that $n > f$

Cornell CS4620/5620 Fall 2011 • Lecture 12

© 2011 Kavita Bala • 11
(with previous instructors James Marschner)

Clipping planes

- In object-order systems we always use at least two *clipping planes* that further constrain the view volume
- near plane: parallel to view plane; things between it and the viewpoint will not be rendered
- far plane: also parallel; things behind it will not be rendered
- These planes are:
 - partly to remove unnecessary stuff (e.g. behind the camera)
 - but really to constrain the range of depths (we'll see why later)

Cornell CS4620/5620 Fall 2011 • Lecture 12

© 2011 Kavita Bala • 12
(with previous instructors James Marschner)

Orthographic projection

- We can implement this by mapping the view volume to the canonical view volume.
- This is just a 3D windowing transformation!

$$M_{\text{orth}} = \begin{bmatrix} \frac{x'_h - x'_l}{x_h - x_l} & 0 & 0 & \frac{x'_h x_h - x'_l x_l}{x_h - x_l} \\ 0 & \frac{y'_h - y'_l}{y_h - y_l} & 0 & \frac{y'_h y_h - y'_l y_l}{y_h - y_l} \\ 0 & 0 & \frac{z'_h - z'_l}{z_h - z_l} & \frac{z'_h z_h - z'_l z_l}{z_h - z_l} \\ 0 & 0 & 0 & 1 \end{bmatrix}$$



$$M_{\text{orth}} = \begin{bmatrix} \frac{2}{r-l} & 0 & 0 & -\frac{r+l}{r-l} \\ 0 & \frac{2}{t-b} & 0 & -\frac{t+b}{t-b} \\ 0 & 0 & \frac{2}{n-f} & -\frac{n+f}{n-f} \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

Orthographic transformation chain

- Start with coordinates in object's local coordinates
- Transform into world coords (modeling transform, M_m)
- Transform into eye coords (camera xf., M_{cam})
- Orthographic projection, M_{orth}
- Viewport transform, M_{vp}

$$p_s = M_{\text{vp}} M_{\text{orth}} M_{\text{cam}} M_m p_o$$

Viewing transformation



the camera matrix rewrites all coordinates in eye space

Camera and modeling matrices

- We worked out all the preceding transforms starting from eye coordinates
 - before we do anything we need to transform into that space
- Transform from world (canonical) to eye space is traditionally called the *viewing matrix*
 - it is the canonical-to-frame matrix for the camera frame
 - that is, F_c^{-1}
- Remember that geometry would originally have been in the object's local coordinates; transform into world coordinates is called the *modeling matrix*, M_m
- Note some systems (e.g. OpenGL) combine the two into a *modelview* matrix and just skip world coordinates

Canonical to Frame Matrix

$$M_{\text{cam}} = \begin{bmatrix} u & v & w & e \\ 0 & 0 & 0 & 1 \end{bmatrix}^{-1} = \begin{bmatrix} x_u & y_u & z_u & 0 \\ x_v & y_v & z_v & 0 \\ x_w & y_w & z_w & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 & -x_e \\ 0 & 1 & 0 & -y_e \\ 0 & 0 & 1 & -z_e \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

Orthographic transformation chain

- Start with coordinates in object's local coordinates
- Transform into world coords (modeling transform, M_m)
- Transform into eye coords (camera xf., $M_{\text{cam}} = F_c^{-1}$)
- Orthographic projection, M_{orth}
- Viewport transform, M_{vp}

$$p_s = M_{\text{vp}} M_{\text{orth}} M_{\text{cam}} M_m p_o$$

$$\begin{bmatrix} x_s \\ y_s \\ z_s \\ 1 \end{bmatrix} = \begin{bmatrix} \frac{n_x}{2} & 0 & 0 & \frac{n_x-1}{2} \\ 0 & \frac{n_y}{2} & 0 & \frac{n_y-1}{2} \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} \frac{2}{r-l} & 0 & 0 & -\frac{r+l}{r-l} \\ 0 & \frac{2}{t-b} & 0 & -\frac{t+b}{t-b} \\ 0 & 0 & \frac{2}{n-f} & -\frac{n+f}{n-f} \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} u & v & w & e \\ 0 & 0 & 0 & 1 \end{bmatrix}^{-1} M_m \begin{bmatrix} x_o \\ y_o \\ z_o \\ 1 \end{bmatrix}$$


Perspective transformation chain

- Transform into world coords (modeling transform, M_m)
- Transform into eye coords (camera xf., $M_{cam} = F_c^{-1}$)
- Perspective matrix, P
- Orthographic projection, M_{orth}
- Viewport transform, M_{vp}

$$p_s = M_{vp} M_{orth} P M_{cam} M_m p_o$$

$$\begin{bmatrix} x_s \\ y_s \\ z_c \\ 1 \end{bmatrix} = \begin{bmatrix} \frac{n_s}{2} & 0 & 0 & \frac{n_s-1}{2} \\ 0 & \frac{n_y}{2} & 0 & \frac{n_y-1}{2} \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} \frac{2}{r-l} & 0 & 0 & -\frac{r+l}{r-l} \\ 0 & \frac{2}{t-b} & 0 & -\frac{t+b}{t-b} \\ 0 & 0 & \frac{2}{n-f} & -\frac{n+f}{n-f} \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} n & 0 & 0 & 0 \\ 0 & n & 0 & 0 \\ 0 & 0 & n+f & -fn \\ 0 & 0 & 1 & 0 \end{bmatrix} M_{cam} M_m \begin{bmatrix} x_o \\ y_o \\ z_o \\ 1 \end{bmatrix}$$

Perspective projection



similar triangles:

$$\frac{y'}{d} = \frac{y}{-z}$$

$$y' = -dy/z$$

Homogeneous coordinates revisited

- Perspective requires division
 - that is not part of affine transformations
 - in affine, parallel lines stay parallel
 - therefore no vanishing point
 - therefore no rays converging on viewpoint
- “True” purpose of homogeneous coords: projection

Homogeneous coordinates revisited

- Introduced $w = 1$ coordinate as a placeholder

$$\begin{bmatrix} x \\ y \\ z \end{bmatrix} \rightarrow \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

– used as a convenience for unifying translation with linear

- Can also allow arbitrary w , and make w the denominator

$$\begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} \sim \begin{bmatrix} wx \\ wy \\ wz \\ w \end{bmatrix}$$

What does w do?

- Linear transforms

$$x' = ax + by + cz$$

- Affine transforms

$$x' = ax + by + cz + d$$

- Projective transforms

$$x' = \frac{ax + by + cz + d}{ex + fy + gz + h}$$

– denominator the same for y' and z'


$$\begin{bmatrix} x' \\ y' \\ z' \\ w' \end{bmatrix} = \begin{bmatrix} a_1 & b_1 & c_1 & d_1 \\ a_2 & b_2 & c_2 & d_2 \\ a_3 & b_3 & c_3 & d_3 \\ e & f & g & h \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

Implications of w

$$\begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} \sim \begin{bmatrix} wx \\ wy \\ wz \\ w \end{bmatrix}$$

- All scalar multiples of a 4-vector are equivalent
- When w is not zero, can divide by w
 - therefore these points represent “normal” affine points
- When w is zero, it's a point at infinity, a.k.a. a direction
 - this is the point where parallel lines intersect
 - can also think of it as the vanishing point


Perspective projection



to implement perspective, just move z to w:

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} -dx/z \\ -dy/z \\ 1 \end{bmatrix} \sim \begin{bmatrix} dx \\ dy \\ -z \end{bmatrix} = \begin{bmatrix} d & 0 & 0 & 0 \\ 0 & d & 0 & 0 \\ 0 & 0 & -1 & 0 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

View volume: perspective



View volume: perspective (clipped)

