

## Lecture 10

# The Graphics Pipeline


# Caveat About Today's Lecture

---

- Today's focus is on **OpenGL**
  - **The** cross-platform graphics API for Indie games
  - **Vulkan** may take over, but not there yet
- CUGL uses **OpenGLES 3** for rendering
  - Is a proper subset of **OpenGL 3.x**
  - Designed with mobile devices in mind
- Much of what we say is true in other APIs
  - But the pipeline will be slightly different
  - In the case of Vulkan, a lot different


# Graphics Cards Draw Triangles

---



# Triangles Can Be Colored

---



# Triangles Can Be Textured

---



# Triangles Can Be Both

---




# A Sprite is (Often) Two Triangles

---



# Triangles are Drawn with Shaders

---






# Vertex Data Defines the Triangle

---

Position (Required)




# Vertex Data Defines the Triangle

---

Position (Required)


Color (Optional)



# Vertex Shader **Interpolates** Pixels

Position (Required)

Color (Optional)



# A Very Simple Shader

## Vertex Shader

```
// Positions
in vec4 aPosition;

// Colors
in vec4 aColor;
out vec4 outColor;

uniform mat4 uCamera;

// Interpolate position and color
void main(void) {
    gl_Position = uCamera*aPosition;
    outColor = aColor;
}
```

## Fragment Shader

```
// The output color
out vec4 frag_color;

// Color result from
in vec4 outColor;

// Just use color computed
void main(void) {
    frag_color = outColor;
}
```

# A Very Simple Shader

## Vertex Shader

```
// Positions
in vec4 aPosition;

// Colors
in vec4 aColor;
out vec4 outColor;

uniform mat4 uCamera;

// Interpolate outColor
void main(void)
{
    gl_Position = uCamera * aPosition;
    outColor = aColor;
}
```

Input

Input

Output

Output

## Fragment Shader

```
// The output color
out vec4 frag_color;

// Color result from outColor
in vec4 outColor;

// Just use color computed
void main(void) {
    frag_color = outColor;
}
```

Output

Input

# A Very Simple Shader

## Vertex Shader

```
// Positions
in vec4 aPosition;

// Colors
in vec4 aColor;
out vec4 outColor;

uniform mat4 uCamera;

// Interpolate outColor
void main(void)
    gl_Position = uCamera*aPosition;
    outColor = aColor;
}
```

Input

Input

Output

Output

## Fragment Shader

```
// The output color
out vec4 frag_color;

// Color result from
in vec4 outColor;

// Just use color computed
void main(void) {
    frag_color = outColor;
}
```

Output

Input

# Uniforms “Never” Change

---

- We *stream* vertex data to the shader
  - Put all vertex data into a giant array
  - Send it all to graphics card at once
- Changing a uniform **breaks the stream**
  - Have to break up the array into parts
  - Send one part with first value of uniform
  - Send next part with second value of the uniform
- This can **slow down the framerate**
  - Unlikely in this class unless lots of sprites
  - But should be aware of the cost

# Uniforms “Never” Change

- We *stream* vertex data to the shader
  - Put all vertex data into a giant array
  - Send it all to graphics card at once
- Changing uniforms is expensive
  - Having a uniform array is expensive
  - Sending uniforms to the GPU is expensive
  - Sending uniforms to the GPU is expensive
- This can **slow down the framerate**
  - Unlikely in this class unless lots of sprites
  - But should be aware of the cost

Will the camera  
ever change?



# Images Have Texture Coordinates

---

$(0,0)$

$(1,0)$



$(0,1)$

$(1,1)$

# Vertex Data Can Include Texture Data

---

Position (Required)

Texture Coords  
(Optional)

(25,43)


(0.5,-0.5)

(0,0)

(-0.37,1)

(50,0)


(1.37,1)



# Vertex Shader **Interpolates** Pixels

Position (Required)

Texture Coords  
(Optional)



# A Texture Shader

---

## Vertex Shader

---

```
// Positions
in vec4 aPosition;

// Texture Coords
in vec4 aCoord;
out vec4 outCoord;

uniform mat4 uCamera;

// Interpolate position and coords
void main(void) {
    gl_Position = uCamera*aPosition;
    outCoord = aCoord;
}
```

## Fragment Shader

---

```
// The output color
out vec4 frag_color;

// Texture coord from vertex shader
in vec4 outCoord;

uniform sampler2D uTexture;

// Use texture to compute color
void main(void) {
    frag_color = texture(uTexture,
                        outCoord);
}
```

# A Texture Shader

## Vertex Shader

```
// Positions
in vec4 aPosition;

// Texture Coords
in vec4 aCoord;
out vec4 outCoord;

uniform mat4 uCamera;

// Interpolate position and coords
void main(void) {
    gl_Position = uCamera*aPosition;
    outCoord = aCoord;
}
```


## Fragment Shader

```
// The output color
out vec4 frag_color;

// Texture coord from v
in vec4 outCoord;

uniform sampler2D uTex

// Use texture to comput
void main(void) {
    frag_color = texture(uTexture,
                        outCoord);
}
```



texture  
+  
coord  
=  
color

# A Texture Shader

---

## Vertex Shader

---

```
// Positions
in vec4 aPosition;

// Texture Coords
in vec4 aCoord;
out vec4 outCoord;

uniform mat4 uCamera;

// Interpolate position and coords
void main(void) {
    gl_Position = uCamera*aPosition;
    outCoord = aCoord;
}
```

## Fragment Shader

---

```
// The output color
out vec4 frag_color;

// Texture coord from vertex shader
in vec4 outCoord;

uniform sampler2D uTexture;

// Use texture to compute color
void main(void) {
    frag_color = texture(uTexture,
                        outCoord);
}
```

# A Texture Shader

## Vertex Shader

## Fragment Shader

```
// Positions
in vec4 aPosition;
```

```
// Texture Coords
in vec4 aCoord;
out vec4 outCoord;
```

```
uniform mat4 uCamera;
```

```
// Interpolate position and coords
void main(void) {
    gl_Position = uCamera*aPosition;
    outCoord = aCoord;
}
```


```
// The output color
out vec4 frag_color;
```

```
// Texture coord from vertex shader
```

```
void main(void) {
    frag_color = texture(uTexture,
                        outCoord);
}
```

Changing the texture  
*stalls* the stream

# How Does a SpriteBatch Work?



- SpriteBatch has a **shader**
  - Methods create vertices
  - Vertices have **color**, **texture**
  - Sends vertices to shader
- Groups data by **uniforms**
  - Adds all vertices to a set
  - Breaks set into *batches*
  - Uniforms fixed each batch
- Each texture is a **new batch**
  - How often do you switch?




# How Does a SpriteBatch Work?

---




- SpriteBatch has a **shader**
  - Methods create vertices
  - Vertices have **color**, **texture**
  - Sends vertices to shader
- Groups data by **uniforms**
  - Adds all vertices to a set
  - Breaks set into *batches*
  - Uniforms fixed each batch
- Each texture is a **new batch**
  - How often do you switch?

# How Does a SpriteBatch Work?



- SpriteBatch has a **shader**
  - Methods create vertices
  - Vertices have **color**, **texture**
  - Sends vertices to shader
- Groups data by **uniforms**
  - Adds all vertices to a set
  - Breaks set into *batches*
  - Uniforms fixed each batch
- Each texture is a **new batch**
  - How often do you switch?

# How Does a SpriteBatch Work?



- SpriteBatch has a **shader**
  - Methods create vertices
  - Vertices have **color**, **texture**
  - Sends vertices to shader
- Groups data by **uniforms**
  - Adds all vertices to a set
  - Breaks set into *batches*
  - Uniforms fixed each batch
- Each texture is a **new batch**
  - How often do you switch?



# Optimizing Performance: Atlases

- **Idea:** Never switch textures
  - Sprite sheet is many images
  - We can draw part of texture
  - One texture for everything?
- Called a **texture atlas**
  - Supported in CUGL
  - See file [loading.json](#)
  - Ideal for **interface design**
- Has some **disadvantages**
  - Textures cannot repeat
  - Recall texture size limits



# Aside: This is How Fonts Work

- Each **Font** creates an **atlas**
  - Reason you must specify size
  - Atlas limited to 512x512
  - Multiple atlases if necessary
- **TextLayout** makes **vertices**
  - Quads made from font metrics
  - Includes *kerning*, *alignments*
  - Vertices include texture cords
- This makes text **very fast**
  - Generating vertices is quick
  - Actual font cached in atlas(es)



# The SpriteBatch Shader

```
out vec4 frag_color;

in vec2 outPosition;
in vec4 outColor;
in vec2 outTexCoord;
in vec2 outGradCoord;

uniform sampler2D uTexture;
uniform int uType;
uniform vec2 uBlur;
layout (std140) uniform uContext
{
    mat3 scMatrix; // 48
    vec2 scExtent; // 8
    vec2 scScale; // 8
    mat3 gdMatrix; // 48
    vec4 gdInner; // 16
    vec4 gdOuter; // 16
    vec2 gdExtent; // 8
    float gdRadius; // 4
    float gdFeathr; // 4
};

float boxgradient(vec2 pt, vec2 ext, float radius, float feather) {
    vec2 ext2 = ext - vec2(radius,radius);
    vec2 dst = abs(pt) - ext2;
    float m = min(max(dst.x,dst.y),0.0) + length(max(dst,0.0)) - radius;
    return clamp((m + feather*0.5) / feather, 0.0, 1.0);
}

float scissormask(vec2 pt) {
    vec2 sc = (abs((scMatrix * vec3(pt,1.0)).xy) - scExtent);
    sc = vec2(0.5,0.5) - sc * scScale;
    return clamp(sc.x,0.0,1.0) * clamp(sc.y,0.0,1.0);
}

vec4 blursample(vec2 coord) {
    float factor[5] = float[]( 1.0, 4.0, 6.0, 4.0, 1.0 );
    float steps[5] = float[]( -1.0, -0.5, 0.0, 0.5, 1.0 );

    vec4 result = vec4(0.0);
    for(int ii = 0; ii < 5; ii++) {
        vec4 row = vec4(0.0);
        for(int jj = 0; jj < 5; jj++) {
            vec2 offs = vec2(uBlur.x*steps[ii],uBlur.y*steps[jjj]);
            row += texture(uTexture, coord + offs)*factor[jjj];
        }
        result += row*factor[ii];
    }
    return result/vec4(256);
}

void main(void) {
    vec4 result;
    float fType = float(uType);

    if (mod(fType, 4.0) >= 2.0) {
        // Apply a gradient color
        mat3 cMatrix = gdMatrix;
        vec2 cExtent = gdExtent;
        float cFeathr = gdFeathr;
        vec2 pt = (cMatrix * vec3(outGradCoord,1.0)).xy;
        float d = boxgradient(pt,cExtent,gdRadius,cFeathr);
        result = mix(gdInner,gdOuter,d)*outColor;
    } else {
        // Use a solid color
        result = outColor;
    }

    if (mod(fType, 2.0) == 1.0) {
        // Include texture (tinted by color and/or gradient)
        if (uType >= 8) {
            result *= blursample(outTexCoord);
        } else {
            result *= texture(uTexture, outTexCoord);
        }
    }

    if (mod(fType, 8.0) >= 4.0) {
        // Apply scissor mask
        result.w *= scissormask(outPosition);
    }

    frag_color = result;
}
```

- Provides support for
  - Solid/vertex colors
  - Color gradients (linear, radial)
  - Textures/texture coords
  - Gaussian blur
  - Scissoring/masking
- Not **“user-serviceable”**
  - Do not try to replace this
  - Will break all the UI code
- Want a **custom shader**?
  - Make a new **pipeline**

# The Shader Class

---

- Shader::alloc(const string vsrc, const string fsrc)
  - Returns nullptr if shader compilation fails
  - Also gives helpful error message in output
- The shaders are **strings**, not **files**
  - You could load files and read into strings
  - But this means pipeline *waits* on asset loading
  - Better to put directly in your source code
- CUGL approach: **raw strings**
  - Write shader code into a header file
  - Special include assigns contents to a variable

# Using a Shader Object

---


- Activate it with `bind()` command
  - Can only have one shader at a time
  - This method makes it the active shader
  - Call `unbind()` to release it.
  - Like begin/end with `SpriteBatch`
- Assign **uniforms** to shader with **setters**
  - `s->setUniformMat4("uCamera",cam->getCombined());`
  - Support for primitives and all CUGL math objects
  - Applies to both vertex and fragment uniforms
  - But not texture; that is special



# Make a Vertex Type

---


- Can be **any class** of your making
  - Should have **position** (Vec2, Vec3, or Vec4)
  - Can have anything else that you want
  - There are (almost) no restrictions
- **Example: SpriteVertex2**
  - Position (Vec2)
  - Color (unsigned int)
  - Texture coords (Vec2)
  - Gradient coords (Vec2)




# Create a Geometry

- Need two things to **define shape**
  - An array of vertices
  - An array of indices
- Indices refer to **array positions**
  - Used to create triangles
  - Meaning depends on command
- **Poly2** does all of this for you!
  - But it only has position data
  - Only supports triangle **lists**
- For more, see class **Mesh<T>**


Triangle List



Triangle Strip



Triangle Fan




# Create a VertexBuffer Object

---

- `VertexBuffer::alloc(sizeof(VertexClass))`
  - `sizeof` tells it number of bytes per vertex
  - Stream size is determined when you **load** vertices
- `v->setupAttribute("var", bytes, type1, type2, loc)`
  - Maps shader variable to slot in vertex class
  - See documentation/example for how to do this
- `v->attach(shader)`
  - Tell vertex buffer to send data to the shader
  - This is how the shader gets the vertex data!

# VertexBuffer vs Shader


---



Have a **many-one** relationship

# VertexBuffer vs Shader

---



Set active VertexBuffer  
with bind/unbind

Have a **many-one** relationship

# Loading Data Into Vertex Buffer

---

- `v->loadVertexData(array,size)`
  - Loads the array of vertices
  - Remembers until you load new data
- `v->loadIndexData(array,size)`
  - Loads the array of indices
  - Should be updated when the vertices are
- `v->draw(command,index_count,index_start)`
  - Tells how to interpret the indices (list, strip, fan)
  - Does the actual drawing at this time (not delayed)

# Aside: Static Draw vs Stream Draw

---

## Static Draw

---

- Vertex buffer is **fixed**
  - Object altered via *uniforms*
  - **Example**: Transform matrix
- Used if **lots of vertices**
  - Uniform changes stall drawing
  - But reloading vertices is worse
- Common in **3d rendering**
  - Models are **large meshes**
  - Each model its own buffer

## Stream Draw

---

- Vertex buffer **changes often**
  - Always updating position
  - Always updating geometry
- Used if **low complexity**
  - Few vertices per object (quads)
  - Can't give each sprite a buffer
- Common in **2d rendering**
  - Data is very **heterogeneous**
  - How SpriteBatch works

# Last Step: Textures

---

- Textures are **not** set by a shader method
  - Data is way too big for normal uniforms
  - All data is stored in a **Texture** object
- This object has its own **bind/unbind**
  - Call bind to make it the **active texture**
  - Call unbind to remove it/have no texture
- Possible to have **more than one texture**
  - Each shader texture variable has a slot (0-10)
  - Can call **bind(slot)** to put it in a slot



# Putting It All Together

---

```
shader->bind();  
vbuffer->bind(); // Binds shader if necessary  
texture->bind(); // Make active texture in slot 0  
vbuffer->draw(mesh.command,mesh.indices.size(),0);  
... // More drawing commands  
texture->unbind(); // If need to change texture  
... // More drawing commands  
vbuffer->unbind(); // If need to change buffer  
shader->unbind(); // If need to change shader
```

# Putting It All Together

---

```
shader->bind();  
vbuffer->bind(); // Binds shader if necessary  
texture->bind(); // Make active texture in slot 0  
vbuffer->draw(0);  
... // More drawing commands  
texture->unbind(); // If need to change texture  
... // More drawing commands  
vbuffer->unbind(); // If need to change buffer  
shader->unbind(); // If need to change shader
```

See Pipeline Demo

# Combining With Scene Graphs

---

```
void CustomNode::draw(const std::shared_ptr<SpriteBatch>& batch,
                    const Affine2& transform, Color4 tint) {

    // Stop the previous graphics pipeline
    batch->end();

    // Adjust pipeline camera by the node transform
    Mat4 camera = _scene->getCombined()*transform;

    // Custom drawing code
    ...
    ...

    // Restart the sprite batch
    batch->begin(_scene->getCombined());
}
```

# Two Final Classes

---

## UniformBuffer

---

- Used if **many** uniforms
  - Setting each uniform slow
  - Put uniforms in byte array
  - Set pointer to byte array
- Permits uniform **streaming**
  - Dual of VertexBuffer
- Used by **SpriteBatch**
  - Holds gradients, scissors
  - See code for usage

## RenderTarget

---

- Used to **render offscreen**
  - Draw to a special buffer
  - Turn buffer into a texture
  - Apply texture to shapes
- Great for **special effects**
  - Render screen to texture
  - Apply 2<sup>nd</sup> shader to texture
- Used in **Scene2Texture**
  - See documentation

# Summary


---

- CUGL uses **OpenGL ES 3** for rendering
  - Uses shaders to produces triangles on screen
  - SpriteBatch makes all of this very easy
- Custom shaders require a **separate pipeline**
  - Need a **Shader** to output to screen
  - Need a **Mesh** to define the geometry
  - Need a **VertexBuffer** to pass Mesh to Shader
  - (Optional) Need a **Texture** to fill in triangles
- Want more? Take **CS 5625**

# Advanced Technique

# Triangles Have Hard Edges

---



# Sometimes Want Softer Edges

---





# Sometimes Want Softer Edges


---



OpenGL ES does NOT  
support multisampling


# Extrude The Triangle Boundary

---




# Extrude The Triangle Boundary

---



# Use Alpha to Fade Out Extrusion

---



# Use Alpha to Fade Out Extrusion

---

