

CS5740: Natural Language Processing
Spring 2018

Lexical Semantics

Instructor: Yoav Artzi

Slides adapted from Dan Jurafsky, Chris Manning, Slav Petrov, Dipanjan Das,
and David Weiss

Overview

- Word sense disambiguation (WSD)
 - Wordnet
- Semantic role labeling (SRL)
- Continuous representations

Lemma and Wordform

- A lemma (or citation form)
 - Basic part of the word, same stem, rough semantics
- A wordform
 - The “inflected” word as it appears in text

Wordform	Lemma
banks	bank
sung	sing
duermes	dormir

Word Senses

- One lemma can have many meanings:

Sense 1: • ...a **bank**₁ can hold the investments in a custodial account...

- "...as agriculture burgeons on the east

Sense 2: **bank**₂ the river will shrink even more"

- Sense (or word sense)
 - A discrete representation of an aspect of a word's meaning.
- The lemma **bank** here has two senses

Homonymy

Homonyms: words that share a form but have unrelated, distinct meanings:

bank₁: financial institution, **bank₂**: sloping land

bat₁: club for hitting a ball, **bat₂**: nocturnal flying mammal

1. Homographs (bank/bank, bat/bat)

2. Homophones:

1. **Write** and **right**

2. **Piece** and **peace**

Homonymy in NLP

- Information retrieval
 - “bat care”
- Machine Translation
 - bat: [murciélagos](#) (animal) or [bate](#) (for baseball)
- Text-to-Speech
 - bass (stringed instrument) vs. **bass** (fish)

Quick Test for Multi Sense Words

- Zeugma
 - When a word applies to two others in different senses

Which flights **serve** breakfast?

Does Lufthansa **serve** Philadelphia?

Does Lufthansa serve breakfast and San Jose?

- The conjunction sounds “weird”
 - So we have two senses for *serve*

Synonyms

- Word that have the same meaning in some or all contexts.
 - filbert / hazelnut
 - couch / sofa
 - big / large
 - automobile / car
 - vomit / throw up
 - Water / H₂O
- Two words are synonyms if ...
 - ... they can be substituted for each other
- Very few (if any) examples of perfect synonymy
 - Often have different notions of politeness, slang, etc.

Synonyms

- Perfect synonymy is rare
- Can we define it better in term of senses?
- Consider the words **big** and **large**
- Are they synonyms?
 - *How big is that plane?*
 - *Would I be flying on a large or small plane?*
- How about here:
 - *Miss Nelson became a kind of big sister to Benjamin.*
 - *Miss Nelson became a kind of large sister to Benjamin.*
- Why?
 - big has a sense that means being older, or grown up
 - large lacks this sense
- Synonymous relations are defined between senses

Antonyms

- Senses that are opposites with respect to one feature of meaning
- Otherwise, they are very similar!

dark	short	fast	rise	hot	up	in
light	long	slow	fall	cold	down	out
- Antonyms can
 - Define a binary opposition: **in/out**
 - Be at the opposite ends of a scale: **fast/slow**
 - Be reversives: **rise/fall**
- Very tricky to handle with some representations – remember for later!

Hyponymy and Hypernymy

- One sense is a **hyponym** of another if the first sense is more specific, denoting a subclass of the other
 - *car* is a hyponym of *vehicle*
 - *mango* is a hyponym of *fruit*
- Conversely **hypernym/superordinate** (“hyper is super”)
 - *vehicle* is a hypernym of *car*
 - *fruit* is a hypernym of *mango*
- Usually transitive
 - (A hypo B and B hypo C entails A hypo C)

Superordinate/hyper	vehicle	fruit	furniture
Subordinate/hyponym	car	mango	chair

WordNet

- A hierarchically organized lexical database
- On-line thesaurus + aspects of a dictionary
 - Word senses and sense relations
 - Some other languages available or under development (Arabic, Finnish, German, Portuguese...)

Category	Unique Strings
Noun	117,798
Verb	11,529
Adjective	22,479
Adverb	4,481

WordNet

WordNet Search - 3.1

- [WordNet home page](#) - [Glossary](#) - [Help](#)

Word to search for:

Display Options:

Key: "S:" = Show Synset (semantic) relations, "W:" = Show Word (lexical) relations
Display options for sense: (gloss) "an example sentence"

Noun

- [S:](#) (n) **bass** (the lowest part of the musical range)
- [S:](#) (n) **bass**, [bass part](#) (the lowest part in polyphonic music)
- [S:](#) (n) **bass**, [basso](#) (an adult male singer with the lowest voice)
- [S:](#) (n) [sea bass](#), **bass** (the lean flesh of a saltwater fish of the family Serranidae)
- [S:](#) (n) [freshwater bass](#), **bass** (any of various North American freshwater fish with lean flesh (especially of the genus *Micropterus*))
- [S:](#) (n) **bass**, [bass voice](#), [basso](#) (the lowest adult male singing voice)
- [S:](#) (n) **bass** (the member with the lowest range of a family of musical instruments)
- [S:](#) (n) **bass** (nontechnical name for any of numerous edible marine and freshwater spiny-finned fishes)

Adjective

- [S:](#) (adj) **bass**, [deep](#) (having or denoting a low vocal or instrumental range) "a deep voice"; "a bass voice is lower than a baritone voice"; "a bass clarinet"

<http://wordnetweb.princeton.edu/perl/webwn>

WordNet

- S: (n) **bass, basso** (an adult male singer with the lowest voice)
 - direct hypernym / inherited hypernym / sister term
 - S: (n) **singer, vocalist, vocalizer, vocaliser** (a person who sings)
 - S: (n) **musician, instrumentalist, player** (someone who plays a musical instrument (as a profession))
 - S: (n) **performer, performing artist** (an entertainer who performs a dramatic or musical work for an audience)
 - S: (n) **entertainer** (a person who tries to please or amuse)
 - S: (n) **person, individual, someone, somebody, mortal, soul** (a human being) "*there was too much for one person to do*"
 - S: (n) **organism, being** (a living thing that has (or can develop) the ability to act or function independently)
 - S: (n) **living thing, animate thing** (a living (or once living) entity)
 - S: (n) **whole, unit** (an assemblage of parts that is regarded as a single entity) "*how big is that part compared to the whole?*"; "*the team is a unit*"
 - S: (n) **object, physical object** (a tangible and visible entity; an entity that can cast a shadow) "*it was full of rackets, balls and other objects*"
 - S: (n) **physical entity** (an entity that has physical existence)
 - S: (n) **entity** (that which is perceived or known or inferred to have its own distinct existence (living or nonliving))

Senses and Synsets in WordNet

- Each word in WordNet has at least one sense
- The **synset** (synonym set), the set of near-synonyms, is a set of senses with a shared gloss
- Example: chump as a noun with the gloss:
“a person who is gullible and easy to take advantage of”
- This sense of “chump” is shared with 9 words:
`chump1, fool2, gull1, mark9, patsy1, fall
guy1, sucker1, soft touch1, mug2`
- All these senses have the same gloss → they form a synset

WordNet Noun Relations

| Relation | Also called | Definition | Example |
|----------------|---------------|---|---|
| Hypernym | Superordinate | From concepts to superordinates | <i>breakfast</i> ¹ → <i>meal</i> ¹ |
| Hyponym | Subordinate | From concepts to subtypes | <i>meal</i> ¹ → <i>lunch</i> ¹ |
| Member Meronym | Has-Member | From groups to their members | <i>faculty</i> ² → <i>professor</i> ¹ |
| Has-Instance | | From concepts to instances of the concept | <i>composer</i> ¹ → <i>Bach</i> ¹ |
| Instance | | From instances to their concepts | <i>Austen</i> ¹ → <i>author</i> ¹ |
| Member Holonym | Member-Of | From members to their groups | <i>copilot</i> ¹ → <i>crew</i> ¹ |
| Part Meronym | Has-Part | From wholes to parts | <i>table</i> ² → <i>leg</i> ³ |
| Part Holonym | Part-Of | From parts to wholes | <i>course</i> ⁷ → <i>meal</i> ¹ |
| Antonym | | Opposites | <i>leader</i> ¹ → <i>follower</i> ¹ |

WordNet 3.0

- Where it is:
 - <http://wordnetweb.princeton.edu/perl/webwn>
- Libraries
 - Python:
 - NLTK: <http://www.nltk.org/Home>
 - Java:
 - JWNL, extJWNL on sourceforge
 - And more:
 - <https://wordnet.princeton.edu/wordnet/related-projects/>

Word Sense Disambiguation

I play **bass** in a Jazz band

musical_instrument

She was grilling a **bass** on the stove top

freshwater_fish

Supervised WSD

- Given: a lexicon (e.g., WordNet) and a word in a sentence
- Goal: classify the sense of the word
- Linear model:


$$p(\text{sense} \mid \text{word}, \text{context}) \propto e^{\theta \cdot \phi(\text{sense}, \text{word}, \text{context})}$$

Feature function looking at the sense, word, and context

Supervised WSD

- Given: a lexicon (e.g., WordNet) and a word in a sentence
- Goal: classify the sense of the word
- Linear model:

$$p(\text{sense} \mid \text{word}, \text{context}) = \frac{e^{\theta \cdot \phi(\text{sense}, \text{word}, \text{context})}}{\sum_{s'} e^{\theta \cdot \phi(s', \text{word}, \text{context})}}$$



Summing over all senses for the word (e.g., from WordNet)

Unsupervised WSD

- Goal: induce the senses of each word and classify in context
 1. For each word in context, compute some features
 2. Cluster each instance using a clustering algorithm
 3. Cluster labels are word senses


More reading: Section 20.10 of J&M

Semantic Roles

- Some word senses (a.k.a. predicates) represent events
- Events have participants that have specific roles (as arguments)
- Predicate-argument structure at the type level can be stored in a lexicon

Sematic Roles

- PropBank: a semantic role lexicon



Sematic Roles

- PropBank: a semantic role lexicon

run.01 (operate)
ARG0 (operator)
ARG1 (machine/operation)
ARG2 (employer)
ARG3 (co-worker)
ARG4 (instrument)

run.02 (walk quickly)
ARG0 (runner)
ARG1 (course/race)
ARG2 (opponent)

Also: FrameNet, an
alternative role lexicon

<https://verbs.colorado.edu/propbank/framesets-english/>

Semantic Role Labeling

- Task: given a sentence, disambiguate predicate frames and annotate semantic roles

Mr. Stromach wants to resume a more influential role in **running** the company.

ARG0

II. Role labeling

run.01

I. Frame identification

ARG1

Role Identification

- Classification models similar to WSD

Mr. Stromach wants to resume a more influential role in **running** the company.


run.01

I. Frame identification

Role Labeling

Sentence spans:

Potential roles:



Best matching
between spans
and roles

Score can come
from any classifier
(linear, SVM, NN)

SRL

- http://cogcomp.cs.illinois.edu/page/demo_view/srl
- Example: The challenges facing Iraqi forces in Mosul include narrow streets, suicide bombers and small drones that the terror group has used to target soldiers.

| | SRL | SRL | SRL | SRL | | | | | | Preposition | |
|------------|-----------------------|--|-----|-----|--|--|--|--|--|-------------|--|
| The | looker, facer [A0] | | | | | | | | | | |
| challenges | V: face.01 | | | | | | | | | | |
| facing | | agent, entity causing some grouping [A0] | | | | | | | | | |
| Iraqi | | | | | | | | | | | |
| forces | looked at, faced [A1] | | | | | | | | | | |
| in | | | | | | | | | | | |
| Mosul | | | | | | | | | | | |
| include | | V: include.01 | | | | | | | | | |
| narrow | | | | | | | | | | | |
| streets | | | | | | | | | | | |
| , | | | | | | | | | | | |
| suicide | | theme, thing being included in some group [A1] | | | | | | | | | |
| bombers | | | | | | | | | | | |
| and | | | | | | | | | | | |
| small | | | | | | | | | | | |
| drones | | | | | | | | | | | |
| that | | | | | | | | | | | |
| the | | | | | | | | | | | |
| terror | | | | | | | | | | | |
| group | | | | | | | | | | | |
| has | | | | | | | | | | | |
| used | | | | | | | | | | | |
| to | | | | | | | | | | | |
| target | | | | | | | | | | | |
| soldiers | | | | | | | | | | | |
| . | | | | | | | | | | | |

http://cogcomp.cs.illinois.edu/page/demo_view/srl

Word Similarity

- Task: given two words, predict how similar they are

The Distributional Hypothesis:
A word is characterized by the company it keeps
(John Firth, 1957)



Know them by the company they keep!

Word Similarity

A bottle of Tesgüino is on the table.
Everybody likes tesgüino.
Tesgüino makes you drunk.
We make tesgüino out of corn.

- Occurs before *drunk*
- Occurs after *bottle*
- Is the direct object of *likes*
- ...



Similar to
bear, wine,
whiskey, ...

Word Similarity

- Given a vocabulary of n words
- Represent a word w as:

$$\vec{w} = (f_1, f_2, f_3, \dots, f_n)$$

Binary (or count) features indicating the presence of the i^{th} word in the vocabulary in the word's context

- For example:

$$\text{Tsegüino} = (1, 1, 0, \dots)$$

corn

drunk

matrix

Word Similarity

$$\vec{\text{Tsegüino}} = (1, 1, 0, \dots)$$

$$\vec{\text{beer}} = (0, 1, 0, \dots)$$

- Similarity can be measured using vector distance metrics
- For example, cosine similarity:

$$\text{similarity}(w, u) = \frac{w \cdot u}{\|w\| \|u\|} = \frac{\sum_{i=1}^n w_i u_i}{\sqrt{\sum_{i=1}^n w_i^2} \sqrt{\sum_{i=1}^n u_i^2}}$$

which gives values between -1 (completely different), 0 (orthogonal), and 1 (the same)

Vector-Space Models

- Words represented by vectors
- In contrast to the discrete class representation of word senses
- Common methods (and packages): Word2Vec, GloVe

Word2Vec

- Open-source package for learning word vectors from raw text
- Widely used across academia/industry
 - Another common package: GloVe
- Goal: good word embeddings
 - Embedding are vectors in a low dimensional space
 - Similar words should be close to one another
- Two models:
 - Skip-gram (today)
 - CBOW (further reading: Mikolov et al. 2013)

The Skip-Gram Model

- Given: Corpus D of pairs (w, c) where w is a **word** and c is **context**
- Context may be a single neighboring word (in window of size k)
 - Later: different definition

- Consider the parameterized probability

$$p(c|w; \theta)$$

- Goal: maximize the corpus probability

$$\arg \max_{\theta} \prod_{(w,c) \in D} p(c|w; \theta)$$

- Wait! But we want good embeddings, so who cares about context pairs?

The Skip-Gram Model

- Goal: maximize the corpus probability

$$\arg \max_{\theta} \prod_{(w,c) \in D} p(c|w; \theta)$$

where:

$$p(c|w; \theta) = \frac{e^{v_c \cdot v_w}}{\sum_{c' \in C} e^{v_{c'} \cdot v_w}}$$

if d is the dimensionality of the vectors, we have $d \times |V| + d \times |C|$ parameters

The Skip-Gram Model

- Goal: maximize the corpus probability

$$\arg \max_{\theta} \prod_{(w,c) \in D} p(c|w; \theta)$$

- The log of the objective is:

$$\arg \max_{\theta} \sum_{(w,c) \in D} (\log e^{v_c \cdot v_w} - \log \sum_{c'} e^{v_{c'} \cdot v_w})$$

- Not tractable in practice
 - Sum over all context – intractable
 - Approximated via negative sampling

Negative Sampling for Skip-Gram

- Efficient way of deriving word embeddings
- Consider a word-context pair (w, c)
- Let the probability that this pair was observed:

$$p(D = 1|w, c)$$

- Therefore, the probability that it was not observed is:

$$1 - p(D = 1|w, c)$$

Negative Sampling

- Parameterization:

$$p(D = 1|w, c) = \frac{1}{1 + e^{-v_c \cdot v_w}}$$

- New learning objective:

$$\arg \max_{\theta} \prod_{(w,c) \in D} p(D = 1|w, c) \prod_{(w,c) \in D'} p(D = 0|w, c)$$

- Need to get D'

Negative Sampling

- For a given k , the size of D' is k -times bigger than D
- Each context c is a word
- For each observed word-context pair, k samples are generated based on unigram distribution

Negative Sampling

- New learning objective:

$$\arg \max_{\theta} \prod_{(w,c) \in D} p(D = 1 | w, c) \prod_{(w,c) \in D'} p(D = 0 | w, c)$$


- Original learning objective:

$$\arg \max_{\theta} \prod_{(w,c) \in D} p(c | w; \theta)$$

- How does the new objective approximate the original one?

The Skip-Gram Model

- Optimized for word-context pairs
- To get word embedding, take the vectors of the words v_w
- But why does it work?
- Intuitively: words that share many contexts will be similar
- Formal:
 - *Neural Word Embedding as Implicit Matrix Factorization / Levy and Goldberg 2014*
 - *A Latent Variable Model Approach to PMI-based Word Embeddings / Arora et al. 2016*



I think you should be a little more specific, here in Step 2

Word Galaxy

- Word Galaxy
 - <http://anthonygarvan.github.io/wordgalaxy/>
- Embeddings for word substitution
 - <http://ghostweather.com/files/word2vecpride/>



Structured Contexts

Australian scientist discovers star with telescope


Skip-Gram context with $n=2$

- Just looking at neighboring words, often doesn't capture arguments and modifiers
- Can we use anything except adjacency to get context?

Structured Contexts



Collapsing "prep" links



Structured Context

| Target Word | BoW5 | BoW2 | DEPS |
|-----------------|---|---|--|
| batman | nightwing
aquaman
catwoman
superman
manhunter | superman
superboy
aquaman
catwoman
batgirl | superman
superboy
supergirl
catwoman
aquaman |
| hogwarts | dumbledore
hallows
half-blood
malfoy
snape | evernight
sunnydale
garderobe
blandings
collinwood | sunnydale
collinwood
calarts
greendale
millfield |
| turing | nondeterministic
non-deterministic
computability
deterministic
finite-state | non-deterministic
finite-state
nondeterministic
buchi
primality | pauling
hotelling
heting
lessing
hamming |
| florida | gainesville
fla
jacksonville
tampa
lauderdale | fla
alabama
gainesville
tallahassee
texas | texas
louisiana
georgia
california
carolina |
| object-oriented | aspect-oriented
smalltalk
event-driven
prolog
domain-specific | aspect-oriented
event-driven
objective-c
dataflow
4gl | event-driven
domain-specific
rule-based
data-driven
human-centered |
| dancing | singing
dance
dances
dancers
tap-dancing | singing
dance
dances
breakdancing
clowning | singing
rapping
breakdancing
miming
busking |

Table 1: Target words and their 5 most similar words, as induced by different embeddings.

Word Embeddings vs. Sparse Vectors

- Count vectors: sparse and large
- Embedded vectors: small dense
- One advantage: dimensionality
- More contested advantage: better generalization
 - See Levy et al. 2015 (Improving Distributional Similarity with Lessons Learned from Word Embeddings) for detailed analysis

Applications

- Word vectors are often input to various end applications
 - Parsing, co-reference resolution, named-entity recognition, semantic role labeling, etc.
- Input to sentence models, including recurrent and recursive architectures