


CS/ENGRD 2110
Object-Oriented Programming
and Data Structures
Spring 2012
Doug James

Lecture 5: Recursion



Visual Recursion



3

Recursion Overview

- Recursion is a powerful technique for specifying functions, sets, and programs
- Example recursively-defined functions and programs
 - factorial
 - combinations
 - exponentiation (raising to an integer power)
 - solution of combinatorial problems (i.e. search)
- Example recursively-defined sets
 - grammars
 - expressions
 - data structures (lists, trees, ...)

4


The Factorial Function (n!)

- Define: $n! = n \cdot (n-1) \cdot (n-2) \cdots 3 \cdot 2 \cdot 1$
 - read: "n factorial"
 - E.g., $3! = 3 \cdot 2 \cdot 1 = 6$
- The function $\text{int} \rightarrow \text{int}$ that gives $n!$ on input n is called the **factorial function**
- $n!$ is the number of permutations of n distinct objects
 - There is just one permutation of one object. $1! = 1$
 - There are two permutations of two objects: $2! = 2$
 $1\ 2 \quad 2\ 1$
 - There are six permutations of three objects: $3! = 6$
 $1\ 2\ 3 \quad 1\ 3\ 2 \quad 2\ 1\ 3 \quad 2\ 3\ 1 \quad 3\ 1\ 2 \quad 3\ 2\ 1$

5

Permutations of

Permutations of non-orange blocks



Each permutation of the three non-orange blocks gives four permutations when the orange block is included

Total number = $4 \cdot 6 = 24 = 4!$

→ General:

- $0! = 1$ (by convention)
- If $n > 0$, $n! = n \cdot (n-1)!$

6

A Recursive Program


Recursive definition of $n!$

- $0! = 1$
- $n! = n \cdot (n-1)!$, $n > 0$

```

static int fact(int n) {
    if (n == 0) return 1;
    else return n*fact(n-1);
}
    
```

Execution of $\text{fact}(4)$



7

General Approach to Writing Recursive Functions

- Try to find a parameter, say n , such that the solution for n can be obtained by combining solutions to the same problem using smaller values of n (e.g., $(n-1)!$) (i.e. **recursion**)
- Find **base case(s)** – small values of n for which you can just write down the solution (e.g., $0! = 1$)
- Verify that, for any valid value of n , applying the reduction of step 1 repeatedly will ultimately hit one of the base cases

The Fibonacci Function


- Mathematical definition:

$$\begin{aligned} \text{fib}(0) &= 0 \\ \text{fib}(1) &= 1 \\ \text{fib}(n) &= \text{fib}(n-1) + \text{fib}(n-2), \quad n \geq 2 \end{aligned}$$

two base cases!
- Fibonacci sequence: 0, 1, 1, 2, 3, 5, 8, 13, ...

```

static int fib(int n) {
    if (n == 0) return 0;
    else if (n == 1) return 1;
    else return fib(n-1) + fib(n-2);
}
    
```



Fibonacci (Leonardo Pisano) 1170-1240? Statue in Pisa, Italy, Giovanni Paganucci, 1863

Recursive Execution

```

static int fib(int n) {
    if (n == 0) return 0;
    else if (n == 1) return 1;
    else return fib(n-1) + fib(n-2);
}
    
```

Execution of fib(4):

```

      fib(4)
     /    \
  fib(3)  fib(2)
 /  \    /  \
fib(2) fib(1) fib(1) fib(0)
 /  \
fib(1) fib(0)
    
```

Combinations

(a.k.a. Binomial Coefficients)

- How many ways can you choose r items from a set of n distinct elements? $\binom{n}{r}$ “ n choose r ”
- $\binom{5}{2}$ = number of 2-element subsets of $\{A, B, C, D, E\}$
 - 2-element subsets containing A: $\binom{4}{1}$
 - $\{A, B\}, \{A, C\}, \{A, D\}, \{A, E\}$
 - 2-element subsets not containing A: $\binom{4}{2}$
 - $\{B, C\}, \{B, D\}, \{B, E\}, \{C, D\}, \{C, E\}, \{D, E\}$
- Therefore, $\binom{5}{2} = \binom{4}{1} + \binom{4}{2}$

Combinations

$$\binom{n}{r} = \binom{n-1}{r} + \binom{n-1}{r-1}, \quad n > r > 0$$

$$\binom{n}{n} = 1$$

$$\binom{n}{0} = 1$$

Can also show that $\binom{n}{r} = \frac{n!}{r!(n-r)!}$

$\binom{0}{0}$				1	
$\binom{1}{0}$	$\binom{1}{1}$			1 1	
$\binom{2}{0}$	$\binom{2}{1}$	$\binom{2}{2}$		1 2 1	
$\binom{3}{0}$	$\binom{3}{1}$	$\binom{3}{2}$	$\binom{3}{3}$	1 3 3 1	
$\binom{4}{0}$	$\binom{4}{1}$	$\binom{4}{2}$	$\binom{4}{3}$	$\binom{4}{4}$	1 4 6 4 1

Pascal's triangle

Binomial Coefficients

- Combinations are also called binomial coefficients because they appear as coefficients in the expansion of the binomial $(x+y)^n$

$$(x + y)^n = \binom{n}{0}x^n + \binom{n}{1}x^{n-1}y + \binom{n}{2}x^{n-2}y^2 + \dots + \binom{n}{n}y^n$$

Multiple Base Cases

$$\binom{n}{r} = \binom{n-1}{r} + \binom{n-1}{r-1}, \quad n > r > 0$$

$$\binom{n}{n} = 1$$

$$\binom{n}{0} = 1$$

Two base cases

- Coming up with right base cases can be tricky!
- General idea:
 - Determine argument values for which recursive case does not apply
 - Introduce a base case for each one of these

14

Recursive Program for Combinations

$$\binom{n}{r} = \binom{n-1}{r} + \binom{n-1}{r-1}, \quad n > r > 0$$

$$\binom{n}{n} = 1$$

$$\binom{n}{0} = 1$$

```
static int combs(int n, int r) { //assume n>=r>=0
    if (r == 0 || r == n) return 1; //base cases
    else return combs(n-1,r) + combs(n-1,r-1);
}
```

15

Positive Integer Powers

- $a^n = a \cdot a \cdot \dots \cdot a$ (n times)
- Alternate description:
 - $a^0 = 1$
 - $a^{n+1} = a \cdot a^n$

```
static int power(int a, int n) {
    if (n == 0) return 1;
    else return a*power(a,n-1);
}
```

16

A Smarter Version

- Power computation:
 - $a^0 = 1$
 - If n is nonzero and even, $a^n = (a^{n/2})^2$
 - If n is odd, $a^n = a \cdot (a^{n/2})^2$
 - Java note: If x and y are integers, "x/y" returns the integer part of the quotient
- Example:
 - $a^5 = a \cdot (a^{4/2})^2 = a \cdot (a^2)^2 = a \cdot ((a^{2/2})^2)^2 = a \cdot (a^1)^2$
 - Note: this requires 3 multiplications rather than 5!
- What if n were larger?
 - Savings would be more significant
 - Straightforward computation: n multiplications
 - Smarter computation: $\log(n)$ multiplications

17

Smarter Version in Java

- n = 0: $a^0 = 1$
- n nonzero and even: $a^n = (a^{n/2})^2$
- n nonzero and odd: $a^n = a \cdot (a^{n/2})^2$

```
static int power(int a, int n) {
    if (n == 0) return 1;
    int halfPower = power(a,n/2);
    if (n%2 == 0) return halfPower*halfPower;
    return halfPower*halfPower*a;
}
```

local variable parameters

- The method has two parameters and a local variable
- Why aren't these overwritten on recursive calls?

18

Implementation of Recursive Methods

- Key idea:
 - Use a stack to remember parameters and local variables across recursive calls
 - Each method invocation gets its own stack frame
- A stack frame contains storage for
 - Local variables of method
 - Parameters of method
 - Return info (return address and return value)
 - Perhaps other bookkeeping info

19

Conclusion

- Recursion is a convenient and powerful way to define functions
- Problems that seem insurmountable can often be solved in a “divide-and-conquer” fashion:
 - Reduce a big problem to smaller problems of the same kind, solve the smaller problems
 - Recombine the solutions to smaller problems to form solution for big problem
- Important applications:
 - Parsing (next lecture)
 - Collision detection

26