

CS100J Lab 09. Reading files Fall 2005

Name _____ Section time _____ Section instructor _____

This lab discusses input —reading a file. After the lab, study section 5.9 of the text —better yet, listen to the lectures on lesson page 5-7 of the ProgramLive CD. The lectures are much clearer than the paper version. Start this lab by downloading files [Lab09.java](#) into a directory, opening them in DrJava, and compiling. You will also need this text file: [test.txt](#).

Streams

A "stream" is a sequence of data values that is processed --either read or written-- from beginning to end. When the data is being read, or input, the stream is called an "input stream"; when it is being written, or output, the stream is called an "output stream". All input/output of streams is done in Java using classes in package `java.io.*`;

The basic way to create an input stream for a file is by creating an instance of class `FileReader`:

```
FileReader fr= new FileReader(an argument that describes which file to read);
```

However, the standard way to read using `FileReader` `fr` is to read one character at a time, using function

```
fr.read()
```

This too low-level for us. We would like to be able to read not one character but one line at a time. Java includes also a class `BufferedReader` to help us here. Instead of the above, use this:

```
FileReader fr= new FileReader(an argument that describes which file to read);  
BufferedReader br= new BufferedReader(fr);
```

Now, execution of

```
String lin= br.readLine();
```

reads the next line of the file and stores it in variable `lin` ---if there are no more lines to read, `null` is stored in `lin`. We will see how to use this later.

Using a JFileChooser dialog box

In order to read a file, you have to indicate which file should be read. The easiest way to do this is to use a dialog window to navigate to the appropriate directory and select the file, using an instance of class `JFileChooser`, in package `javax.swing.*`. Execute the following in the interactions pane:

```
br= Lab09.getReader(null);
```

A dialog box opens. Its title is "Choose input file". And it allows you to navigate anywhere you want and then select a file. Do a bit of navigating and select a file. Then take a look at method `getReader(p)`. Here's what it does:

1. Declare local variable `jd`, of class `JFileChooser`.
2. Store in `jd` a new instance of class `JFileChooser`. In the new expression `new JFileChooser()`, you have no control over the directory that appears in dialog window initially. In the new expression `new JFileChooser(p)`, String `p` is supposed to be a path on your computer of the directory to open in the dialog window. This choice allows you to dispense with a lot of navigating.
3. Set the title of `jd` to "Choose input file".
4. Execute `jd.showOpenDialog(null)`; This causes the dialog window to open on your monitor, and the program pauses

until you have closed it. Nothing happens until you have chosen a file (or canceled the interaction).

5. Create a new `FileReader`, with file that you selected (its name is `jd.getSelectedFile()`) as the argument, and store its name in `fr`.
6. Create and return a `BufferedReader` that is attached to `fr`.

The function for obtaining the next line from a `BufferedReader` `br` is:

```
br.readLine()    // = the next line of BufferedReader br ---null if there are no more lines
```

In the interactions pane, you can continue to evaluate `br.readLine()`. Each time you do, the next line of the file you selected is printed. Try it.

Processing the lines of a file

Function `lines` in class `Lab09` illustrates the basic way of processing the lines of a file given by a `BufferedReader`. In the interactions pane, put a call on this method and let it read some file --you will see how many lines the file has in it.

Study this method. Any loop that you write that processes a file should be similar to this one --the "processing" of each line will change, but the basic structure of the loop that does the processing will not. Here are important points:

1. The first line is read before the while loop (into variable `lin`). `lin` will be null if the file is empty.
2. The loop stops when `lin` is null, indicating that there are no more lines in the file.
3. The `repetend` first processes the line given by variable `lin` and then reads the next line into `lin`.

The header of the method contains a new construct: `throws IOException`. It is needed because function `br.readLine()` might create some sort of I/O (input/output) error, and this is how we handle it. We will explain this later in the course.

Write your own method

Write a procedure that prompts the caller for an input file and then reads the file, printing every line that contains a '*'. Use the statement

```
System.out.println(lin);
```

to print line `lin`. Test the function on the text file `test.txt`, which you obtained at the beginning of the lab. When you are finished, show your procedure to your TA.

Writing files

Writing files is not much different from reading them. Look at Sec 5.10 on page 207 of the text --and the accompanying material in `ProgramLive`-- for information.