

CS1110

Lecture 10: **More with Sequences**

Announcements

Last chance for a makeup!
Prelim 1 conflicts must be registered in CMS by **noon Friday (tomorrow!)**. See email from Maria Witlox.


Assignment 2
...is out! It is a (shortish) paper-and-pencil exercise, due at the next class (Tuesday March 4)

Reading
...for next week:
Sections 5.8-5.10

Nested Lists

- Lists can hold any objects
- Lists are objects
- Therefore lists can hold other lists!

```
a = [2, 1]
b = [3, 1]
c = [1, 4, b]
x = [1, a, c, 5]
```




Two Dimensional Lists

Table of Data

	0	1	2	3
0	5	4	7	3
1	4	8	9	7
2	5	1	2	3
3	4	1	2	9
4	6	7	8	0

Each row, col
has a value

Images



Store them as lists of lists (**row-major order**)

```
d = [[5,4,7,3],[4,8,9,7],[5,1,2,3],[4,1,2,9],[6,7,8,0]]
```

Overview of Two-Dimensional Lists

- Access value at row 3, col 2:

`d[3][2]`

- Assign value at row 3, col 2:

`d[3][2] = 8`


- Getting array dimensions:

- Number of rows of d: `len(d)`
- Number of cols in row r of d: `len(d[r])`

		0	1	2	3
d	0	5	4	7	3
	1	4	8	9	7
	2	5	1	2	3
	3	4	1	2	9
	4	6	7	8	0




How Multidimensional Lists are Stored

- $b = [[9, 6, 4], [5, 7, 7]]$




- `b` holds name of a one-dimensional list
 - Has `len(b)` elements
 - Its elements are (the names of) 1D lists
- `b[i]` holds the name of a one-dimensional list (of ints)
 - Has `len(b[i])` elements

Image Data: 2D Lists of Pixels



Ragged Lists: Rows w/ Different Length


- $b = [[17, 13, 19], [28, 95]]$



- Will see applications of this later

Slices and Multidimensional Lists

- Only “top-level” list is copied.
- Contents of the list are not altered
- $b = [[9, 6], [4, 5], [7, 7]]$



Clicker: Slices and Lists of Lists

- Create a 2D list

```
>>> b = [[9,6],[4,5],[7,7]]
```
- Get a slice

```
>>> x = b[:2]
```
- Append a new row to **x**

```
>>> x.append([2,1])
```
- Append to a row of **x**

```
>>> x[1].append(10)
```
- What are the contents of the list (with ID stored in) **x**?

A: [[4,5],[7,7],10,[2,1]]

B: [[9,6],[4,5],[2,1],10]

C: [[9,6],[4,5,10],[2,1]]

D: [[9,6],[4,5],[7,7],10,[2,1]]

A: [[9,6],[4,5],[7,7]]

B: [[9,6],[4,5,10],[7,7]]

C: [[9,6],[4,5,10],[2,1],[7,7]]

D: [[9,6],[4,5,10],[7,7],[2,1]]

E: I don't know

Processing lists: builtins


- `sum(x)` adds up all the elements in the list `x`
 - they had better be numbers!
- `min(x)` or `max(x)` find the minimum resp. maximum value in the list `x`
 - they use the same ordering as `sort()`
- `range(n)` produces `[0, 1, 2, ..., n - 1]`
 - optional arguments to start somewhere other than zero
- `list(x)` converts `x` (a string for example) to a list
 - e.g. `list('mimsy')` produces `["m", "i", "m", "s", "y"]`

Processing lists: The **map** Function

General form: `map(<function>, <list>)`

if x is a list of n items and
 f is a function with one parameter:

`map(f, x)`




`[f(x[0]), f(x[1]), ..., f(x[n-1])]`

calls the function once
for each list item

if x is a list of n items and
 m is a method with no parameters:

`map(m, x)`



`[x[0].m(), x[1].m(), ..., x[n-1].m()]`

examples:

`map(len, ['a', 'bc', 'defg'])` produces `[1, 2, 4]`

`map(str.strip, ['a ', ' bc', ' defg '])` produces `["a", "bc", "defg"]`


Processing lists: The **for** Statement

General form:

for *<variable>* in *<list>*:
 <statements>

executes the body once
for each list item

```
for a in x:  
    print 3 * a
```



```
print 3 * x[0]  
print 3 * x[1]  
print 3 * x[2]  
...  
print 3 * x[n-1]
```

when the body is
executed, the value of *a*
is the current list item