

Lecture 19

Using Classes Effectively

Announcements for Today

Assignments

- A4 is now being graded
 - Survey is still open
- A5 to be posted tonight
 - Short written assignment
 - Due next Thursday
- A6 to be posted Monday
 - Due Monday **before** prelim
 - **Material is on prelim!**
 - Get started on it early

Optional Videos

- **Videos 20.9-20.10** today
- Also **Lesson 21** for today
- **Lesson 22** for next time




Recall: The `__init__` Method

two underscores

```
w = Worker('Obama', 1234, None)
```

```
def __init__(self, n, s, b):  
    """Initializer: creates a Worker  
  
    Has last name n, SSN s, and boss b  
  
    Precondition: n a string,  
    s an int in range 0..9999999999,  
    b either a Worker or None. """  
    self.lname = n  
    self.ssn = s  
    self.boss = b
```

Called by the constructor



Recall: The `__init__` Method

two underscores

```
w = Worker('Obama', 1234, None)
```

```
def __init__(self, n, s, b):  
    """Initializer: creates a Worker  
  
    Has last name n, SSN s, and boss b  
  
    Precondition: n a string,  
    s an int in range 0..9999999999,  
    b either a Worker or None. """  
    self.lname = n  
    self.ssn = s  
    self.boss = b
```

Are there other
special methods
that we can use?

Example: Converting Values to Strings

str() Function

- **Usage:** `str(<expression>)`
 - Evaluates the expression
 - Converts it into a string
- How does it convert?
 - `str(2) → '2'`
 - `str(True) → 'True'`
 - `str('True') → 'True'`
 - `str(Point3()) → '(0.0,0.0,0.0)'`

repr() Function

- **Usage:** `repr(<expression>)`
 - Evaluates the expression
 - Converts it into a string
- How does it convert?
 - `repr(2) → '2'`
 - `repr(True) → 'True'`
 - `repr('True') → "'True'"`
 - `repr(Point3()) → '<class 'Point3'> (0.0,0.0,0.0)'`

Example: Converting Values to Strings

str() Function

- **Usage:** `str(<expression>)`
 - Evaluates the expression
 - Converts it into a string
- How does it convert?
 - `str(2) → '2'`
 - `str(True) → 'True'`
 - `str('True') → 'True'`
 - `str(Point3()) → '(0.0,0.0,0.0)'`

What type is this value?

repr() Function

- `repr()` is for *unambiguous* representation
- How does it convert?
 - `repr(2) → '2'`
 - `repr(True) → 'True'`
 - `repr('True') → "'True'"`
 - `repr(Point3()) → '<class 'Point3'> (0.0,0.0,0.0)'`

The value's type is clear

What Does `str()` Do On Objects?

- Does **NOT** display contents

```
>>> p = Point3(1,2,3)
```

```
>>> str(p)
```

```
'<Point3 object at 0x1007a90>'
```

- Must add a special method
 - `__str__` for `str()`
 - `__repr__` for `repr()`
- Could get away with just one
 - `repr()` requires `__repr__`
 - `str()` can use `__repr__` (if `__str__` is not there)

```
class Point3(object):
```

```
    """Class for points in 3d space"""
```

```
    ...
```

```
    def __str__(self):
```

```
        """Returns: string with contents"""
```

```
        return '('+str(self.x) + ',' +
```

```
                str(self.y) + ',' +
```

```
                str(self.z) + ')'
```

```
    def __repr__(self):
```

```
        """Returns: unambiguous string"""
```

```
        return str(self.__class__)+
```

```
                str(self)
```

What Does `str()` Do On Objects?

- Does **NOT** display contents

```
>>> p = Point3(1,2,3)
```

```
>>> str(p)
```

```
'<Point3 object at 0x1007a90>'
```

- Must add a special method
 - `__str__` for `str()`
 - `__repr__` for `repr()`
- Could get away with just one
 - `repr()` requires `__repr__`
 - `str()` can use `__repr__` (if `__str__` is not there)

```
class Point3(object):
```

```
    """Class for points in 3d space"""
```

```
    ...
```

```
    def __str__(self):
```

```
        """Returns: string with contents"""
```

```
        return '('+str(self.x) + ',' +
```

```
                str(self.y) + ',' +
```

```
                str(self.z) + ')'
```

```
    def __repr__(self):
```

```
        """Returns: unambiguous string"""
```

```
        return str(self.__class__)+
```

```
                str(self)
```

Gives the class name

`__repr__` using `__str__` as helper

Exercise: str and repr

```
class Example(object):  
    """A simple class"""  
  
    def __init__(self,x):  
        self.x = x  
  
    def __str__(self):  
        return 'Value '+str(self.x)  
  
    def __repr__(self):  
        return 'Example['+str(x)+']'
```

```
>>> a = Example(3)  
>>> str(a) # a.__str__
```

What is the result?

A: '3'

B: 'Value 3'

C: 'Example[3]'

D: **Error**

E: I don't know

Exercise: str and repr

```
class Example(object):  
    """A simple class"""  
  
    def __init__(self,x):  
        self.x = x  
  
    def __str__(self):  
        return 'Value '+str(self.x)  
  
    def __repr__(self):  
        return 'Example['+str(x)+']'
```

```
>>> a = Example(3)
```

```
>>> str(a)
```

What is the result?

A: '3'

B: 'Value 3'

C: 'Example[3]'

D: **Error**

E: I don't know

Exercise: str and repr

```
class Example(object):  
    """A simple class"""  
  
    def __init__(self,x):  
        self.x = x  
  
    def __str__(self):  
        return 'Value '+str(self.x)  
  
    def __repr__(self):  
        return 'Example['+str(x)+']'
```

```
>>> a = Example(3)
```

```
>>> repr(a)
```

What is the result?

A: '3'

B: 'Value 3'

C: 'Example[3]'

D: **Error**

E: I don't know

Exercise: str and repr

```
class Example(object):  
    """A simple class"""  
  
    def __init__(self,x):  
        self.x = x  
  
    def __str__(self):  
        return 'Value '+str(self.x)  
  
    def __repr__(self):  
        return 'Example['+str(x)+']'
```

No self

```
>>> a = Example(3)
```

```
>>> repr(a)
```

What is the result?

A: '3'

B: 'Value 3'

C: 'Example[3]'

D: Error

E: I don't know

Designing Types

From first
day of class!

- **Type**: set of values and the operations on them
 - **int**: (**set**: integers; **ops**: +, −, *, //, ...)
 - **Time** (**set**: times of day; **ops**: time span, before/after, ...)
 - **Worker** (**set**: all possible workers; **ops**: hire, pay, promote, ...)
 - **Rectangle** (**set**: all axis-aligned rectangles in 2D;
ops: contains, intersect, ...)
- To define a class, think of a *real type* you want to make
 - Python gives you the tools, but does not do it for you
 - Physically, any object can take on any value
 - Discipline is required to get what you want

Making a Class into a Type

1. Think about what values you want in the set
 - What are the attributes? What values can they have?
2. Think about what operations you want
 - This often influences the previous question
- To make (1) precise: write a *class invariant*
 - Statement we promise to keep true **after every method call**
- To make (2) precise: write *method specifications*
 - Statement of what method does/what it expects (preconditions)
- Write your code to make these statements true!

Planning out a Class

```
class Time(object):
    """Class to represent times of day.

    Inv: hour is an int in 0..23
    Inv: min is an int in 0..59"""

    def __init__(self, hour, min):
        """The time hour:min.
        Pre: hour in 0..23; min in 0..59"""

    def increment(self, hours, mins):
        """Move time hours and mins
        into the future.
        Pre: hours int >= 0; mins in 0..59"""

    def isPM(self):
        """Returns: True if noon or later."""
```

Class Invariant

States what attributes are present and what values they can have.

A statement that will always be true of any Time instance.

Method Specification

States what the method does.

Gives preconditions stating what is assumed true of the arguments.

Planning out a Class

```
class Rectangle(object):
```

```
    """Class to represent rectangular region
```

```
    Inv: t (top edge) is a float
```

```
    Inv: l (left edge) is a float
```

```
    Inv: b (bottom edge) is a float
```

```
    Inv: r (right edge) is a float
```

```
    Additional Inv: l <= r and b <= t."""
```

```
def __init__(self, t, l, b, r):
```

```
    """The rectangle [l, r] x [t, b]
```

```
    Pre: args are floats; l <= r; b <= t"""
```

```
def area(self):
```

```
    """Return: area of the rectangle."""
```

```
def intersection(self, other):
```

```
    """Return: new Rectangle describing  
    intersection of self with other."""
```

Class Invariant

States what attributes are present and what values they can have.

A statement that will always be true of any Rectangle instance.

Method Specification

States what the method does.

Gives preconditions stating what is assumed true of the arguments.

Planning out a Class

```
class Rectangle(object):
```

```
    """Class to represent rectangular region
```

```
    Inv: t (top edge) is a float
```

```
    Inv: l (left edge) is a float
```

```
    Inv: b (bottom edge) is a float
```

```
    Inv: r (right edge) is a float
```

```
    Additional Inv: l <= r and b <= t."""
```

Class Invariant

States what attributes are present and what values they can have.

A statement that will always be true of any Rectangle instance.

```
def __init__(self, t, l, b, r):
```

```
    """The rectangle [l, r] x [t, b]
```

```
    Pre: args are floats; l <= r; l
```

Special invariant **relating** attributes to each other

Method Specification

States what the method does.

Gives preconditions stating what is assumed true of the arguments.

```
def area(self):
```

```
    """Return: area of the rectangle."""
```

```
def intersection(self, other):
```

```
    """Return: new Rectangle describing intersection of self with other."""
```

Planning out a Class

```
class Hand(object):
```

```
    """Instances represent a hand in cards.
```

```
    Inv: cards is a list of Card objects.  
    This list is sorted according to the  
    ordering defined by the Card class."""
```

```
    def __init__(self, deck, n):
```

```
        """Draw a hand of n cards.  
        Pre: deck is a list of  $\geq n$  cards"""
```

```
    def isFullHouse(self):
```

```
        """Return: True if this hand is a full  
        house; False otherwise"""
```

```
    def discard(self, k):
```

```
        """Discard the k-th card."""
```

Class Invariant

States what attributes are present and what values they can have.

A statement that will always be true of any Rectangle instance.

Method Specification

States what the method does.

Gives preconditions stating what is assumed true of the arguments.

Implementing a Class

- All that remains is to fill in the methods. (All?!)
- When **implementing methods**:
 1. **Assume preconditions** are true
 2. **Assume class invariant** is true to start
 3. Ensure method specification is fulfilled
 4. Ensure class invariant is true when done
- Later, when **using the class**:
 - When calling methods, **ensure preconditions** are true
 - If attributes are altered, **ensure class invariant** is true

Implementing an Initializer

```
def __init__(self, hour, min):  
    """The time hour:min.  
    Pre: hour in 0..23; min in 0..59"""
```

← This is true to start

```
    self.hour = hour  
    self.min = min
```

← You put code here

```
Inv: hour is an int in 0..23  
Inv: min is an int in 0..59
```

← This should be true at the end

Implementing a Method

Inv: hour is an int in 0..23
Inv: min is an int in 0..59

This is true to start

```
def increment(self, hours, mins):  
    """Move this time <hours> hours  
    and <mins> minutes into the future.  
    Pre: hours [int] >= 0; mins in 0..59"""
```

What we are supposed
to accomplish

This is also true to start

```
self.min = self.min + mins  
self.hour = self.hour + hours
```

?

You put code here

Inv: hour is an int in 0..23
Inv: min is an int in 0..59

This should be true
at the end

Implementing a Method

Inv: hour is an int in 0..23
Inv: min is an int in 0..59

```
def increment(self, hours, mins):  
    """Move this time <hours> hours  
    and <mins> minutes into the future.  
    Pre: hours [int] >= 0; mins in 0..59"""
```

```
self.min = self.min + mins  
self.hour = (self.hour + hours +  
             self.min // 60)  
self.min = self.min % 60  
self.hour = self.hour % 24
```

Inv: hour is an int in 0..23
Inv: min is an int in 0..59

What we are supposed to accomplish

This is also true to start

You put code here

This should be true at the end

Object Oriented Design

Interface

- How the code fits together
 - interface btw programmers
 - interface btw parts of an app
- Given by **specifications**
 - Class spec and invariants
 - Method specs and preconds
 - Interface is **ALL of these**

Implementation

- What the code actually does
 - when create an object
 - when call a method
- Given by method **definitions**
 - Must meet specifications
 - Must not violate invariants
 - But otherwise flexible

Important concept for making
large software systems

Implementing a Class

- All that remains is to fill in the methods. (All?!)
- When **implementing methods**:
 1. **Assume preconditions** are true
 2. **Assume class invariant** is true to start
 3. Ensure method specification is fulfilled
 4. Ensure class invariant is true when done
- Later, when **using the class**:
 - When calling methods, **ensure preconditions** are true
 - If attributes are altered, **ensure class invariant** is true

Recall: Enforce Preconditions with assert

```
def anglicize(n):
```

```
    """Returns: the anglicization of int n.
```

```
    Precondition: n an int, 0 < n < 1,000,000"""
```

```
    assert type(n) == int, str(n)+' is not an int'
```

```
    assert 0 < n and n < 1000000, repr(n)+' is out of range'
```

```
    # Implement method here...
```

Check (part of)
the precondition

(Optional) Error message
when precondition violated

Enforce Method Preconditions with assert

```
class Time(object):
```

```
    """Class to represent times of day."""
```

```
    def __init__(self, hour, min):
```

```
        """The time hour:min.
```

```
        Pre: hour in 0..23; min in 0..59"""
```

```
        assert type(hour) == int
```

```
        assert 0 <= hour and hour < 24
```

```
        assert type(min) == int
```

```
        assert 0 <= min and min < 60
```

```
    def increment(self, hours, mins):
```

```
        """Move this time <hours> hours  
        and <mins> minutes into the future.
```

```
        Pre: hours is int >= 0; mins in 0..59"""
```

```
        assert type(hour) == int
```

```
        assert type (min) == int
```

```
        assert hour >= 0
```

```
        assert 0 <= min and min < 60
```

←
Inv: hour is an int in 0..23
Inv: min is an int in 0..59

}
Initializer creates/initializes all
of the instance attributes.
Asserts in initializer guarantee the
initial values satisfy the invariant.

}
Asserts in other methods enforce
the method preconditions.

Hiding Methods From Access

- Hidden methods
 - start with an **underscore**
 - do not show up in `help()`
 - are meant to be **internal** (e.g. helper methods)
- But they are **not restricted**
 - You can still access them
 - But this is bad practice!
 - Like a precondition violation
- Can do same for attributes
 - Underscore makes it hidden
 - Only used inside of methods

```
class Time(object):
    """Class to represent times of day.
    Inv: hour is an int in 0..23
    Inv: min is an int in 0..59"""

    def _is_minute(self,m):
        """Return: True if m valid minute"""
        return (type(m) == int and
                m >= 0 and m < 60)

    def __init__(self, hour, min):
        """The time hour:min.
        Pre: hour in 0..23; min in 0..59"""
        assert self._is_minute(m)
        ...
```

Helper

Hiding Methods From Access

- Hidden methods
 - start with an **underscore**
 - do not show up in `help()`
 - are meant to be **internal** (e.g. helper methods)
- But they are **not restricted**
 - You can still access them
 - But this is bad practice!
 - Like a precondition violation
- Can do same for attributes

Will come back to this

```
class Time(object):
    """Class to represent times of day.
    Inv: hour is an int in 0..23
    min is an int in 0..59"""
    def _is_minute(self,m):
        """Return: True if m valid minute"""
        return (type(m) == int and
                m >= 0 and m < 60)
    def __init__(self, hour, min):
        """The time hour:min.
        Pre: hour in 0..23; min in 0..59"""
        assert self._is_minute(m)
```

HIDDEN

Helper

Enforcing Invariants

```
class Time(object):
```

```
    """Class to repr times of day.
```

```
    Inv: hour is an int in 0..23
```

```
    Inv: min is an int in 0..59
```

```
    """
```

Invariants:
Properties that
are always true.

- These are just comments!

```
>>> t = Time(2,30)
```

```
>>> t.hour = 'Hello'
```

- How do we prevent this?

- **Idea:** Restrict direct access
 - Only access via methods
 - Use asserts to enforce them

- **Example:**

```
def getHour(self):
```

```
    """Returns: the hour"""
```

```
    return self.hour
```

```
def setHour (self,value):
```

```
    """Sets hour to value"""
```

```
    assert type(value) == int
```

```
    assert value >= 0 and value < 24
```

```
    self.numerator = value
```

Data Encapsulation

- **Idea:** Force the user to only use methods
- Do not allow direct access of attributes

Setter Method

- Used to change an attribute
- Replaces all assignment statements to the attribute
- **Bad:**

```
>>> t.hour = 5
```
- **Good:**

```
>>> t.setHour(5)
```

Getter Method

- Used to access an attribute
- Replaces all usage of attribute in an expression
- **Bad:**

```
>>> x = 3*t.hour
```
- **Good:**

```
>>> x = 3*t.getHour()
```

Data Encapsulation

```
class Time(object):  
    """Class to repr times of day. """  
  
    def getHour (self):  
        """Returns: hour attribute"""  
        return self._hour  
  
    def setHour(self, h):  
        """ Sets hour to h  
        Pre: h is an int in 0..23"""  
        assert type(h) == int  
        assert 0 <= h and h < 24  
        self._hour = h
```

Getter

Setter

NO ATTRIBUTES
in class specification

Method specifications
describe the attributes

Setter precondition is
same as the **invariant**

Data Encapsulation

```
class Time(object):  
    """Class to repr times of day. """
```

NO ATTRIBUTES
in class specification

Getter

```
def getHour (self):  
    """Returns: hour attribute"""  
    return self._hour
```

Method specifications
describe the attributes

Setter

```
def setHour(  
    """ Sets h  
    Pre: h is an  
    assert type(h) == int  
    assert 0 <= h and h < 24  
    self._hour = d
```

Hidden attribute user
should **NOT** know about

Precondition is
same as the **invariant**

Encapsulation and Specifications

```
class Time(object):
```

```
    """Class to represent times of day. """
```

No attributes
in class spec

```
    ### Hidden attributes
```

```
    # Att _hour: hour of the day
```

```
    # Inv: _hour is an int in 0..23
```

```
    # Att _min: minute of the hour
```

```
    # Inv: _min is an int in 0..59
```

These comments
make it part of the
class invariant
but not part of the
(public) **interface**

These comments
do not go in help()

Class Invariant vs Interface

Class Invariant

- List attributes that are present
 - Both hidden AND unhidden
 - Lists the invariants of each
- For the **implementer**
 - Guide for the initializer
 - Guide for method definitions

Interface

- Describes what is accessible
 - Unhidden methods/attribs
 - What is visible in help()
- For user/**other programmers**
 - Enough to create an object
 - Enough to call the methods

Early years of CS1110
confused these two topics

Mutable vs. Immutable Attributes

Mutable

- Can change value directly
 - If class invariant met
 - **Example:** `turtle.color`
- Has both getters and setters
 - Setters allow you to change
 - Enforce invariants w/ asserts

Immutable

- Can't change value directly
 - May change “behind scenes”
 - **Example:** `turtle.x`
- Has only a getter
 - No setter means no change
 - Getter allows limited access

May ask you to differentiate on the exam

Mutable vs. Immutable Attributes

Mutable

- Can change value directly
 - If class invariant met
 - **Example:** `turtle.color`
- Has both **getters and setters**
 - Setters allow
 - Enforce invar

Where?
Thursday.

Immutable

- Can't change value directly
 - May change “behind scenes”
 - **Example:** `turtle.x`
- Has only a getter
 - No setter means no change
 - Getter allows limited access

May ask you to differentiate on the exam