

Helping You Succeed in this Class

- **Consultants.** Phillips 318 (after hours)
 - Daily office hours (see website) with consultants
 - Very useful when working on assignments
- **AEW Workshops.** Additional discussion course
 - Runs parallel to this class – completely optional
 - See website; talk to advisors in Olin 167.
- **Ed Discussions.** Forum to ask and answer questions
 - Go here first **before** sending question in e-mail
- **Office Hours.** Talk to the professor!
 - Couches in Statler Balcony between classes

1

iClickers

- Have you registered your iClicker?
- If not, visit (free service; no surcharge!)
 - <https://cs1110.cs.cornell.edu/py/clicker>
- See the course web page for more:
 - <http://www.cs.cornell.edu/courses/cs1110/2022fa>
 - Click “Materials/Textbook”
 - Look under “iClickers”

2

Converting Values Between Types

- Basic form: `type(expression)`
 - This is an expression
 - Evaluates to value, converted to new type
 - This is sometimes called **casting**
- **Examples:**
 - `float(2)` evaluates to `2.0` (a **float**)
 - `int(2.6)` evaluates to `2` (an **int**)
 - Note information loss in 2nd example

3

Converting Values Between Types

- Conversion is measured *narrow* to *wide*
bool \Rightarrow int \Rightarrow float
- **Widening:** Convert to a wider type
 - Python does automatically
 - **Example:** `1/2.0` evaluates to `0.5`
- **Narrowing:** Convert to a narrower type
 - Python never does automatically
 - **Example:** `float(int(2.6))` evaluates to `2.0`

4

Operator Precedence

- What is the difference between these two?
 - `2*(1+3)` **add, then multiply**
 - `2*1 + 3` **multiply, then add**
- Operations are performed in a **set order**
 - Parentheses make the order explicit
 - What happens when no parentheses?
- **Operator Precedence:** The *fixed* order Python processes operators in *absence* of parentheses

5

Precedence of Python Operators

- **Exponentiation:** `**`
 - **Unary operators:** `+` `-`
 - **Binary arithmetic:** `*` `/` `%`
 - **Binary arithmetic:** `+` `-`
 - **Comparisons:** `<` `>` `<=` `>=`
 - **Equality relations:** `==` `!=`
 - **Logical not**
 - **Logical and**
 - **Logical or**
 - Precedence goes downwards
 - Parentheses highest
 - Logical ops lowest
 - Same line = same precedence
 - Read “ties” left to right
 - Example: `1/2*3` is `(1/2)*3`
- Section 2.5 in your text
 - See website for more info
 - Was major portion of Lab 1

6

Variables

- A **variable**
 - is a **box** (memory location)
 - with a **name**
 - and a **value** in the box
- Examples:

x 5 Variable **x**, with value 5 (of type **int**)

area 20.1 Variable **area**, w/ value 20.1 (of type **float**)

7

Using Variables

- Variables can be used in expressions
 - Evaluate to the value that is in the box
 - Example:** x 5 $1 + x$ evaluates to **6**
- Variables can change values
 - Example:** x ~~5~~ 1.5 $1 + x$ evaluates to **2.5**
 - Can even change the **type** of their value
 - Different from other languages (e.g. Java)

8

Variables and Assignment Statements

- Variables are created by **assignment statements**

x 5 the value

x 5 the variable

- This is a **statement**, not an **expression**
 - Expression:** Something Python turns into a value
 - Statement:** Command for Python to do something
 - Difference is that has no value itself

- Example:**

```
>>> x = 5
(NOTHING)
```

But can now use x
as an expression

9

Assignments May Contain Expressions

- Example:** $x = 1 + 2$

- Left of equals must always be variable: ~~$1 + 2 = x$~~
- Read assignment statements right-to-left!
- Evaluate the expression on the right
- Store the result in the variable on the left

- We can include variables in this expression

- Example:** $x = y + 2$

- Example:** $x = x + 2$

x 5

y 2

This is not circular!
Read right-to-left.

10

Dynamic Typing

- Python is a **dynamically typed language**
 - Variables can hold values of any type
 - Variables can hold different types at different times
- The following is acceptable in Python:


```
>>> x = 1          ← x contains an int value
>>> x = x / 2.0    ← x now contains a float value
```
- Alternative is a **statically typed language**
 - Each variable restricted to values of just one type
 - This is true in Java, C, C++, etc.

11

Dynamic Typing

- Often want to track the type in a variable
 - What is the result of evaluating x / y ?
 - Depends on whether x, y are **int** or **float** values
- Use expression `type(<expression>)` to get type
 - `type(2)` evaluates to `<type 'int'>`
 - `type(x)` evaluates to type of contents of x
- Can use in a boolean expression to test type
 - `type('abc') == str` evaluates to **True**

12