

1 Cell array vs. vector

You already know that a vector is a collection of simple data. For example, you can have a vector of numbers (each component stores *a single number*) or a vector of characters (each component stores *a single character*). In a cell array, each cell can store an item that may be more complex than just a number or a character.

Type the following code in the command window and observe the output and the display in the *Workspace* pane. Also read the comments given below.

```
v= rand(1,4) % a VECTOR of length four, each cell stores ONE number
v(3)        % Notice that you use PARENTHESES to access a cell in a VECTOR

c= cell(1,4) % Use built-in function CELL to create a CELL ARRAY. Note that its "class" in
            % the Workspace pane is "cell." Right now each cell is empty, therefore the
            % screen output shows four empty vectors.

c{2}= v     % Put a VECTOR in the 2nd cell of the CELL ARRAY. Notice that we use CURLY
            % BRACKETS to access a cell in a CELL ARRAY.

c(3)= 1     % You get an error message: Must use curly brackets to access a cell in a
            % CELL ARRAY; parentheses are for VECTORS.

c{2}        % Display what is in cell 2 of CELL ARRAY c: a vector!

% So how do you display, say, the fourth value in the VECTOR in the 2nd cell of CELL ARRAY c?
c{2}(4)     % Once again, use curly brackets for the index of the CELL ARRAY; use
            % parentheses for the index of the of VECTOR.

% Now put other things in the cell array. Note that you can put different types of things
% in a CELL ARRAY. This is not possible in a VECTOR, whose cells must store the same
% (simple) type of data.
c{1}= 'cat'
c{3}= 10
c{4}= ones(2,1)

% An alternate way to create a cell array is to specify all the contents inside CURLY
% BRACKETS using spaces, commas, or semi-colons as the separator:
d= {'cat'; 10; v; ones(2,1)} % A cell array of four cells
length(d)                  % The length function works for cell arrays as well.
```

2 Deck of cards

Download the functions `CardDeck` and `Shuffle` from the *Lecture Materials* page. Read the code and run the functions to make sure that you understand them. Ask if you have questions.

Now write the following function:

```
function DispCards(ca, p, q)
% Display the contents in cells p through q of cell array ca.
% ca is a 1-d cell array.
```

As you develop the next function, use `DispCards` to confirm that the shuffling is done correctly. For example, you can call `DispCards` *inside* the function `MyShuffle` to confirm that the intermediate steps are correct. Just remove the calls to `DispCards` after you've completed the functions.

```

function sd= MyShuffle(d)
% d is a one-dimensional cell array
% sd is the cell array after shuffling d
% The shuffle comprises two steps:
% - randomly cut the deck into 2 parts. I.e., the position of the cut is random.
% - interleave the cards from the two parts until the part with fewer
%   cards have been completely incorporated. It is up to you whether
%   to start from the top or the bottom.

```

3 Structure and structure array

Write the following function for creating a *structure* for square data:

```

function Sqr= MakeSquare(x, y, L)
% Sqr is a square with
% Sqr.x (x-coordinate of lower left corner) assigned x
% Sqr.y (y-coordinate of lower left corner) assigned y
% Sqr.length assigned L

```

Write a code fragment to create a *structure array* of length 5 where each component in the array is a structure containing square data. Use your function `MakeSquare`. Let all the x- and y-coordinates be random in (0,9) and let the k^{th} square have length k .

4 More card playing ...

Implement the following function:

```

function sd = Cut3(d)
% d is a one-dimensional cell array whose length is a multiple of 4.
% sd is the cell array after cutting the deck (d) by taking half the cards from
%   the middle of the deck and putting that half on top.

```

Again use `dispCards` to confirm that `Cut3` is implemented correctly.

Write a script to find out whether the cards in the deck cycle back to the original arrangement after repeated cuts done by function `Cut3`. If so, how many cuts are needed to cycle back? You may use the function `strcmp` to compare two strings.

Please delete your files from the computer before you leave the lab.