

- **Previous lecture:**
  - Structure & structure array
- **Today's lecture:**
  - More on structs
  - Introduction to objects and classes
- **Announcements:**
  - **Project 5** due tonight at 11pm
  - Do **Exercise 11** question 3.1 and 3.2. Submit on paper at beginning of your next discussion
  - **Prelim 2** on Thurs, Nov 12 at 7:30pm
  - Prelim 2 topics: end with Project 5 and Lecture 19, i.e., will NOT include structs and OOP
  - **Review:** Re-do discussion/lecture examples! Study using posted review Qs and SP15 exam; test yourself using FA14 exam

- ### Different kinds of abstraction
- Packaging **procedures** (program instructions) into a **function**
    - A program is a set of functions executed in the specified order
    - Data is passed to (and from) each function
  - Packaging **data** into a **structure**
    - Elevates thinking
    - Reduces the number of variables being passed to and from functions

All possible (i,j,k) combinations but avoid duplicates. Loop index values have this relationship  $i < j < k$

i	j	k
1	2	3
1	2	4
1	2	5
1	2	6
1	3	4
1	3	5
1	3	6
1	4	5
1	4	6
1	5	6

```

for i=1:n-2
  for j=i+1:n-1
    for k=j+1:n
      disp([i j k])
    end
  end
end
    
```

Lecture 20 3

Still get the same result if all three loop indices end with n?

A: Yes  B: No

i	j	k
1	2	3
1	2	4
1	2	5
1	2	6
1	3	4
1	3	5
1	3	6
1	4	5
1	4	6
1	5	6

```

for i=1:n
  for j=i+1:n
    for k=j+1:n
      disp([i j k])
    end
  end
end
    
```

Lecture 20 4

### Structures with array fields

Let's develop a structure that can be used to represent a colored disk. It has four fields:


- xc:** x-coordinate of center
- yc:** y-coordinate of center
- r:** radius
- c:** rgb color vector

Examples:

```

D1 = struct('xc',1,'yc',2,'r',3,...
           'c',[1 0 1]);
D2 = struct('xc',4,'yc',0,'r',1,...
           'c',[.2 .5 .3]);
    
```

Lecture 20 5



Example: compute “average” of two disks

```
% D1 and D2 are disk structures.
% Average is:
r = (D1.r + D2.r) / 2;
xc = (D1.xc + D2.xc) / 2;
yc = (D1.yc + D2.yc) / 2;
c = (D1.c + D2.c) / 2;

% The average is also a disk
D = struct('xc',xc,'yc',yc,'r',r,'c',c)
```

Lecture 20 9

How do you assign to **g** the green-color component of disk **D**?

```
D= struct('xc',3.5, 'yc',2, ...
        'r',1.0, 'c',[.4 .1 .5])
```

A: **g = D.g;**  
 B: **g = D.c.g;**  
 C: **g = D.c.2;**  
 D: **g = D.c(2);**      E: *other*

Lecture 20 10

A structure's field can hold a structure

```
A = MakePoint(2,3)
B = MakePoint(4,5)
L = struct('P',A,'Q',B)
```

*Recall that a Point has the fields x,y*

- This could be used to represent a line segment with endpoints P and Q, for instance
- Given the MakePoint function to create a point structure, what is **x** below?

```
x = L.P.y;
```

A: 2    B: 3    C: 4    D: 5    E: error

Lecture 20 11

Different kinds of abstraction

- Packaging **procedures** (program instructions) into a **function**
  - A program is a set of functions executed in the specified order
  - Data is passed to (and from) each function
- Packaging **data** into a **structure**
  - Elevates thinking
  - Reduces the number of variables being passed to and from functions
- Packaging **data**, and the **instructions** that work on those data, into an **object**
  - A program is the interaction among objects
  - Object-oriented programming (OOP) focuses on the design of data-instructions groupings

A card game, developed in two ways

- Develop the algorithm—the logic—of the card game:
  - Set up a deck as an array of cards. (First, choose representation of cards.)
  - Shuffle the cards
  - Deal cards to players
  - Evaluate each player's hand to determine winner
- Identify “objects” in the game and define each:
  - Card
    - Properties: suit, rank
    - Actions: compare, show
  - Deck
    - Property: array of Cards
    - Actions: shuffle, deal, get #cards left
  - Hand ...
  - Player ...
- Then write the game—the algorithm—using objects of the above “classes”

**Procedural programming:** focus on the algorithm, i.e., the procedures, necessary for solving a problem

A card game, developed in two ways

- Develop the algorithm—the logic—of the card game:
  - Set up a deck as an array of cards. (First, choose representation of cards.)
  - Shuffle the cards
  - Deal cards to players
  - Evaluate each player's hand to determine winner
- Identify “objects” in the game and define each:
  - Card
    - Properties: suit, rank
    - Actions: compare, show
  - Deck
    - Property: array of Cards
    - Actions: shuffle, deal, get #cards left
  - Hand ...
  - Player ...
- Then write the game—the algorithm—using objects of the above “classes”

**Object-oriented programming:** focus on the design of the objects (data + actions) necessary for solving a problem

Notice the two steps involved in OOP?

- Define the classes (of the objects)
  - Identify the properties (data) and actions (methods, i.e., functions) of each class
- Create the objects (from the classes) that are then used—that interact with one another

Defining a class ≠ creating an object

- A class is a specification
  - E.g., a cookie cutter specifies the shape of a cookie
- An object is a concrete instance of the class
  - Need to apply the cookie cutter to get a cookie (an instance, the object)
  - Many instances (cookies) can be made using the class (cookie cutter)
  - Instances do not interfere with one another. E.g., biting the head off one cookie doesn't remove the heads of the other cookies



Example class: Rectangle

- Properties:
  - xLL, yLL, width, height
- Methods (actions):
  - Calculate area
  - Calculate perimeter
  - Draw
  - Intersect (the intersection between two rectangles is a rectangle!)




Example class: Time

- Properties:
  - Hour, minute, second
- Methods (actions):
  - Show (e.g., display in hh:mm:ss format)
  - Advance (e.g., advance current time by some amount)

Example class: Window (e.g., dialog box)

- Properties:
  - Title, option buttons, input dialog ...
- Methods (actions):
  - Show
  - Resize
  - ...



Many such useful classes have been predefined!

Matlab supports procedural and object-oriented programming

- We have been writing **procedural programs**—focusing on the algorithm, implemented as a set of functions
- We have used objects in Matlab as well, e.g., graphics
- A **plot** is a “*handle graphics*” object
  - Can produce plots without knowing about objects
  - Knowing about objects gives more possibilities

The `plot` handle graphics object in Matlab

```
x=...; y=...;
plot(x,y) creates a graphics object
```

- In the past we focused on the visual produced by that command. If we want the visual to look different we make *another* plot.
- We can actually “hold on” to the graphics object—store its “*handle*”—so that we can later make changes to *that* object.

Objects of the same class have the same properties

```
x= 1:10;
% Two separate graphics objects:
plot(x, sin(x), 'k-')
plot(x(1:5), 2.^x, 'm-*')
```

- Both objects have some x-data, some y-data, some line style, and some marker style. These are the properties of one kind, or **class**, of the objects (plots)
- The values of the properties are different for the individual objects

See `demoPlotObj.m`

### Object-Oriented Programming

- First design and define the **classes** (of the objects)
  - Identify the properties (data) and actions (methods, i.e., functions) of each class
- Then create the **objects** (from the classes) that are then used, that interact with one another

