



## GUI Dynamics

Lecture 24  
CS211 - Fall 2006

## GUI Statics vs. GUI Dynamics

- Statics:  
what's drawn on the screen
  - Components
    - E.g., buttons, labels, lists, sliders
  - Containers: components that contain other components
    - E.g., frames, panels, dialog boxes
  - Layout managers: control placement and sizing of components
- Dynamics:  
user interactions
  - Events
    - E.g., button-press, mouse-click, key-press
  - Listeners: an object that responds to an event
  - Helper classes
    - E.g., Graphics, Color, Font, FontMetrics, Dimension

## Dynamics Overview

- GUI dynamics: causing and responding to actions
  - What actions?
    - Called *events*
    - Need to write code that "understands" what to do when an event occurs
  - In Java, you specify what happens by providing an *object* that "hears" the event
    - In other languages, you specify what happens in response to an event by providing a *function*
- What objects do we need?
  - *Events*
  - *Event listeners*

## Brief Example Revisited

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.*;

public class Intro extends JFrame {

    private int count = 0;
    private JButton myButton = new JButton("Push Me!");
    private JLabel label = new JLabel("Count: " + count);

    public Intro() {
        setLayout(new FlowLayout(FlowLayout.LEFT));
        add(myButton);
        add(label);

        myButton.addActionListener(new ActionListener() {
            public void actionPerformed(ActionEvent e) {
                count++;
                label.setText("Count: " + count);
            }
        });
    }

    public static void main(String[] args) {
        JFrame f = new Intro();
        f.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        f.setSize(200,100);
        f.setVisible(true);
    }
}
```

## Delegation Model

- Timeline for an event
  - User (or program) does something to a component
  - Java issues an event object
  - A special type of object (a listener) "hears" the event
    - The listener has a method that "handles" the event
    - The handler can do whatever the programmer programmed
- What you need to understand
  - Events: How a component issues an event
  - Listeners: How to make an object that listens for events
  - Handlers: How to write a method that responds to an events

## Events

- An Event is a Java object
    - It is used to indicate to that an action has occurred
    - Examples: mouse clicked, button pushed, menu item selected, key pressed
    - Usually, Events are created by the Java runtime system
      - It's possible to create your own events, but this is unusual
  - Most events are in `java.awt.event`
    - Some events are in `javax.swing.event`
  - All events are subclasses of `AWTEvent`
- ```
AWTEvent
  ActionEvent
  ComponentEvent
    InputEvent
      MouseEvent
      KeyEvent
```

## Kinds of Events

- Each Swing Component can generate one or more kinds of events
  - The possible events depend on the component
    - Example: Clicking a JButton creates an `ActionEvent`
    - Example: Clicking a JCheckbox creates an `ItemEvent`
  - The different kinds of events include different information about what has occurred
    - All events have method `getSource()` which returns the object (e.g., the button or checkbox) on which the Event initially occurred
    - An `ItemEvent` has a method `getStateChange()` that returns an integer indicating whether the item (e.g., the checkbox) was *selected* or *deselected*

## Listeners are Interfaces

- Java provides a way to associate components with their event listeners
  - Example:

```
JButton b = new JButton("button text");
b.addActionListener(an ActionListener object)
```
  - Note that an `ActionListener` is an *interface*
    - Thus any class that *implements* that interface can be used as an `ActionListener`

## Implementing Listeners

- Which class should be a listener?
  - Java has no restrictions on this, so *any* class that implements the listener will work
- Typical choices
  - Top-level container that "contains" whole GUI

```
public class MyGUI extends JFrame implements ActionListener
```
  - Inner classes to create specific listeners for reuse

```
private class LabelMaker implements ActionListener
```
  - Anonymous classes created "on the spot"

```
b.addActionListener(new ActionListener() {...});
```

## Listeners and Listener Methods

- When you implement an interface, Java requires that you implement the interface's methods
  - Thus you are forced to implement all the methods necessary to correctly handle an event
  - Example: `ActionListener` has one method:

```
void actionPerformed(ActionEvent e)
```
  - Example: `MouseListener` has seven methods:

```
void mouseClicked(MouseEvent e)
void mouseEntered(MouseEvent e)
void mouseExited(MouseEvent e)
void mousePressed(MouseEvent e)
void mouseReleased(MouseEvent e)
void mouseDragged(MouseEvent e)
void mouseMoved(MouseEvent e)
```

## Registering Listeners

- How does a component know which listener to use? You must *register* the listeners
  - This connects listener objects with their source objects
  - Syntax: `component.addTypeListener(listener)`

### Example

```
b.addActionListener( new ActionListener() {
    public void actionPerformed(ActionEvent e) {
        count++;
        label.setText(generateLabel());
    }
});
```

## Example 1: the Frame is the Listener

```
import javax.swing.*; import java.awt.*; import java.awt.event.*;
public class ListenerExample1 extends JFrame implements ActionListener {
    private int count;
    private JButton b = new JButton("Push Me!");
    private JLabel label = new JLabel(generateLabel());
    public static void main (String[] args) {
        JFrame f = new ListenerExample1();
        f.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        f.setSize(200,100);
        f.setVisible(true);
    }
    public ListenerExample1() {
        setLayout(new FlowLayout(FlowLayout.LEFT));
        add(b); add(label);
        b.addActionListener(this);
    }
    public void actionPerformed (ActionEvent e) {
        count++;
        label.setText(generateLabel());
    }
    private String generateLabel() {
        return "Count: "+count;
    }
}
```

## Example 2: the Listener is an Inner Class

```
import javax.swing.*; import java.awt.*; import java.awt.event.*;

public class ListenerExample2 extends JFrame {
    private int count;
    private JButton b = new JButton("Push Me!");
    private JLabel label = new JLabel(generateLabel());
    class Helper implements ActionListener {
        public void actionPerformed(ActionEvent e) {
            count++;
            label.setText(generateLabel());
        }
    }
    public static void main(String[] args) {
        JFrame f = new ListenerExample2();
        f.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        f.setSize(200,100); f.setVisible(true);
    }
    public ListenerExample2() {
        setLayout(new FlowLayout(FlowLayout.LEFT));
        add(b); add(label); b.addActionListener(new Helper());
    }
    private String generateLabel() {
        return "Count: "+count;
    }
}
```

## Example 3: the Listener is an Anonymous Class

```
import javax.swing.*; import java.awt.*; import java.awt.event.*;

public class ListenerExample3 extends JFrame {
    private int count;
    private JButton b = new JButton("Push Me!");
    private JLabel label = new JLabel(generateLabel());
    public static void main(String[] args) {
        JFrame f = new ListenerExample3();
        f.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        f.setSize(200,100); f.setVisible(true);
    }
    public ListenerExample3() {
        setLayout(new FlowLayout(FlowLayout.LEFT));
        add(b); add(label);
        b.addActionListener(new ActionListener() {
            public void actionPerformed(ActionEvent e) {
                count++;
                label.setText(generateLabel());
            }
        });
    }
    private String generateLabel() {
        return "Count: "+count;
    }
}
```

## Adapters

- Some listeners (e.g., `MouseListener`) have lots of methods; you don't always need all of them
  - For instance, I may be interested only in mouse clicks
- For this kind of situation, Java provides *adapters*
  - An *adapter* is a predefined class that implements all the methods of the corresponding listener
    - Example: `MouseInputAdapter` is a class that implements all the methods of interface `MouseListener`
  - The adapter methods *do nothing*
  - To easily create your own listener, you *extend* the adapter class, *overriding* just the methods that you actually need

## Using an Adapter to Count Mouse Entries

```
import javax.swing.*; import javax.swing.event.*;
import java.awt.*; import java.awt.event.*;

public class AdapterExample extends JFrame {
    private int count; private JButton b = new JButton("Mouse Me!");
    private JLabel label = new JLabel(generateLabel());
    class Helper extends MouseInputAdapter {
        public void mouseEntered(MouseEvent e) {
            count++;
            label.setText(generateLabel());
        }
    }
    public static void main(String[] args) {
        JFrame f = new AdapterExample();
        f.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        f.setSize(200,100); f.setVisible(true);
    }
    public AdapterExample() {
        setLayout(new FlowLayout(FlowLayout.LEFT));
        add(b); add(label); b.addMouseListener(new Helper());
    }
    private String generateLabel() {
        return "Count: "+count;
    }
}
```

## Some Notes on Events and Listeners

- A single component can have many listeners
- Multiple components can share the same listener
  - Can use `getSource()` to identify the component to which an event belongs
- Take a look at  
<http://java.sun.com/docs/books/tutorial/uiswing/events/generalrules.html>  
for more information on designing listeners
- You can't sit down and quickly write a GUI
  - You need to use the API and the Swing Tutorial (<http://java.sun.com/docs/books/tutorial/uiswing/>)

## GUI Drawing & Painting

- For a drawing area:
  - Extend `JPanel` and override the method `public void paintComponent(Graphics g)`
- `paintComponent` must contain the code to completely draw *everything* in your drawing panel
- Note that `paintComponent` is *never called directly*
  - It is *requested* via a call to `repaint`  
Example: `myDrawingPanel.repaint()`;
- `repaint()` requests a call `paintComponent()` "soon"
  - `repaint(ms)` requests a call within *ms* milliseconds
    - Avoids gratuitous repainting
    - 16ms is a good default value

## Java Graphics

- The `Graphics` class has methods for colors, fonts, and various shapes and lines
  - `setColor (Color c)`
  - `drawOval (int x, int y, int width, int height)`
  - `fillOval (int x, int y, int width, int height)`
  - `drawLine (int x1, int y1, int x2, int y2)`
  - `drawString(String str, int x, int y)`
- Take a look at
  - `java.awt.Graphics` (for basic graphics)
  - `java.awt.Graphics2D` (for "more sophisticated" control)
  - the 2D Graphics Trail  
(<http://java.sun.com/docs/books/tutorial/2d/index.html>)