



Programming Concepts Object-Oriented Programming Classes and objects Primitive vs. reference types Dynamic vs. static types Subtypes and Inheritance Overriding Oberioading Upcasting & downcasting Inner & anonymous classes Recursion Divide and conquer Stack frames Exceptions Incomparable interface Design patterns: Iterator, Observer (GUI), etc. Guls Components, Containers, Layout Managers Events & listeners Concurrency and Threads Locking Race conditions Race conditions Deadlocks

Data Structure Concepts - Graphs • Mathematical definition of a graph (directed, undirected) • Representations - Adjacency matrix - Adjacency list • Topological sort • Coloring • Searching (BFS & DFS) • Shortest paths • Minimum Spanning Trees (MSTs) - Prim's algorithm - Kruskal's algorithm

What else is there in CS? CS2110 + Math is sufficient prerequisite for many 4000-level Computer Science classes! Areas of Computer Science: Artificial Intelligence Network Science Software Engineering Computer Graphics Natural Language Processing Programming Languages Security and Trustworthy Systems Databases Operating Systems Theory of Computing



Some Unsolved **Problems**

Complexity of Bounded-Degree **Euclidean MST**

- The Euclidean MST (Minimum Spanning Tree) problem:
 - Given n points in the plane, edge weights are distances determine the MST
 - Can be solved in O(n log n) time by first building the Delaunay Triangulation



- Bounded-degree version:
 - Given n points in the plane, determine a MST where each vertex has degree ≤ d

 Known to be NP-hard for d=3 [Papadimitriou & Vazirani 84]

 O(n log n) algorithm for d=5 or greater

 - Can show Euclidean MST has degree ≤ 5

Complexity of Euclidean MST in Rd

- Given n points in dimension d, determine the MST
 - Is there an algorithm with runtime close to the O(n log n)?
 - Can solve in time O(n log n) for d=2
- For large d, it appears that runtime approaches O(n2)
 - Best algorithms for general graphs run in time linear in m = number of edges
 - But for Euclidean distances on points, the number of edges is m = n(n-1)/2

3SUM in Subquadratic Time?

- Given a set of n integers, are there three that sum to zero?
 - O(n²) algorithms are easy (e.g., use a hashtable)
 - Are there better algorithms?



- This problem is closely related to many other "3SUM-Hard" problems [Gajentaan & Overmars 95]
 - Given n lines in the plane, are there 3 lines that intersect in a point?
 - Given n triangles in the plane, does their union have a hole?

The Big Question: Is P=NP?

- P is the class of problems that can be solved in polynomial time

 These problems are considered tractable

 This is in the class of problems that can be considered to the class of problems are considered to the class of problems that can be considered to the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems the class of problems that can be classed to problems the class of problems that can be classed to problems the class of problems that

 - Problems that are not in P are considered intractable
- considered intractable
 NP represents problems that, for
 a given solution, the solution can
 be checked in polynomial time

 But finding the solution may be
 hard
- For ease of comparison, problems are usually stated as yes-or-no questions
- ample 1: Given a weighted graph G and a bound k, does G have a spanning tree of weight at most k? This is in P because we have an algorithm for the MST with runtime O(m + n log n)
- Example 2:

 - ample 2:
 Given graph G, does G have a
 Hamiltonian cycle (a simple cycle
 that visits all vertices)?
 This is in NP because, given a
 possible solution, we can check in
 polynomial time that it's a cycle
 and that it visits all vertices exactly
 once

Current Status: P vs. NP

- It's easy to show that $P \subseteq NP$ Most researchers believe that $P \neq NP$
- But at present, no proof
 - we do have a large collection of NP-complete problems
 If any NP-complete problem has a polynomial time algorithm, then they all do
- A problem B is NP-complete if
 - it is in NP
- any other problem in NP reduces to it efficiently
- Thus by making use of an imaginary fast subroutine for B, any problem in NP could be solved in polynomial time
 - the Boolean satisfiability problem is NP-complete [Cook 1971]
 - many useful problems are NP-complete [Karp 1972]
 - By now thousands of problems are known to be NP-complete

Some NP-Complete Problems

- Graph coloring: Given graph G and bound k, is G k-colorable? Planar 3-coloring: Given planar graph G, is G 3-colorable?
- Traveling salesperson: Given weighted graph G and bound k, is there a cycle of cost ≤ k that visits each vertex at least once?
- each vertex at least once? Hamiltonian cycle: Give graph G, is there a cycle that visits each vertex exactly once? Knapsack: Given a set of items i with weights w, and values v, and numbers W and V, does there exist a subset of at most W items whose total value is at least V?
- What if you really need an algorithm for an NP-complete problem?
 Some special cases can be solved in polynomial time
 if you're lucky, you have such a special case
 Observing open a problem is

 - otherwise, once a problem is shown to be NP-complete, the best strategy is to start looking for an approximation
- For a while, a new proof showing a problem NP-complete was
 - enough for a paper

 Nowadays, no one is interested unless the result is somehow unexpected

Final Exam

- Time and Place
 - Wednesday, Dec 5
 - 7:00pm 9:30pm
 - Multiple rooms:
 - Kennedy Hall 116 Call Aud
 - Thurston Hall 205
- Review Session
 - Monday, Dec 3
 - 4:00pm 5:00pm
 - Location: TBA

- Exam Conflicts
 - Email us TODAY!
- Office Hours
 - Continue until final exam
 - But there may be time changes...

Course Evaluations (2 Parts)

- CourseEval
 - Worth 0.5% of your course grade
 - Anonymous
 - We get a list of who completed the course evaluations and a list of responses, but no link between names & responses
 - http://www.engineering.cornell.edu/CourseEval
- CMS Survey
 - Worth another 0.5% of your course grade
 - Not anonymous
 - But no confidential questions

Becoming a Consultant

- Jealous of the glamorous life of a CS consultant?
 - We're recruiting next-semester consultants for CS1110 and CS2110
 - Interested students should fill out an application, available in 303 Upson

