

# CS/ENGRD 2110

## FALL 2015

Lecture 4: The class hierarchy; static components  
<http://courses.cs.cornell.edu/cs2110>

# Announcements

2

- **A0** has been graded
  - Everyone who submitted gets a grade of 1 (the max)
  - We're **not checking** submissions! We wanted you to learn how to make sure that assert statements are executed.
- We're pleased with how many people are already working on **A1**, as evidenced by Piazza activity
  - Please be sure to look at **Piazza note @84** every day for frequently asked questions and answers
  - **Groups:** Forming a group of two? Do it well before you submit – at least one day before. **Both members must act:** one invites, the other accepts. Thereafter, only **one** member has to submit the files.
- **A2:** Practice with strings
  - We will give you our test cases soon!

That pesky -ea flag!



# References to text and JavaSummary.pptx

3

- A bit about **testing** and test cases
- Class **Object**, **superest** class of them all.  
Text: C.23 slide 30
- Function **toString()** C.24 slide 31-33
- **Overriding** a method C15–C16 slide 31-32
- **Static** components (methods and fields) B.27 slide 21, 45
- Java **application**: a program with a class that declares a method with this signature:

```
public static void main(String[])
```

# Homework

4

1. Read the text, Appendix A.1–A.3
2. Read the text, about the if-statement: A.38–A.40
3. Visit course website, click on **Resources** and then on Code Style **Guidelines**. Study
  2. **Format Conventions**
  - 4.5 **About then-part and else-part of if-statement**



# A bit about testing

5

**Test case:** Set of input values, together with the expected output.

Develop test cases for a method from its specification --- even before you write the method's body.

```
/** = number of vowels in word w.
```

```
Precondition: w contains at least one letter and nothing but letters */
```

```
public int numberOfVowels(String w) {  
    ...  
}
```

How many vowels in each of these words?

creek

syzygy

Developing test cases first, in “critique” mode, can prevent wasted work and errors

# Class W (for Worker)

6

**/\*\* Constructor: worker with last name n, SSN s, boss b (null if none).**

**Prec: n not null, s in 0..999999999 with no leading zeros.\*\*/**

**public W(String n, int s, W b)**

**/\*\* = worker's last name \*/**

**public String getLname()**

**/\*\* = last 4 SSN digits \*/**

**public String getSsn()**

**/\*\* = worker's boss (null if none) \*/**

**public W getBoss()**

**/\*\* Set boss to b \*/**

**public void setBoss(W b)**

Contains other methods!

W@af

lname

"Obama"

W

ssn

123456789

boss

null

W(...) getLname()

getSsn() getBoss() setBoss(W)

toString()

equals(Object) hashCode()

# Class Object: the superest class of them all

7

**Java:** Every class that does not extend another extends class Object. That is,

```
public class W {...}
```

is equivalent to

```
public class W extends Object {...}
```

We often omit this partition to reduce clutter; we know that it is always there.

We draw object like this

W@af

toString()

equals(Object) hashCode()

Object

lname

"Obama"

ssn

123456789

boss

null

W

W(...) getLname()

getSsn(), getBoss() setBoss(W)

# A note on design

8

- Don't use **extends** just to get access to hidden members!
- **A** should extend **B** if and only if **A** “is a” **B**
  - An elephant is an animal, so **Elephant extends Animal**
  - A car is a vehicle, so **Car extends Vehicle**
  - An instance of any class is an object, so **AnyClass extends java.lang.Object**
  - A PhDTester is not a PhD student!
- The inheritance hierarchy should reflect **modeling semantics**, not implementational shortcuts

# What is “the name of” the object?

9

The name of the object below is

**PhD@aa11bb24**


It contains a pointer to the object –i.e. its address in memory, and you can call it a pointer if you wish. But it contains more than that.

Variable **e**, declared as

**PhD e;**

contains not the object but the name of the object (or a pointer to the object).

e PhD@aa11bb24 PhD



# Method toString

10


toString() in `Object` returns the name of the object: `W@af`

**Java Convention:** Define `toString()` in any class to return a representation of an object, giving info about the values in its fields.

New definitions of `toString()` **override** the definition in `Object.toString()`

In appropriate places, the expression `c` automatically does `c.toString()`

`c.toString()` calls this method




# Method toString

11

toString() in `Object` returns the name of the object: `W@af`

```
public class W {  
    ...  
    /** Return a representation of this object */  
    public String toString() {  
        return "Worker " + lname + "." +  
            " Soc sec: ..." + getSsn() + "." +  
            (boss == null ? "" : "Boss " + boss.lname + ".");  
    }  
}
```

`c.toString()` calls this method



# Another example of toString()

12


```
/** An instance represents a point (x, y) in the plane */
```

```
public class Point {  
    private int x; // x-coordinate  
    private int y; // y-coordinate  
    ...
```

```
/** = repr. of this point in form "(x, y)" */
```

```
public String toString() {  
    return "(" + x + "," + y + ")";  
}
```

```
}
```



(9, 5)


Function toString should give the values in the fields in a format that makes sense for the class.

# What about **this**

13

- **this** keyword: **this** evaluates to the name of the object in which it occurs
- Makes it possible for an object to access its own name (or pointer)
- Example: Referencing a shadowed class field

```
public class Point {  
    public int x= 0;  
    public int y= 0;  
  
    //constructor  
    public Point(int x, int y) {  
        x= x;  
        y= y;  
    }  
}
```



Inside-out rule shows that field x is inaccessible!

```
public class Point {  
    public int x= 0;  
    public int y= 0;  
  
    //constructor  
    public Point(int x, int y) {  
        this.x= x;  
        this.y= y;  
    }  
}
```

# Intro to static components

14


```
/** = "this object is c's boss".  
Pre: c is not null. */  
public boolean isBoss(W c) {  
    return this == c.boss;  
}
```

**Spec:** return the value of that true-false sentence. True if this object is c's boss, false otherwise

keyword **this** evaluates to the name of the object in which it appears

x.isBoss(y) is **false**

y.isBoss(x) is **true**




# Intro to static components


15

```
/** = "b is c' s boss".  
Pre: b and c are not null. */  
public boolean isBoss(W b, W c) {  
    return b == c.getBoss();  
}
```

Body doesn't refer to any field or method in the object.  
Why put method in object?



```
/** = "this object is c' s boss".  
Pre: c is not null. */  
public boolean isBoss(W c) {  
    return this == c.boss;  
}
```



# Intro to static components

16

```
/** = "b is c's boss".
```

```
Pre: b and c are not null. */
```

```
public static boolean isBoss(W b, W c) {  
    return b == c.getBoss();  
}
```


**static**: there is only **one** copy of the method. It is *not* in each object

~~x.isBoss(x, y)  
y.isBoss(x, y)~~

**Preferred:**  
W.isBoss(x, y)



Box for **W** (objects, **static** components)



# Good example of static methods

17

□ `java.lang.Math`

<http://docs.oracle.com/javase/8/docs/api/java/lang/Math.html>

# Java application

18

Java application: bunch of classes with at least one class that has this procedure:

```
public static void main(String[] args) {  
    ...  
}
```

Type `String[]`: array of elements of type `String`.  
We will discuss later


Running the application effectively calls method `main`  
Command line arguments can be entered with `args`

# Use of static variables: Maintain info about created objects

19

```
public class W {  
    private static int numObs; // number of W objects created  
  
    /** Constructor: */  
    public W(...) {  
        ...  
        numObs= numObs + 1;  
    }  
}
```

To have `numObs` contain the number of objects of class `W` that have been created, simply increment it in constructors.




Box for W

# Uses of static variables: Implement the Singleton pattern

20

Only one Singleton can ever exist.

```
public class Singleton {  
    private static final Singleton instance = new Singleton();  
  
    private Singleton() { } // ... constructor  
  
    public static Singleton getInstance() {  
        return INSTANCE;  
    }  
  
    // ... methods  
}
```



Box for Singleton

# Class `java.awt.Color` uses static variables

21

An instance of class `Color` describes a color in the RGB (Red-Green-Blue) color space. The class contains about 20 static variables, each of which is (i.e. contains a pointer to) a non-changeable `Color` object for a given color:

```
public static Color black= ...;  
public static Color blue= ...;  
public static Color cyan= ...;  
public static Color darkGray= ...;  
public static Color gray= ...;  
public static Color green= ...;  
...
```