



Photo credit: Andrew Kennedy

JAVA GENERICS

Lecture 14
CS2110 – Fall 2016

Textbook and Homework

2

Generics: Appendix B

Generic types we discussed: Chapters 1-3, 15

Useful tutorial:

docs.oracle.com/javase/tutorial/extra/generics/index.html

Java Collections

3

Early versions of Java lacked generics...

```
interface Collection {  
    /* Return true if the collection contains o */  
    boolean contains(Object o);  
  
    /* Add o to the collection; return true if  
     *the collection is changed. */  
    boolean add(Object o);  
  
    /* Remove o fromthe collection; return true if  
     * the collection is changed. */  
    boolean remove(Object o);  
    ...  
}
```

Java Collections

4

The lack of generics was painful when using collections, because programmers had to insert manual casts into their code...

```
Collection c = ...  
c.add("Hello")  
c.add("World");  
...  
for (Object o : c) {  
    String s = (String) o;  
    System.out.println(s.length + " : " + s.length());  
}
```

... and people often made mistakes!

Using Java Collections

5

This limitation was especially awkward because built-in arrays do not have the same problem!

```
String [] a = ...  
a[0] = ("Hello")  
a[1] = ("World");  
...  
for (String s : a) {  
    System.out.println(s);  
}
```

So, in the late 1990s Sun Microsystems initiated a design process to add generics to the language...

Arrays → Generics

6

One can think of the array “brackets” as a kind of *parameterized* type: a type-level function that takes one type as input and yields another type as output

```
Object[] a = ...  
String[] a = ...  
Integer[] a = ...  
Button[] a = ...
```

We should be able to do the same thing with object types generated by classes!

Proposals for adding Generics to Java

7



PolyJ

Pizza/GJ

LOOJ

Generic Collections

8

With generics, the Collection interface becomes...

```
interface Collection<T> {  
    /* Return true if the collection contains x */  
    boolean contains(T x);  
  
    /* Add x to the collection; return true if  
     *the collection is changed. */  
    boolean add(T x);  
  
    /* Remove x from the collection; return true if  
     * the collection is changed. */  
    boolean remove(T x);  
    ...  
}
```


Using Java Collections

9

With generics, no casts are needed...

```
Collection<String> c = ...  
c.add("Hello")  
c.add("World");  
...  
for (String s : c) {  
    System.out.println(s.length + " : " + s.length());  
}
```

... and mistakes (usually) get caught!

Static Type checking

10

The compiler can automatically detect uses of collections with incorrect types...

```
Collection<String> c = ...  
c.add("Hello")    /* Okay */  
c.add(1979);      /* Illegal: static error! */
```

Generally speaking, `Collection<String>` behaves like the parameterized type `Collection<T>` where all occurrences of `T` have been substituted with `String`.

Subtyping

11

Subtyping extends naturally to generic types.

```
interface Collection<T> { ... }  
interface List<T> extends Collection<T> { ... }  
class LinkedList<T> implements List<T> { ... }  
class ArrayList<T> implements List<T> { ... }
```

```
/* The following statements are all legal. */  
List<String> l = new LinkedList<String>();  
ArrayList<String> a = new ArrayList<String>();  
Collection<String> c = a;  
l = a  
c = l;
```

Subtyping

12

String is a subtype of object so...

...is `LinkedList<String>` a subtype of `LinkedList<Object>`?

```
LinkedList<String> ls= new LinkedList<String>();  
LinkedList<Object> lo= new LinkedList<Object>();  
  
lo= ls;                //Suppose this is legal  
lo.add(2110);           //Type-checks: Integer subtype Object  
String s = ls.get(0);   //Type-checks: ls is a List<String>  
//UH OH: What does s point to, and what is its type?!?!?!  

```

But what would happen at run-time if we were able to actually execute this code?

Array Subtyping

13

Java's type system allows the analogous rule for arrays
:-/

```
String[] as = new String[10];  
Object[] ao= new Object[10];  
  
ao = as;           //Type-checks: considered outdated design  
ao[0] = 2110;      //Type-checks: Integer subtype Object  
String s =as[0];   //Type-checks: as is a String array
```

What happens when this code is run?

It throws an `ArrayStoreException`!

Printing Collections

14

Suppose we want to write a helper method to print every value in a `Collection<T>`.

```
void print(Collection<Object> c) {  
    for (Object x : c) {  
        System.out.println(x);  
    }  
}  
...  
Collection<Integer> c = ...  
c.add(42);  
print(c);  /* Illegal: Collection<Integer> is not a  
           * subtype of Collection<Object>! */
```

Wildcards

15

To get around this problem, Java's designers added *wildcards* to the language

```
void print(Collection<?> c) {  
    for (Object x : c) {  
        System.out.println(x);  
    }  
}  
...  
Collection<Integer> c = ...  
c.add(42);  
print(c);    /* Legal! */
```

One can think of `Collection<?>` as a “Collection of *some* unknown type of values”.

Wildcards

16

Note that we cannot add values to collections whose types are wildcards...

```
void doIt(Collection<?> c) {  
    c.add(42); /* Illegal! */  
}  
...  
Collection<String> c = ...  
doIt(c);    /* Legal! */
```

42 can be added to

- Collection<Integer>
- Collection<Number>
- Collection<Object>

but c could be a Collection of anything,
not just supertypes of Integer

Bounded Wildcards

17

Sometimes it is useful to know *some* information about a wildcard. Can do this by adding bounds...

```
void doIt(Collection<? super Integer> c) {  
    c.add(42); /* Legal! */  
}  
...  
Collection<Object> c = ...  
doIt(c); /* Legal! */  
Collection<Float> c = ...  
doIt(c); /* Illegal! */
```

Now c can only be a Collection of some *supertype* of Integer, and 42 can be added to any such Collection

“? super” is useful for when you are only *giving* values to the object, such as putting values into a Collection

Bounded Wildcards

18

“? extends” is useful for when you are only *receiving* values from the object, such as getting values out of a Collection

```
void doIt(Collection<? extends Shape> c) {  
    for (Shape s : c)  
        s.draw();  
}  
...  
Collection<Circle> c = ...  
doIt(c); /* Legal! */  
Collection<Object> c = ...  
doIt(c); /* Illegal! */
```

Bounded Wildcards

19

Wildcards can be nested. The following *receives* Collections from an Iterable and then *gives* floats to those Collections.

```
void doIt(Iterable<? extends Collection<? super Float>> cs) {  
    for(Collection<? super Float> c : cs)  
        c.add(0.0f);  
}  
...  
List<Set<Float>> l = ...  
doIt(l);  /* Legal! */  
Collection<List<Number>> c = ...  
doIt(c);  /* Legal! */  
Iterable<Iterable<Float>> i = ...  
doIt(i);  /* Illegal! */  
ArrayList<? extends Set<? super Number>> a = ...  
doIt(a);  /* Legal! */
```

Generic Methods

20

Returning to the printing example, another option would be to use a method-level type parameter...

```
<T> void print(Collection<T> c) {// T is a type parameter
    for (T x : c) {
        System.out.println(x);
    }
}
...
Collection<Integer> c = ...
c.add(42);
print(c); /* More explicitly: this.<Integer>print(c) */
```

But wildcards are preferred when just as expressive.

Concatenating Lists

21

Suppose we want to concatenate a whole list of lists into one list. We want the return type to depend on what the input type is.

```
<T> List<T> flatten(List<? extends List<T>> ls) {  
    List<T> flat = new ArrayList<T>();  
    for (List<T> l : ls)  
        flat.addAll(l);  
    return flat;  
}  
...  
List<List<Integer>> is = ...  
List<Integer> i = flatten(is);  
List<List<String>> ss = ...  
List<String> s = flatten(ss);
```

Replacing Elements

22

Suppose we need two parameters to have similar types.

```
<T> void replaceAll(List<T> ts, T x, T y) {  
    for (int i = 0; i < ts.size(); i++)  
        if (Objects.equals(ts.get(i), x))  
            ts.set(i, y);  
}
```

Note that we are both *receiving* values from `ts` and *giving* values to `ts`, so we can't use a wildcard.

Interface Comparable

23

The Comparable<T> interface declares a method for comparing one object to another.

```
interface Comparable<T> {  
    /* Return a negative number, 0, or positive number  
     * depending on whether this is less than,  
     * equal to, or greater than that */  
    int compareTo(T that);  
}
```

Integer, Double, Character, and String
are all Comparable with themselves

Binary Search

24

Suppose we want to look up a value in a sorted list

```
<T extends Comparable<? super T>> //bounded type parameter
int indexOf(List<T> sorted, T x) { // no null values
    int min = 0;
    int max = l.size();
    while (min < max) {
        int guess = (min + max) / 2;
        int comparison = x.compareTo(l.get(guess));
        if (comparison < 0)
            max = guess;
        else if (comparison == 0)
            return guess;
        else
            min = guess + 1;
    }
    return -1;
}
```