

26 April 2018

My eightieth said the grape vine?
Yes birthdays, all eighty, are mine.
You don't agree?

One less it should be?

Ah, my age --yes that's seventy nine
Gries

A black and white photograph of two women in dark, sleeveless dresses performing a juggling act. They are facing each other, and several clubs are captured in mid-air between them, creating a sense of motion. The background is dark, making the clubs and the women stand out.

Synchronization

Lecture 24 – Spring 2018

Results of prelim 2 on Piazza

MEDIAN 71.0%

MAXIMUM 97.0%

MEAN. 69.65%

STD DEV. 12.82%

Tomorrow or Saturday, we make solutions available and enable regrade requests of Gradescope. Please read our solutions before requesting a regrade.

Regrade requests: No later than end of Thursday, 3 May

The final is optional

As soon as A8 is graded and all grades are on the CMS,
We will determine a tentative letter grade for you.

- (1) You can accept it, and that will be your course grade.
- (2) You can decide to take the final with the hope of raising your grade. Taking the final can decrease as well as raise your course grade.

You will tell us your decision on the CMS.

Please don't email in the coming weeks, asking where you stand and whether you should take the final! We can't say at this point! Look at your prelim averages. That gives you a rough idea what grade you may be getting.

Concurrent Programs



A thread or thread of execution is a sequential stream of computational work.

Concurrency is about controlling access by multiple *threads* to shared resources.

Last time: Learned about

1. Race conditions
2. Deadlock
3. How to create a thread in Java.

An Example: bounded buffer



finite capacity (e.g. 20 loaves)
implemented as a queue



Threads A: **produce** loaves of bread and put them in the queue



Threads B: **consume** loaves by taking them off the queue

An Example: bounded buffer



finite capacity (e.g. 20 loaves)

implemented as a queue

Separation of concerns:

1. **How do you implement a queue in an array?**
2. How do you implement a bounded buffer, which allows producers to add to it and consumers to take things from it, all in parallel?

Threads A: **produce** loaves of bread and put them in the queue

Threads B: **consume** loaves by taking them off the queue

ArrayQueue

Array b[0..5]

	0	1	2	3	4	5	b.length
b	5	3	6	2	4		

put values 5 3 6 2 4 into queue

ArrayQueue

9

Array b[0..5]

	0	1	2	3	4	5	b.length
b	5	3	6	2	4		

put values 5 3 6 2 4 into queue

get, get, get

ArrayQueue

10

Array b[0..5]

	0	1	2	3	4	5	b.length
b	3	5		2	4	1	


Values wrap around!!

put values 5 3 6 2 4 into queue

get, get, get

put values 1 3 5

ArrayQueue



Values wrap around!!

```
int[] b; // 0 <= h < b.length. The queue contains the
int h;   // n elements b[h], b[h+1], b[h+2], ...
int n;   // b[h+n-1] (all indices mod b.length)
```

```
/** Pre: there is space */
public void put(int v){
    b[(h+n) % b.length]= v;
    n= n+1;
}
```

```
/** Pre: not empty */
public int get(){
    int v= b[h];
    h= (h+1) % b.length;
    n= n-1;
    return v;
}
```

Bounded Buffer

12

```
/** An instance maintains a bounded buffer of fixed size */  
class BoundedBuffer<E> {  
    ArrayQueue<E> aq;  
  
    /** Put v into the bounded buffer.*/  
    public void produce(E v) {  
        if(!aq.isFull()){ aq.put(v) };  
    }  
  
    /** Consume v from the bounded buffer.*/  
    public E consume() {  
        aq.isEmpty() ? return null : return aq.get();  
    }  
}
```



Bounded Buffer

13

```
/** An instance maintains a bounded buffer of fixed size */
```

```
class BoundedBuffer<E> {
```

```
    ArrayQueue<E> aq;
```



```
/** Put v into the bounded buffer.*/
```

```
public void produce(E v) {  
    if(!aq.isFull()){ aq.put(v) };
```



Problems

1. Chef doesn't easily know whether bread was added.

2. Suppose

(a) First chef finds it not full.

(b) another chef butts in and adds a bread

(c) First chef tries to add and can't because it's full. Need a way to prevent this

Synchronized block

a.k.a. *locks* or *mutual exclusion*

synchronized (object) { ... }

Execution of the synchronized block:

1. “Acquire” the **object**, so that no other thread can acquire it and use it.
2. Execute the block.
3. “Release” the **object**, so that other threads can acquire it.

1. Might have to wait if other thread has acquired **object**.
2. While this thread is executing the synchronized block, The **object** is *locked*. No other thread can obtain the lock.

Bounded Buffer

15

```
/** An instance maintains a bounded buffer of fixed size */
```

```
class BoundedBuffer<E> {
```

```
    ArrayQueue<E> aq;
```



```
/** Put v into the bounded buffer.*/
```

```
public void produce(E v) {
```



```
    if(!aq.isFull()){ aq.put(v) };
```

```
}
```



After finding **aq** not full, but before putting **v**, another chef might beat you to it and fill up buffer **aq**!

```
}
```

Synchronized block

16

```
/** An instance maintains a bounded buffer of fixed size */  
class BoundedBuffer<E> {  
    ArrayQueue<E> aq;  
  
    /** Put v into the bounded buffer.*/  
    public void produce(E v) {  
        synchronize (aq) {  
            if(!aq.isFull()){ aq.put(v) };  
        }  
    }  
}
```



Synchronized blocks

```
public void produce(E v) {  
    synchronized(this){  
        if(!aq.isFull()){ aq.put(v); }  
    }  
}
```

You can synchronize (lock) any object, including **this**.

BB@10

BB@10

BB

aq _____

produce() {...} consume() {...}

Synchronized Methods

```
public void produce(E v) {  
    synchronized(this){  
        if(!aq.isFull()){ aq.put(v); }  
    }  
}
```

You can synchronize (lock) any object, including **this**.

```
public synchronized void produce(E v) {  
    if(!aq.isFull()){ aq.put(v); }  
}
```

Or you can synchronize methods

This is the same as wrapping the entire method implementation
in a `synchronized(this)` block

Bounded buffer

19

```
/** An instance maintains a bounded buffer of fixed size */  
class BoundedBuffer<E> {
```

```
    ArrayQueue<E> aq;
```

What happens if aq is full?

```
    /** Put v into the bounded buffer.*/  
    public synchronized void produce(E v) {  
        if(!aq.isFull()){ aq.put(v); }  
    }  
}
```

We want to wait until it becomes non-full —until there is a place to put v.

Somebody has to buy a loaf of bread before we can put more bread on the shelf.

```
}
```

Two lists for a synchronized object

For every synchronized object *sobj*, Java maintains:

1. **locklist**: a list of threads that are waiting to obtain the lock on *sobj*
2. **waitlist**: a list of threads that had the lock but executed `wait()`
 - e.g., because they couldn't proceed

Method `wait()` is defined in `Object`

Wait()

21

```
class BoundedBuffer<E> {
```

```
    ArrayQueue<E> aq;
```

need while loop (not if statement)
to prevent race conditions

```
    /** Put v into the bounded buffer.*/
```

```
    public synchronized void produce(E v) {
```

```
        while (aq.isFull()){
```

```
            try { wait(); }
```

puts thread on the wait list

```
            catch (InterruptedException e) {}
```

```
        }
```

```
        aq.put(v);
```

threads can be interrupted
if this happens just continue.

```
    }    notifyAll()
```

```
    ...
```

locklist

waitlist

```
}
```

notify() and notifyAll()

- Methods notify() and notifyAll() are defined in Object
- notify() moves one thread from the waitlist to the locklist
 - Note: which thread is moved is arbitrary
- notifyAll() moves all threads on the waitlist to the locklist

locklist

waitlist

notify() and notifyAll()

23

```
/** An instance maintains a bounded buffer of fixed size */
class BoundedBuffer<E> {

    ArrayQueue<E> aq;

    /** Put v into the bounded buffer.*/
    public synchronized void produce(E v) {
        while(aq.isFull()){
            try { wait(); }
            catch(InterruptedException e){}
        }
        aq.put(v);
        notifyAll()
    }

    ...
}
```

WHY use of notify() may hang.

24

Work with a bounded buffer of length 1.

1. Consumer W gets lock, wants White bread, finds buffer empty, and wait(): is put in set 2.

2. Consumer R gets lock, wants Rye bread, finds buffer empty, wait(): is put in set 2.

3. Producer gets lock, puts Rye in the buffer, does notify(), gives up lock.

4. The notify() causes one waiting thread to be moved from set 2 to set 1. Choose W.

5. No one has lock, so one Runnable thread, W, is given lock. W wants white, not rye, so wait(): is put in set 2.

6. Producer gets lock, finds buffer full, wait(): is put in set 2.

All 3 threads are waiting in set 2. Nothing more happens.

Two sets:

1. lock:
threads waiting to get lock.

2. wait:
threads waiting to be notified

Should one use `notify()` or `notifyAll()`

25

But suppose there are two kinds of bread on the shelf—and one still picks the head of the queue, *if it's the right kind of bread*.



Using `notify()` can lead to a situation in which no one can make progress.

`notifyAll()` always works; you need to write documentation if you optimize by using `notify()`

Eclipse Example

26

Producer: produce random ints

Consumer 1: even ints

Consumer 2: odd ints

Dropbox: 1-element bounded buffer

Locklist

Threads wanting
the Dropbox

Waitlist

Threads who
had Dropbox
and waited



Using Concurrent Collections...

27

Java has a bunch of classes to make synchronization easier.

It has synchronized versions of some of the Collections classes

It has an Atomic counter.

From spec for HashSet

28

... this implementation is not synchronized. If multiple threads access a hash set concurrently, and at least one of the threads modifies the set, it must be synchronized externally. This is typically accomplished by synchronizing on some object that naturally encapsulates the set. If no such object exists, the set should be "wrapped" using method `Collections.synchronizedSet`. This is best done at creation time, to prevent accidental unsynchronized access to the set:

```
Set s = Collections.synchronizedSet(new HashSet(...));
```

Race Conditions

Thread 1

Thread 2

Initially, $i = 0$

```
tmp = load i;
```

Load 0 from memory

Load 0 from memory

```
tmp = load i;
```

```
tmp = tmp + 1;  
store tmp to i;
```

Store 1 to memory

Store 1 to memory

```
tmp = tmp + 1;  
store tmp to i;
```

time

Finally, $i = 1$

Using Concurrent Collections...

30

```
import java.util.concurrent.atomic.*;

public class Counter {
    private static AtomicInteger counter;

    public Counter() {
        counter= new AtomicInteger(0);
    }

    public static int getCount() {
        return counter.getAndIncrement();
    }
}
```

Fancier forms of locking

Java. **synchronized** is the core mechanism

But. Java has a class Semaphore. It can be used to allow a limited number of threads (or kinds of threads) to work at the same time. Acquire the semaphore, release the semaphore

Semaphore: a kind of synchronized counter (invented by Dijkstra in 1962-63, THE multiprogramming system)

The Windows and Linux and Apple O/S have kernel locking features, like file locking

Python: acquire a **lock**, release the **lock**. Has semaphores

Summary

32

Use of multiple processes and multiple threads within each process can exploit concurrency

- may be real (multicore) or virtual (an illusion)

Be careful when using threads:

- synchronize shared memory to avoid race conditions
- avoid deadlock

Even with proper locking concurrent programs can have other problems such as “livelock”

Serious treatment of concurrency is a complex topic (covered in more detail in cs3410 and cs4410)

Nice tutorial at

<http://docs.oracle.com/javase/tutorial/essential/concurrency/index.html>