

CS 4120

Introduction to Compilers

Andrew Myers
Cornell University

Lecture 30: Object layout and
method dispatch

13 Nov 09

Classes

- Components
 - fields/instance variables
 - values may differ from object to object
 - usually mutable
 - methods
 - values shared by all objects of a class
 - inherited from superclasses
 - usually immutable
 - usually function values with implicit argument: object itself (this/self)
 - all components have visibility: public/private/protected (subclass visible)

Implementing classes

- Environment binds type names to type objects, *i.e. class objects*
 - Java: class object visible in programming language (java.lang.Class)
- Class objects are environments:
 - identifier bound to type
 - + expression (e.g. method body)
 - + field/method
 - + static/non-static
 - + visibility

Code generation for objects

- Methods
 - Generating method code
 - Generating method calls (dispatching)
- Fields
 - Memory layout
 - Generating accessor code
 - Packing and alignment

Compiling methods

- Methods look like functions, are type-checked like functions...what is different?
- Argument list: implicit receiver argument
- Calling sequence: use *dispatch vector* instead of jumping to absolute address

The need for dispatching

- Problem: compiler can't tell what code to run when method is called

```
interface Point { int getx(); float norm(); }
```

```
class ColoredPoint implements Point {...
```


```
    float norm() { return sqrt(x*x+y*y); }
```

```
class 3DPoint implements Point { ...
```

```
    float norm() return sqrt(x*x+y*y+z*z); }
```

- Solution: dispatch

table (dispatch
vector, selector table...)



Method dispatch


- Idea: every method has its own small integer index
- Index is used to look up method in dispatch vector

```
interface A {
    void foo();           0
}
interface B extends A {
    void bar();           1
    void baz();           2
}

class C implements B {
    void foo() {...}
    void bar() {...}
    void baz() {...}
    void quux() {...}     3
}
```

A
|
B
|
C

Dispatch vector layouts



Method arguments

- Methods have a special variable (in Java, “this”) called the *receiver object*
- Historically (Smalltalk): method calls thought of as *messages* sent to *receivers*
- Receiver object is (implicit) argument to method


```
class Shape {
  int setCorner(int which, Point p) { ... }
}
```

↓ compiled like

```
int setCorner(Shape this, int which, Point p) { ... }
```

How do we know the type of “this”?

Calling sequence




Example

b.bar(3);



```
push 3
push eax
mov ebx, [eax]
mov ecx, [ebx + 4] (i=1)
call ecx
```



Inheritance


- Three traditional components of object-oriented languages
 - abstraction/encapsulation/information hiding
 - subtyping/interface inheritance -- interfaces inherit method signatures from supertypes
 - inheritance/implementation inheritance -- a class inherits signatures *and* code from a superclass (possibly “abstract”)

Inheritance


- Method code copied down from superclass if not *overridden* by subclass
- Fields also inherited (needed by inherited code in general)
- Fields checked just as for records: mutable fields must be invariant, immutable fields may be covariant

Object Layout

```
class Shape {
    Point LL, UR;
    void setCorner(int which, Point p);
}
class ColoredRect extends Shape {
    Color c;
    void setColor(Color c_);
}
```



Code Sharing



Interfaces, abstract classes

- Classes define a type *and* some values (methods)
- Interfaces are pure object types : no implementation
 - no dispatch vector: only a DV layout
- Abstract classes are halfway:
 - define some methods
 - leave others unimplemented
 - no objects (instances) of abstract class
- DV needed only for real classes

Static methods

- In Java, can declare methods *static* -- they have no receiver object
- Called exactly like normal functions
 - don't need to enter into dispatch vector
 - don't need implicit extra argument for receiver
- Treated as methods as way of getting functions inside the class scope (access to module internals for semantic analysis)
- Not really methods

Constructors

- Java, C++: classes can declare *object constructors* that create new objects:
`new C(x, y, z)`
- Other languages (Modula-3, Iota⁺): objects constructed by “new C”; no initialization code

```
class LenList {  
    int len, head; List next;  
    LenList() { len = 0; }  
}
```

Compiling constructors

- Compiled just like static methods except:
 - pseudo-variable “this” is in scope as in methods
 - this is initialized with newly allocated memory
 - first word in memory initialized to point to DV
 - value of this is return value of code

```
LenList() { len = 0; }
```

```
LenList$constr: mov eax, [esp + 8]  
mov [eax+4], 0  
ret
```

```
...  
push 16 ; 3 fields + DV  
call GC_malloc  
mov [eax], LenList_DV  
push eax  
call LenList$constructor
```

```
_DATA SEGMENT  
LenList_DV DWORD LenList$first  
           DWORD LenList$rest  
           DWORD LenList$length  
_DATA ENDS
```