

# *Evaluation of Relational Operations*

[R&G] Chapter 14, Part A (Joins)

# Relational Operations

- ❖ We will consider how to implement:
  - Selection ( $\sigma$ ) Selects a subset of rows from relation.
  - Projection ( $\pi$ ) Deletes unwanted columns from relation.
  - Join ( $\bowtie$ ) Allows us to combine two relations.
  - Set-difference ( $-$ ) Tuples in reln. 1, but not in reln. 2.
  - Union ( $\cup$ ) Tuples in reln. 1 and in reln. 2.
  - Aggregation (SUM, MIN, etc.) and GROUP BY
- ❖ Since each op returns a relation, ops can be *composed*!  
After we cover the operations, we will discuss how to *optimize* queries formed by composing them.

# Schema for Examples

Sailors (*sid*: integer, *sname*: string, *rating*: integer, *age*: real)

Reserves (*sid*: integer, *bid*: integer, *day*: dates, *rname*: string)

- ❖ Similar to old schema; *rname* added for variations.
- ❖ Reserves:
  - Each tuple is 40 bytes long, 100 tuples per page, 1000 pages.
- ❖ Sailors:
  - Each tuple is 50 bytes long, 80 tuples per page, 500 pages.

# Equality Joins With One Join Column

```
SELECT *  
FROM   Reserves R1, Sailors S1  
WHERE  R1.sid=S1.sid
```

- ❖ In algebra:  $R \bowtie S$ . Common! Must be carefully optimized.  $R \times S$  is large; so,  $R \times S$  followed by a selection is inefficient.
- ❖ Assume:  $M$  pages in  $R$ ,  $p_R$  tuples per page,  $N$  pages in  $S$ ,  $p_S$  tuples per page.
  - In our examples,  $R$  is Reserves and  $S$  is Sailors.
- ❖ We will consider more complex join conditions later.
- ❖ *Cost metric*: # of I/Os. We will ignore output costs.

# Simple Nested Loops Join

```
foreach tuple r in R do
    foreach tuple s in S do
        if  $r_i == s_j$  then add  $\langle r, s \rangle$  to result
```

- ❖ For each tuple in the *outer* relation R, we scan the entire *inner* relation S.
    - Cost:  $M + p_R * M * N = 1000 + 100 * 1000 * 500$  I/Os.
  - ❖ Page-oriented Nested Loops join: For each *page* of R, get each *page* of S, and write out matching pairs of tuples  $\langle r, s \rangle$ , where r is in R-page and S is in S-page.
    - Cost:  $M + M * N = 1000 + 1000 * 500$
- CS4320 If smaller relation (S) is outer, cost =  $500 + 500 * 1000$

# *Index Nested Loops Join*

```
foreach tuple r in R do
    foreach tuple s in S where  $r_i == s_j$  do
        add  $\langle r, s \rangle$  to result
```


- ❖ If there is an index on the join column of one relation (say S), can make it the inner and exploit the index.
  - Cost:  $M + (M * p_R) * \text{cost of finding matching S tuples}$
- ❖ For each R tuple, cost of probing S index is about 1.2 for hash index, 2-4 for B+ tree. Cost of then finding S tuples (assuming Alt. (2) or (3) for data entries) depends on clustering.
  - Clustered index: 1 I/O (typical), unclustered: upto 1 I/O per matching S tuple.

# *Examples of Index Nested Loops*

- ❖ Hash-index (Alt. 2) on *sid* of Sailors (as inner):
  - Scan Reserves: 1000 page I/Os,  $100 \times 1000$  tuples.
  - For each Reserves tuple: 1.2 I/Os to get data entry in index, plus 1 I/O to get (the exactly one) matching Sailors tuple. Total: 220,000 I/Os.
- ❖ Hash-index (Alt. 2) on *sid* of Reserves (as inner):
  - Scan Sailors: 500 page I/Os,  $80 \times 500$  tuples.
  - For each Sailors tuple: 1.2 I/Os to find index page with data entries, plus cost of retrieving matching Reserves tuples. Assuming uniform distribution, 2.5 reservations per sailor ( $100,000 / 40,000$ ). Cost of retrieving them is 1 or 2.5 I/Os depending on whether the index is clustered.

# Block Nested Loops Join

- ❖ Use one page as an input buffer for scanning the inner S, one page as the output buffer, and use all remaining pages to hold “block” of outer R.
  - For each matching tuple  $r$  in R-block,  $s$  in S-page, add  $\langle r, s \rangle$  to result. Then read next R-block, scan S, etc.





# Examples of Block Nested Loops

- ❖ Cost: Scan of outer + #outer blocks \* scan of inner
  - #outer blocks =  $\lceil \# \text{ of pages of outer} / \text{blocksize} \rceil$
- ❖ With Reserves (R) as outer, and 100 pages of R:
  - Cost of scanning R is 1000 I/Os; a total of 10 *blocks*.
  - Per block of R, we scan Sailors (S); 10\*500 I/Os.
  - If space for just 90 pages of R, we would scan S 12 times.
- ❖ With 100-page block of Sailors as outer:
  - Cost of scanning S is 500 I/Os; a total of 5 blocks.
  - Per block of S, we scan Reserves; 5\*1000 I/Os.
- ❖ With sequential reads considered, analysis changes:  
may be best to divide buffers evenly between R and S.

# Sort-Merge Join $(R \bowtie_{i=j} S)$

- ❖ Sort R and S on the join column, then scan them to do a “merge” (on join col.), and output result tuples.
  - Advance scan of R until current R-tuple  $\geq$  current S tuple, then advance scan of S until current S-tuple  $\geq$  current R tuple; do this until current R tuple = current S tuple.
  - At this point, all R tuples with same value in  $R_i$  (*current R group*) and all S tuples with same value in  $S_j$  (*current S group*) match; output  $\langle r, s \rangle$  for all pairs of such tuples.
  - Then resume scanning R and S.
- ❖ R is scanned once; each S group is scanned once per matching R tuple. (Multiple scans of an S group are likely to find needed pages in buffer.)

# Example of Sort-Merge Join

<u>sid</u>	sname	rating	age	<u>sid</u>	<u>bid</u>	<u>day</u>	rname
22	dustin	7	45.0	28	103	12/4/96	guppy
28	yuppy	9	35.0	28	103	11/3/96	yuppy
31	lubber	8	55.5	31	101	10/10/96	dustin
44	guppy	5	35.0	31	102	10/12/96	lubber
58	rusty	10	35.0	31	101	10/11/96	lubber
				58	103	11/12/96	dustin


- ❖ **Cost:  $M \log M + N \log N + (M+N)$** 
  - The cost of scanning,  $M+N$ , could be  $M*N$  (very unlikely!)
- ❖ With 35, 100 or 300 buffer pages, both Reserves and Sailors can be sorted in 2 passes; total join cost: 7500.  
(BNL cost: 2500 to 15000 I/Os)

# Refinement of Sort-Merge Join


- ❖ We can combine the merging phases in the *sorting* of R and S with the merging required for the join.
  - With  $B > \sqrt{L}$ , where  $L$  is the size of the larger relation, using the sorting refinement that produces runs of length  $2B$  in Pass 0, #runs of each relation is  $< B/2$ .
  - Allocate 1 page per run of each relation, and ‘merge’ while checking the join condition.
  - **Cost:** read+write each relation in Pass 0 + read each relation in (only) merging pass (+ writing of result tuples).
  - In example, cost goes down from 7500 to 4500 I/Os.
- ❖ In practice, cost of sort-merge join, like the cost of external sorting, is *linear*.

# Hash-Join

❖ Partition both relations using hash fn **h**:  $R$  tuples in partition  $i$  will only match  $S$  tuples in partition  $i$ .



❖ Read in a partition of  $R$ , hash it using **h2** ( $\neq$  **h**!). Scan matching partition of  $S$ , search for matches.



# *Observations on Hash-Join*

- ❖ #partitions  $k < B-1$  (why?), and  $B-2 > \text{size of largest partition}$  to be held in memory. Assuming uniformly sized partitions, and maximizing  $k$ , we get:
  - $k = B-1$ , and  $M/(B-1) < B-2$ , i.e.,  $B$  must be  $> \sqrt{M}$
- ❖ If we build an in-memory hash table to speed up the matching of tuples, a little more memory is needed.
- ❖ If the hash function does not partition uniformly, one or more  $R$  partitions may not fit in memory. Can apply hash-join technique recursively to do the join of this  $R$ -partition with corresponding  $S$ -partition.

# Cost of Hash-Join

- ❖ In partitioning phase, read+write both relns;  $2(M+N)$ .  
In matching phase, read both relns;  $M+N$  I/Os.
- ❖ In our running example, this is a total of 4500 I/Os.
- ❖ Sort-Merge Join vs. Hash Join:
  - Given a minimum amount of memory (*what is this, for each?*) both have a cost of  $3(M+N)$  I/Os. Hash Join superior on this count if relation sizes differ greatly. Also, Hash Join shown to be highly parallelizable.
  - Sort-Merge less sensitive to data skew; result is sorted.

# General Join Conditions

- ❖ Equalities over several attributes (e.g., *R.sid=S.sid AND R.rname=S.sname*):
  - For Index NL, build index on *<sid, sname>* (if S is inner); or use existing indexes on *sid* or *sname*.
  - For Sort-Merge and Hash Join, sort/partition on combination of the two join columns.
- ❖ Inequality conditions (e.g., *R.rname < S.sname*):
  - For Index NL, need (clustered!) B+ tree index.
    - Range probes on inner; # matches likely to be much higher than for equality joins.
  - Hash Join, Sort Merge Join not applicable.
  - Block NL quite likely to be the best join method here.