

Linear Classifiers and Perceptrons

CS4780/5780 – Machine Learning
Fall 2013

Thorsten Joachims
Cornell University

Reading: Mitchell Chapter 4.4-4.4.2

Example: Spam Filtering

	viagra	learning	the	dating	nigeria	spam?
$\vec{x}_1 =$	(1	0	1	0	0)	$y_1 = -1$
$\vec{x}_2 =$	(0	1	1	0	0)	$y_2 = +1$
$\vec{x}_3 =$	(0	0	0	0	1)	$y_3 = -1$

- Instance Space X:
 - Feature vector of word occurrences => binary features
 - N features (N typically > 50000)
- Target Concept c:
 - Spam (-1) / Ham (+1)

Linear Classification Rules

- Hypotheses of the form
 - unbiased: $h_{\vec{w}}(\vec{x}) = \begin{cases} +1 & w_1x_1 + \dots + w_Nx_N > 0 \\ -1 & \text{else} \end{cases}$
 - biased: $h_{\vec{w},b}(\vec{x}) = \begin{cases} +1 & w_1x_1 + \dots + w_Nx_N + b > 0 \\ -1 & \text{else} \end{cases}$
 - Parameter vector \vec{w} , scalar b
- Hypothesis space H
 - $H_{unbiased} = \{ h_{\vec{w}} : \vec{w} \in \mathbb{R}^N \}$
 - $H_{biased} = \{ h_{\vec{w},b} : \vec{w} \in \mathbb{R}^N, b \in \mathbb{R} \}$
- Notation
 - $w_1x_1 + \dots + w_Nx_N = \vec{w} \cdot \vec{x}$ and $sign(a) = \begin{cases} +1 & a > 0 \\ -1 & \text{else} \end{cases}$
 - $h_{\vec{w}}(\vec{x}) = sign(\vec{w} \cdot \vec{x})$
 - $h_{\vec{w},b}(\vec{x}) = sign(\vec{w} \cdot \vec{x} + b)$

(Batch) Perceptron Algorithm

Input: $S = ((\vec{x}_1, y_1), \dots, (\vec{x}_n, y_n))$, $\vec{x}_i \in \mathbb{R}^N$, $y_i \in \{-1, 1\}$,
 $I \in [1, 2, \dots]$

Algorithm:

- $\vec{w}_0 = \vec{0}$, $k = 0$
- repeat
 - FOR $i=1$ TO n
 - * IF $y_i(\vec{w}_k \cdot \vec{x}_i) \leq 0$ ### makes mistake
 - $\vec{w}_{k+1} = \vec{w}_k + y_i\vec{x}_i$
 - $k = k + 1$
 - * ENDIF
 - ENDFOR
- until I iterations reached

Training Data:

	x_1	x_2	y
$\vec{x}_1 =$	(1	2)	$y_1 = 1$
$\vec{x}_2 =$	(2	1)	$y_2 = 1$
$\vec{x}_3 =$	(-1	-1)	$y_3 = -1$
$\vec{x}_4 =$	(-1	1)	$y_4 = -1$

Example: Reuters Text Classification

