

Blockchains and Auditing

Ethan Cecchetti

CS 5430

April 25, 2018


Blockchain: A public tamper-proof log

Publicly visible

Publicly writable

Unmodifiable

Useful for an audit log!




Preventing Tampering

Distribute Trust!




VS



Traditional Consensus

Members Vote




“Byzantine fault-tolerant
(BFT) consensus”

Tolerates $< 1/3$ faulty

Must know who
everyone is!

Sybil Attacks

What if anyone can join?



Defending against Sybil

Need a **scarce resource**

- BFT consensus uses identity – you only get one
- What else can we use?
 - Computational power (Proof of Work)
 - Money (Proof of Stake)

Computation as a scarce resource: Proof of Work

Proof of Work: The basics


Find x such that $\text{Hash}(x) < N$

This could take a while...

What about replays?

Add a nonce r

Look for $\text{Hash}(r \parallel x) < N$




Proof of Work: Building a log

Make the nonce useful

Use a message digest!


$$d = \text{Digest}(m)$$

Find x such that $\text{Hash}(d \parallel x) < N$



Proof of Work: Building a log


1. To add a message, generate a proof of work with that message
2. Connect each message to previous



Proof of Work: Coming to consensus

What can go wrong?

Forks



Take the heaviest fork
(one with the most work)

Nakamoto Consensus

- If majority of computation is honest, honest parties will agree (eventually)
- Log is tamper-proof
 - It would require redoing all of the work to tamper




Fig. 4.1 Byzantine forks.

Blockchains for Audit

- **Individual accountability**

- Everything is visible. Everyone is accountable.

- **Event reconstruction**

- All of the events are there. Easy to reconstruct.

- **Real-time intelligence**

- Miners can verify everything ~~as~~ it goes on the log.

before!

Not just a log!

Authoritative record

- Instead of logging events elsewhere, the blockchain can record the definition of events (e.g. transactions)
- Online validation can prevent illegal events from ever happening!

What restrictions make sense?

Transaction Processing System

- Each block has a limited number of transactions (1 MB)
- Transactions cannot create money
 - Except coinbase transaction to reward miner
- Coins can only be spent once (spending creates new unspent coins)
- To spend a coin conditions must be met (e.g., owner authorizes)




Bitcoin

Blockchains and Confidentiality

What do we do with private data?

Cannot put it on the blockchain – everything is public


Only publish commitments



What do we do with private data?

Cannot put it on the blockchain – everything is public

Only publish commitments

- Still tamper-proof ✓
 - No longer able to see actions
 - Cannot reconstruct events X
 - Cannot perform online validation X
- 

Doing better with private data


Verify data validity without leaking secrets

Ongoing research with two main tools

1. Heavy-duty cryptographic constructs
 - Complex zero-knowledge proofs
2. Trusted hardware
 - Places trust in hardware instead of crypto or a large group


Cryptographic Example: Solidus

Bank-base confidential transactions




Cryptographic Example: Solidus

Sending bank can see sender and value




Cryptographic Example: Solidus

Receiving bank can see recipient and value



Cryptographic Example: Solidus

Everyone can see banks involved



Cryptographic Example: Solidus

Strong publicly verifiable integrity guarantees

- Sender authorized transaction
- Sender had money to send
- Transaction value was not negative
- Transaction was processed correctly

Can (provably) furnish transaction details to external auditor

Trusted Hardware

Special machine instructions

Isolate process from the surrounding system

Can remotely attest that they're running specific code

Uses (literally) hard-wired keys in the CPU

Trustworthy code can operate on secret data and attest to correctness

Examples:

- Intel Software Guard eXtensions (SGX)
- ARM TrustZone