


CS5670: Computer Vision

Noah Snaveley

Lecture 10: Cameras




WWW.RUS-CAMERA.COM

Source: S. Lazebnik

Announcements


- Take-home midterm
 - To be distributed at the end of class this Wednesday, March 13
 - Due at the beginning of class on Wednesday, March 20
- Project 3: Panorama Stitching
 - Plan to release this week
 - Due on Friday, March 29

Can we use homographies to create a 360 panorama?




- In order to figure this out, we need to learn what a **camera** is

Image formation



- Let's design a camera
 - Idea 1: put a piece of film in front of an object
 - Do we get a reasonable image?
 - No. This is a bad camera.

Pinhole camera




- Add a barrier to block off most of the rays
 - This reduces blurring
 - The opening known as the **aperture**
 - How does this transform the image?


Camera Obscura



- Basic principle known to Mozi (470-390 BC), Aristotle (384-322 BC)
- Drawing aid for artists: described by Leonardo da Vinci (1452-1519)



Camera Obscura




Home-made pinhole camera




Why so
blurry?

Pinhole photography




Justin Quinnell, The Clifton Suspension Bridge. December 17th 2007 - June 21st 2008
6-month exposure

Shrinking the aperture




- Why not make the aperture as small as possible?
 - Less light gets through
 - *Diffraction* effects...

Shrinking the aperture



2 mm



1 mm



0.6mm



0.35 mm




0.15 mm




0.07 mm

Adding a lens



- A lens focuses light onto the film
 - There is a specific distance at which objects are “in focus”
 - other points project to a “circle of confusion” in the image
 - Changing the shape of the lens changes this distance

The eye



- The human eye is a camera
 - **Iris** - colored annulus with radial muscles
 - **Pupil** - the hole (aperture) whose size is controlled by the iris
 - What's the "film"?
 - photoreceptor cells (rods and cones) in the **retina**





Top row: 1 Bengal tiger. 2 Asian elephant. 3 Zebra. 4 Chimpanzee. 5 Flamingo.

Second row: 1 Domestic cat. 2 Hairless sphynx cat. 3 Grey wolf. 4 Booby eagle. 5 Iguana.



Third row: 1 Macaw. 2 Jaguar. 3 Rabbit. 4 Cheetah 5 Horse.

Fourth row: 1 Lioness. 2 Bearded dragon (a type of lizard). 3 Leaf-tailed gecko. 4 Macaroni penguin. 5 Alligator.

Fifth row: 1 Great horned owl. 2 Mountain lion. 3 Boa constrictor. 4 Pufferfish. 5 African crested crane.



Eyes in nature: eyespots to pinhole




Projection



Projection




Müller-Lyer Illusion




http://www.michaelbach.de/ot/size_muelue/index.html

Modeling projection



- The coordinate system
 - We will use the pinhole model as an approximation
 - Put the optical center (**C**enter **O**f **P**rojection) at the origin
 - Put the image plane (**P**rojection **P**lane) *in front* of the COP
 - Why?
 - The camera looks down the *negative* z axis
 - we like this if we want right-handed-coordinates

Modeling projection



- **Projection equations**

- Compute intersection with PP of ray from (x,y,z) to COP
- Derived using similar triangles (on board)

$$(x, y, z) \rightarrow \left(-d\frac{x}{z}, -d\frac{y}{z}, -d\right)$$

- We get the projection by throwing out the last coordinate:

$$(x, y, z) \rightarrow \left(-d\frac{x}{z}, -d\frac{y}{z}\right)$$

Modeling projection

- Is this a linear transformation?
 - no—division by z is nonlinear

Homogeneous coordinates to the rescue—again!

$$(x, y) \Rightarrow \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

homogeneous image
coordinates

$$(x, y, z) \Rightarrow \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

homogeneous scene
coordinates

Converting *from* homogeneous coordinates

$$\begin{bmatrix} x \\ y \\ w \end{bmatrix} \Rightarrow (x/w, y/w)$$

$$\begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix} \Rightarrow (x/w, y/w, z/w)$$

Perspective Projection

Projection is a matrix multiply using homogeneous coordinates:

$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & -1/d & 0 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} = \begin{bmatrix} x \\ y \\ -z/d \end{bmatrix} \Rightarrow \left(-d\frac{x}{z}, -d\frac{y}{z}\right)$$

divide by third coordinate

This is known as **perspective projection**

- The matrix is the **projection matrix**
- (Can also represent as a 4x4 matrix – OpenGL does something like this)

Perspective Projection


- How does scaling the projection matrix change the transformation?

$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & -1/d & 0 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} = \begin{bmatrix} x \\ y \\ -z/d \end{bmatrix} \Rightarrow \left(-d\frac{x}{z}, -d\frac{y}{z}\right)$$

$$\begin{bmatrix} -d & 0 & 0 & 0 \\ 0 & -d & 0 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} = \begin{bmatrix} -dx \\ -dy \\ z \end{bmatrix} \Rightarrow \left(-d\frac{x}{z}, -d\frac{y}{z}\right)$$


Orthographic projection

- Special case of perspective projection
 - Distance from the COP to the PP is infinite




$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} = \begin{bmatrix} x \\ y \\ 1 \end{bmatrix} \Rightarrow (x, y)$$

Orthographic projection



Perspective projection



Variants of orthographic projection

- Scaled orthographic
 - Also called “weak perspective”


$$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1/d \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} = \begin{bmatrix} x \\ y \\ 1/d \end{bmatrix} \Rightarrow (dx, dy)$$

- Affine projection
 - Also called “paraperspective”

$$\begin{bmatrix} a & b & c & d \\ e & f & g & h \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$


Dimensionality Reduction Machine (3D to 2D)

3D world



Point of observation

2D image



What have we lost?



- Angles
- Distances (lengths)

Projection properties

- Many-to-one: any points along same ray map to same point in image
- Points \rightarrow points
- Lines \rightarrow lines (collinearity is preserved)
 - But line through focal point projects to a point
- Planes \rightarrow planes (or half-planes)
 - But plane through focal point projects to line

Projection properties


- Parallel lines converge at a vanishing point
 - Each direction in space has its own vanishing point
 - But parallels parallel to the image plane remain parallel



Questions?

Camera parameters


- How can we model the geometry of a camera?



Two important coordinate systems:

1. *World* coordinate system
2. *Camera* coordinate system

How do we project a given point (x, y, z) in world coordinates?



Camera parameters

- To project a point (x,y,z) in *world* coordinates into a camera
- First transform (x,y,z) into *camera* coordinates
- Need to know
 - Camera position (in world coordinates)
 - Camera orientation (in world coordinates)
- Then project into the image plane to get a pixel coordinate
 - Need to know camera *intrinsics*


Camera parameters

A camera is described by several parameters

- Translation **T** of the optical center from the origin of world coords
- Rotation **R** of the image plane
- focal length **f**, principal point (x'_c, y'_c) , pixel size (s_x, s_y)
- blue parameters are called “**extrinsics**,” red are “**intrinsics**”

Projection equation

$$\mathbf{X} = \begin{bmatrix} sx \\ sy \\ s \end{bmatrix} = \begin{bmatrix} * & * & * & * \\ * & * & * & * \\ * & * & * & * \end{bmatrix} \begin{bmatrix} X \\ Y \\ Z \\ 1 \end{bmatrix} = \mathbf{\Pi} \mathbf{X}$$




- The projection matrix models the cumulative effect of all parameters
- Useful to decompose into a series of operations

$$\mathbf{\Pi} = \underbrace{\begin{bmatrix} -fs_x & 0 & x'_c \\ 0 & -fs_y & y'_c \\ 0 & 0 & 1 \end{bmatrix}}_{\text{intrinsics}} \underbrace{\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}}_{\text{projection}} \underbrace{\begin{bmatrix} \mathbf{R}_{3 \times 3} & \mathbf{0}_{3 \times 1} \\ \mathbf{0}_{1 \times 3} & 1 \end{bmatrix}}_{\text{rotation}} \underbrace{\begin{bmatrix} \mathbf{I}_{3 \times 3} & \mathbf{T}_{3 \times 1} \\ \mathbf{0}_{1 \times 3} & 1 \end{bmatrix}}_{\text{translation}}$$

identity matrix


- The definitions of these parameters are **not** completely standardized
 - especially intrinsics—varies from one book to another

Projection matrix




Extrinsics

- How do we get the camera to “canonical form”?
 - (Center of projection at the origin, x-axis points right, y-axis points up, z-axis points backwards)




Step 1: Translate by $-c$



Extrinsics

- How do we get the camera to “canonical form”?
 - (Center of projection at the origin, x-axis points right, y-axis points up, z-axis points backwards)




Step 1: Translate by $-\mathbf{c}$

How do we represent translation as a matrix multiplication?

$$\mathbf{T} = \begin{bmatrix} \mathbf{I}_{3 \times 3} & -\mathbf{c} \\ 0 & 0 & 0 & 1 \end{bmatrix}$$


Extrinsics

- How do we get the camera to “canonical form”?
 - (Center of projection at the origin, x-axis points right, y-axis points up, z-axis points backwards)



Extrinsics

- How do we get the camera to “canonical form”?
 - (Center of projection at the origin, x-axis points right, y-axis points up, z-axis points backwards)



Step 1: Translate by $-\mathbf{c}$
Step 2: Rotate by \mathbf{R}

$$\mathbf{R} = \begin{bmatrix} \mathbf{u}^T \\ \mathbf{v}^T \\ \mathbf{w}^T \end{bmatrix}$$

(with extra row/column of $[0 \ 0 \ 0 \ 1]$)

Perspective projection

$$\underbrace{\begin{bmatrix} -f & 0 & 0 \\ 0 & -f & 0 \\ 0 & 0 & 1 \end{bmatrix}}_{\mathbf{K}} \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}$$

K
(intrinsics)

(converts from 3D rays in camera
coordinate system to pixel coordinates)

$$\text{in general, } \mathbf{K} = \begin{bmatrix} -f & s & c_x \\ 0 & -\alpha f & c_y \\ 0 & 0 & 1 \end{bmatrix} \quad \begin{matrix} \text{(upper triangular} \\ \text{matrix)} \end{matrix}$$

α : **aspect ratio** (1 unless pixels are not square)

s : **skew** (0 unless pixels are shaped like rhombi/parallelograms)

(c_x, c_y) : **principal point** ((0,0) unless optical axis doesn't intersect projection plane at origin)

Focal length

- Can think of as “zoom”



24mm



50mm



200mm




800mm



- Also related to *field of view*


Field of view

APS-C Crop Body Measurement Table



Lens	After 1.62 Multiplier	APS-C Sensor (1.62 lens multiplier) Canon 60D, 7D, 70D, T3i, T4i	Hand Positions
18mm	29.16mm	Three hands wide at full arms length.	 <small>18mm Lens on Canon APS-C Sensor = 29.16mm Frame Width = Three Hands Wide at Full Arms Length</small>
28mm	45.36mm	Slightly less than two hands wide at full arms length.	 <small>28mm Lens on Canon APS-C Sensor = 45.36mm Frame Width = Slightly Less Than Two Hands Wide at Full Arms Length</small>
35mm	56.7mm	One hand + width of one fist at full arms length.	 <small>35mm Lens on Canon APS-C Sensor = 56.7mm Frame Width = One Hand + Width of One Fist at Full Arms Length</small>
50mm	81mm	One hand wide + width of thumb at full arms length.	 <small>50mm Lens on Canon APS-C Sensor = 81mm Frame Width = One Hand + Width of Thumb at Full Arms Length</small>
55mm	89.1mm	Slightly less than one hand wide at full arms length.	 <small>55mm Lens on Canon APS-C Sensor = 89.1mm Frame Width = Slightly Less Than One Hand at Full Arms Length</small>
85mm	137.7mm	Inside edge of thumb to tip of forefinger wide with hand in "L" shape, thumb up.	 <small>85mm Lens on Canon APS-C Sensor = 137.7mm Frame Width = Inside Edge of Thumb to Tip of Forefinger Wide with Hand in "L" Shape, Thumb Up</small>

Focal length in practice



24mm




50mm



135mm




Focal length = cropping



24mm



50mm




135mm



Focal length vs. viewpoint

- Telephoto makes it easier to select background (a small change in viewpoint is a big change in background).



Grand-angle 24 mm



Normal 50 mm



Longue focale 135 mm



Fredo Durand



Wide angle



Standard



Telephoto



Projection matrix

$$\mathbf{\Pi} = \underset{\text{intrinsics}}{\mathbf{K}} \underbrace{\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix} \begin{bmatrix} \mathbf{R} & \begin{matrix} 0 \\ 0 \\ 0 \end{matrix} \\ \begin{matrix} 0 & 0 & 0 \end{matrix} & 1 \end{bmatrix} \begin{bmatrix} \mathbf{I}_{3 \times 3} & -\mathbf{c} \\ \begin{matrix} 0 & 0 & 0 \end{matrix} & 1 \end{bmatrix}}_{\text{projection rotation translation}}$$

The \mathbf{K} matrix converts 3D rays in the camera's coordinate system to 2D image points in image (pixel) coordinates.

This part converts 3D points in world coordinates to 3D rays in the camera's coordinate system. There are 6 parameters represented (3 for position/translation, 3 for rotation).

Projection matrix

$$\mathbf{\Pi} = \mathbf{K} \underbrace{\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}}_{\text{projection}} \underbrace{\begin{bmatrix} \mathbf{R} & \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix} \\ 0 & 0 & 0 & 1 \end{bmatrix}}_{\text{rotation}} \underbrace{\begin{bmatrix} \mathbf{I}_{3 \times 3} & -\mathbf{c} \\ 0 & 0 & 0 & 1 \end{bmatrix}}_{\text{translation}}$$


$$\left[\mathbf{R} \mid \underbrace{-\mathbf{R}\mathbf{c}} \right]$$

(\mathbf{t} in book's notation)



$$\mathbf{\Pi} = \mathbf{K} \left[\mathbf{R} \mid -\mathbf{R}\mathbf{c} \right]$$

Projection matrix



Questions?


Perspective distortion

- Problem for architectural photography: converging verticals




Perspective distortion


- Problem for architectural photography: converging verticals



Tilting the camera upwards results in converging verticals





Keeping the camera level, with an ordinary lens, captures only the bottom portion of the building



Shifting the lens upwards results in a picture of the entire subject

- Solution: view camera (lens shifted w.r.t. film)



Perspective distortion

- Problem for architectural photography: converging verticals
- Result:



Perspective distortion

- What does a sphere project to?






Image source: F. Durand

Perspective distortion


- The exterior columns appear bigger
- The distortion is not due to lens flaws
- Problem pointed out by Da Vinci



Perspective distortion: People



Distortion



- Radial distortion of the image
 - Caused by imperfect lenses
 - Deviations are most noticeable for rays that pass through the edge of the lens






Correcting radial distortion



from [Helmut Dersch](#)

Distortion



Modeling distortion

Project $(\hat{x}, \hat{y}, \hat{z})$
to “normalized”
image coordinates

$$x'_n = \hat{x} / \hat{z}$$
$$y'_n = \hat{y} / \hat{z}$$

Apply radial distortion

$$r^2 = x_n'^2 + y_n'^2$$
$$x'_d = x'_n(1 + \kappa_1 r^2 + \kappa_2 r^4)$$
$$y'_d = y'_n(1 + \kappa_1 r^2 + \kappa_2 r^4)$$

Apply focal length
translate image center

$$x' = f x'_d + x_c$$
$$y' = f y'_d + y_c$$

- To model lens distortion
 - Use above projection operation instead of standard projection matrix multiplication

Other types of projection

- Lots of intriguing variants...
- (I'll just mention a few fun ones)

360 degree field of view...



- Basic approach

- Take a photo of a parabolic mirror with an orthographic lens (Nayar)
- Or buy one a lens from a variety of omnicam manufacturers...
 - See <http://www.cis.upenn.edu/~kostas/omni.html>

Tilt-shift




http://www.northlight-images.co.uk/article_pages/tilt_and_shift_ts-e.html



Tilt-shift images from [Olivo Barbieri](#)
and Photoshop [imitations](#)

Rotating sensor (or object)



Rollout Photographs © Justin Kerr

<http://research.famsi.org/kerrmaya.html>

Also known as “cyclographs”, “peripheral images”