

Lecture 2

Strings and Sets

Decision Problems Versus Functions

A *decision problem* is a function with a one-bit output: “yes” or “no.” To specify a decision problem, one must specify

- the set A of possible inputs, and
- the subset $B \subseteq A$ of “yes” instances.

For example, to decide if a given graph is connected, the set of possible inputs is the set of all (encodings of) graphs, and the “yes” instances are the connected graphs. To decide if a given number is a prime, the set of possible inputs is the set of all (binary encodings of) integers, and the “yes” instances are the primes.

In this course we will mostly consider decision problems as opposed to functions with more general outputs. We do this for mathematical simplicity and because the behavior we want to study is already present at this level.

Strings

Now to our first abstraction: we will always take the set of possible inputs to a decision problem to be the set of finite-length strings over some fixed finite

alphabet (formal definitions below). We do this for uniformity and simplicity. Other types of data—graphs, the natural numbers $\mathbb{N} = \{0, 1, 2, \dots\}$, trees, even programs—can be encoded naturally as strings. By making this abstraction, we have to deal with only one data type and a few basic operations.

Definition 2.1

- An *alphabet* is any finite set. For example, we might use the alphabet $\{0, 1, 2, \dots, 9\}$ if we are talking about decimal numbers; the set of all ASCII characters if talking about text; $\{0, 1\}$ if talking about bit strings. The only restriction is that the alphabet be finite. When speaking about an arbitrary finite alphabet abstractly, we usually denote it by the Greek letter Σ . We call elements of Σ *letters* or *symbols* and denote them by a, b, c, \dots . We usually do not care at all about the nature of the elements of Σ , only that there are finitely many of them.
- A *string* over Σ is any finite-length sequence of elements of Σ . Example: if $\Sigma = \{a, b\}$, then $aabab$ is a string over Σ of length five. We use x, y, z, \dots to refer to strings.
- The *length* of a string x is the number of symbols in x . The length of x is denoted $|x|$. For example, $|aabab| = 5$.
- There is a unique string of length 0 over Σ called the *null string* or *empty string* and denoted by ϵ (Greek epsilon, not to be confused with the symbol for set containment \in). Thus $|\epsilon| = 0$.
- We write a^n for a string of a 's of length n . For example, $a^5 = aaaaa$, $a^1 = a$, and $a^0 = \epsilon$. Formally, a^n is defined inductively:

$$\begin{aligned} a^0 &\stackrel{\text{def}}{=} \epsilon, \\ a^{n+1} &\stackrel{\text{def}}{=} a^n a. \end{aligned}$$

- The set of all strings over alphabet Σ is denoted Σ^* . For example,

$$\begin{aligned} \{a, b\}^* &= \{\epsilon, a, b, aa, ab, ba, bb, aaa, aab, \dots\}, \\ \{a\}^* &= \{\epsilon, a, aa, aaa, aaaa, \dots\} \\ &= \{a^n \mid n \geq 0\}. \end{aligned} \quad \square$$

By convention, we take

$$\emptyset^* \stackrel{\text{def}}{=} \{\epsilon\},$$

where \emptyset denotes the empty set. This may seem a bit strange, but there is good mathematical justification for it, which will become apparent shortly. If Σ is nonempty, then Σ^* is an infinite set of finite-length strings. Be careful not to confuse strings and sets. We won't see any infinite strings

until much later in the course. Here are some differences between strings and sets:

- $\{a, b\} = \{b, a\}$, but $ab \neq ba$;
- $\{a, a, b\} = \{a, b\}$, but $aab \neq ab$.

Note also that \emptyset , $\{\epsilon\}$, and ϵ are three different things. The first is a set with no elements; the second is a set with one element, namely ϵ ; and the last is a string, not a set.

Operations on Strings

The operation of *concatenation* takes two strings x and y and makes a new string xy by putting them together end to end. The string xy is called the *concatenation* of x and y . Note that xy and yx are different in general. Here are some useful properties of concatenation.

- concatenation is *associative*: $(xy)z = x(yz)$;
- the null string ϵ is an *identity* for concatenation: $\epsilon x = x\epsilon = x$;
- $|xy| = |x| + |y|$.

A special case of the last equation is $a^m a^n = a^{m+n}$ for all $m, n \geq 0$.

A *monoid* is any algebraic structure consisting of a set with an associative binary operation and an identity for that operation. By our definitions above, the set Σ^* with string concatenation as the binary operation and ϵ as the identity is a monoid. We will see some other examples later in the course.

Definition 2.2

- We write x^n for the string obtained by concatenating n copies of x . For example, $(aab)^5 = aabaabaabaabaab$, $(aab)^1 = aab$, and $(aab)^0 = \epsilon$. Formally, x^n is defined inductively:

$$\begin{aligned} x^0 &\stackrel{\text{def}}{=} \epsilon, \\ x^{n+1} &\stackrel{\text{def}}{=} x^n x. \end{aligned}$$

- If $a \in \Sigma$ and $x \in \Sigma^*$, we write $\#a(x)$ for the number of a 's in x . For example, $\#0(001101001000) = 8$ and $\#1(00000) = 0$.
- A *prefix* of a string x is an initial substring of x ; that is, a string y for which there exists a string z such that $x = yz$. For example, $abaab$ is a prefix of $abaababa$. The null string is a prefix of every string, and every string is a prefix of itself. A prefix y of x is a *proper* prefix of x if $y \neq \epsilon$ and $y \neq x$. \square

Operations on Sets

We usually denote sets of strings (subsets of Σ^*) by A, B, C, \dots . The *cardinality* (number of elements) of set A is denoted $|A|$. The empty set \emptyset is the unique set of cardinality 0.

Let's define some useful operations on sets. Some of these you have probably seen before, some probably not.

- *Set union:*

$$A \cup B \stackrel{\text{def}}{=} \{x \mid x \in A \text{ or } x \in B\}.$$

In other words, x is in the union of A and B iff¹ either x is in A or x is in B . For example, $\{a, ab\} \cup \{ab, aab\} = \{a, ab, aab\}$.

- *Set intersection:*

$$A \cap B \stackrel{\text{def}}{=} \{x \mid x \in A \text{ and } x \in B\}.$$

In other words, x is in the intersection of A and B iff x is in both A and B . For example, $\{a, ab\} \cap \{ab, aab\} = \{ab\}$.

- *Complement in Σ^* :*

$$\sim A \stackrel{\text{def}}{=} \{x \in \Sigma^* \mid x \notin A\}.$$

For example,

$$\sim \{\text{strings in } \Sigma^* \text{ of even length}\} = \{\text{strings in } \Sigma^* \text{ of odd length}\}.$$

Unlike \cup and \cap , the definition of \sim depends on Σ^* . The set $\sim A$ is sometimes denoted $\Sigma^* - A$ to emphasize this dependence.

- *Set concatenation:*

$$AB \stackrel{\text{def}}{=} \{xy \mid x \in A \text{ and } y \in B\}.$$

In other words, z is in AB iff z can be written as a concatenation of two strings x and y , where $x \in A$ and $y \in B$. For example, $\{a, ab\}\{b, ba\} = \{ab, aba, abb, abba\}$. When forming a set concatenation, you include *all* strings that can be obtained in this way. Note that AB and BA are different sets in general. For example, $\{b, ba\}\{a, ab\} = \{ba, bab, baa, baab\}$.

¹iff = if and only if.

- The *powers* A^n of a set A are defined inductively as follows:

$$\begin{aligned} A^0 &\stackrel{\text{def}}{=} \{\epsilon\}, \\ A^{n+1} &\stackrel{\text{def}}{=} AA^n. \end{aligned}$$

In other words, A^n is formed by concatenating n copies of A together. Taking $A^0 = \{\epsilon\}$ makes the property $A^{m+n} = A^m A^n$ hold, even when one of m or n is 0. For example,

$$\begin{aligned} \{ab, aab\}^0 &= \{\epsilon\}, \\ \{ab, aab\}^1 &= \{ab, aab\}, \\ \{ab, aab\}^2 &= \{abab, abaab, aabab, aabaab\}, \\ \{ab, aab\}^3 &= \{ababab, ababaab, abaabab, aababab, \\ &\quad abaabaab, aababaab, aabaabab, aabaabaab\}. \end{aligned}$$

Also,

$$\begin{aligned} \{a, b\}^n &= \{x \in \{a, b\}^* \mid |x| = n\} \\ &= \{\text{strings over } \{a, b\} \text{ of length } n\}. \end{aligned}$$

- The *asterate* A^* of a set A is the union of all finite powers of A :

$$\begin{aligned} A^* &\stackrel{\text{def}}{=} \bigcup_{n \geq 0} A^n \\ &= A^0 \cup A^1 \cup A^2 \cup A^3 \cup \dots \end{aligned}$$

Another way to say this is

$$A^* = \{x_1 x_2 \cdots x_n \mid n \geq 0 \text{ and } x_i \in A, 1 \leq i \leq n\}.$$

Note that n can be 0; thus the null string ϵ is in A^* for any A .

We previously defined Σ^* to be the set of all finite-length strings over the alphabet Σ . This is exactly the asterate of the set Σ , so our notation is consistent.

- We define A^+ to be the union of all *nonzero* powers of A :

$$A^+ \stackrel{\text{def}}{=} AA^* = \bigcup_{n \geq 1} A^n.$$

Here are some useful properties of these set operations:

- Set union, set intersection, and set concatenation are *associative*:

$$\begin{aligned}(A \cup B) \cup C &= A \cup (B \cup C), \\ (A \cap B) \cap C &= A \cap (B \cap C), \\ (AB)C &= A(BC).\end{aligned}$$

- Set union and set intersection are *commutative*:

$$\begin{aligned}A \cup B &= B \cup A, \\ A \cap B &= B \cap A.\end{aligned}$$

As noted above, set concatenation is not.

- The null set \emptyset is an *identity* for \cup :

$$A \cup \emptyset = \emptyset \cup A = A.$$

- The set $\{\epsilon\}$ is an identity for set concatenation:

$$\{\epsilon\}A = A\{\epsilon\} = A.$$

- The null set \emptyset is an *annihilator* for set concatenation:

$$A\emptyset = \emptyset A = \emptyset.$$

- Set union and intersection *distribute* over each other:

$$\begin{aligned}A \cup (B \cap C) &= (A \cup B) \cap (A \cup C), \\ A \cap (B \cup C) &= (A \cap B) \cup (A \cap C).\end{aligned}$$

- Set concatenation distributes over union:

$$\begin{aligned}A(B \cup C) &= AB \cup AC, \\ (A \cup B)C &= AC \cup BC.\end{aligned}$$

In fact, concatenation distributes over the union of any family of sets. If $\{B_i \mid i \in I\}$ is any family of sets indexed by another set I , finite or infinite, then

$$\begin{aligned}A\left(\bigcup_{i \in I} B_i\right) &= \bigcup_{i \in I} AB_i, \\ \left(\bigcup_{i \in I} B_i\right)A &= \bigcup_{i \in I} B_i A.\end{aligned}$$

Here $\bigcup_{i \in I} B_i$ denotes the union of all the sets B_i for $i \in I$. An element x is in this union iff it is in one of the B_i .

Set concatenation does *not* distribute over intersection. For example, take $A = \{a, ab\}$, $B = \{b\}$, $C = \{\epsilon\}$, and see what you get when you compute $A(B \cap C)$ and $AB \cap AC$.

- The *De Morgan laws* hold:

$$\sim(A \cup B) = \sim A \cap \sim B,$$

$$\sim(A \cap B) = \sim A \cup \sim B.$$

- The asterate operation $*$ satisfies the following properties:

$$A^*A^* = A^*,$$

$$A^{**} = A^*,$$

$$A^* = \{\epsilon\} \cup AA^* = \{\epsilon\} \cup A^*A,$$

$$\emptyset^* = \{\epsilon\}.$$

Lecture 3

Finite Automata and Regular Sets

States and Transitions

Intuitively, a *state* of a system is an instantaneous description of that system, a snapshot of reality frozen in time. A state gives all relevant information necessary to determine how the system can evolve from that point on. *Transitions* are changes of state; they can happen spontaneously or in response to external inputs.

We assume that state transitions are instantaneous. This is a mathematical abstraction. In reality, transitions usually take time. Clock cycles in digital computers enforce this abstraction and allow us to treat computers as digital instead of analog devices.

There are innumerable examples of state transition systems in the real world: electronic circuits, digital watches, elevators, Rubik's cube ($54!/9!^6$ states and 12 transitions, not counting peeling the little sticky squares off), the game of Life (2^k states on a screen with k cells, one transition).

A system that consists of only finitely many states and transitions among them is called a *finite-state transition system*. We model these abstractly by a mathematical model called a *finite automaton*.

Finite Automata

Formally, a *deterministic finite automaton* (DFA) is a structure

$$M = (Q, \Sigma, \delta, s, F),$$

where

- Q is a finite set; elements of Q are called *states*;
- Σ is a finite set, the *input alphabet*;
- $\delta : Q \times \Sigma \rightarrow Q$ is the *transition function* (recall that $Q \times \Sigma$ is the set of ordered pairs $\{(q, a) \mid q \in Q \text{ and } a \in \Sigma\}$). Intuitively, δ is a function that tells which state to move to in response to an input: if M is in state q and sees input a , it moves to state $\delta(q, a)$.
- $s \in Q$ is the *start state*;
- F is a subset of Q ; elements of F are called *accept* or *final states*.

When you specify a finite automaton, you must give all five parts. Automata may be specified in this set-theoretic form or as a transition diagram or table as in the following example.


Example 3.1 Here is an example of a simple four-state finite automaton. We'll take the set of states to be $\{0, 1, 2, 3\}$; the input alphabet to be $\{a, b\}$; the start state to be 0; the set of accept states to be $\{3\}$; and the transition function to be

$$\begin{aligned} \delta(0, a) &= 1, \\ \delta(1, a) &= 2, \\ \delta(2, a) &= \delta(3, a) = 3, \\ \delta(q, b) &= q, \quad q \in \{0, 1, 2, 3\}. \end{aligned}$$

All parts of the automaton are completely specified. We can also specify the automaton by means of a table

\rightarrow	0	<table style="border-collapse: collapse; margin: 0 auto;"> <tr> <td style="padding: 0 5px;">a</td> <td style="padding: 0 5px;">b</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">1</td> <td style="padding: 0 5px;">0</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">2</td> <td style="padding: 0 5px;">1</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">3</td> <td style="padding: 0 5px;">2</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">3F</td> <td style="padding: 0 5px;">3</td> </tr> </table>	a	b	1	0	2	1	3	2	3F	3
a	b											
1	0											
2	1											
3	2											
3F	3											

or transition diagram



The final states are indicated by an F in the table and by a circle in the transition diagram. In both, the start state is indicated by \rightarrow . The states in the transition diagram from left to right correspond to the states 0, 1, 2, 3 in the table. One advantage of transition diagrams is that you don't have to name the states. \square

Another convenient representation of finite automata is transition matrices; see Miscellaneous Exercise 7.

Informally, here is how a finite automaton operates. An input can be any string $x \in \Sigma^*$. Put a pebble down on the start state s . Scan the input string x from left to right, one symbol at a time, moving the pebble according to δ : if the next symbol of x is b and the pebble is on state q , move the pebble to $\delta(q, b)$. When we come to the end of the input string, the pebble is on some state p . The string x is said to be *accepted* by the machine M if $p \in F$ and *rejected* if $p \notin F$. There is no formal mechanism for scanning or moving the pebble; these are just intuitive devices.

For example, the automaton of Example 3.1, beginning in its start state 0, will be in state 3 after scanning the input string $baabbaab$, so that string is accepted; however, it will be in state 2 after scanning the string $babbbab$, so that string is rejected. For this automaton, a moment's thought reveals that when scanning any input string, the automaton will be in state 0 if it has seen no a 's, state 1 if it has seen one a , state 2 if it has seen two a 's, and state 3 if it has seen three or more a 's.

This is how we do formally what we just described informally above. We first define a function

$$\widehat{\delta}: Q \times \Sigma^* \rightarrow Q$$

from δ by induction on the length of x :

$$\widehat{\delta}(q, \epsilon) \stackrel{\text{def}}{=} q, \tag{3.1}$$

$$\widehat{\delta}(q, xa) \stackrel{\text{def}}{=} \delta(\widehat{\delta}(q, x), a). \tag{3.2}$$

The function $\widehat{\delta}$ maps a state q and a string x to a new state $\widehat{\delta}(q, x)$. Intuitively, $\widehat{\delta}$ is the multistep version of δ . The state $\widehat{\delta}(q, x)$ is the state M ends up in when started in state q and fed the input x , moving in response to each symbol of x according to δ . Equation (3.1) is the basis of the inductive definition; it says that the machine doesn't move anywhere under the null input. Equation (3.2) is the induction step; it says that the state reachable from q under input string xa is the state reachable from p under input symbol a , where p is the state reachable from q under input string x .

Note that the second argument to $\widehat{\delta}$ can be any string in Σ^* , not just a string of length one as with δ ; but $\widehat{\delta}$ and δ agree on strings of length one:

$$\begin{aligned}\widehat{\delta}(q, a) &= \widehat{\delta}(q, \epsilon a) && \text{since } a = \epsilon a \\ &= \delta(\widehat{\delta}(q, \epsilon), a) && \text{by (3.2), taking } x = \epsilon \\ &= \delta(q, a) && \text{by (3.1)}.\end{aligned}$$

Formally, a string x is said to be *accepted* by the automaton M if

$$\widehat{\delta}(s, x) \in F$$

and *rejected* by the automaton M if

$$\widehat{\delta}(s, x) \notin F,$$

where s is the start state and F is the set of accept states. This captures formally the intuitive notion of acceptance and rejection described above.

The *set* or *language accepted by M* is the set of all strings accepted by M and is denoted $L(M)$:

$$L(M) \stackrel{\text{def}}{=} \{x \in \Sigma^* \mid \widehat{\delta}(s, x) \in F\}.$$

A subset $A \subseteq \Sigma^*$ is said to be *regular* if $A = L(M)$ for some finite automaton M . The set of strings accepted by the automaton of Example 3.1 is the set

$$\{x \in \{a, b\}^* \mid x \text{ contains at least three } a\text{'s}\},$$


so this is a regular set.

Example 3.2 Here is another example of a regular set and a finite automaton accepting it. Consider the set

$$\begin{aligned}\{xaaaay \mid x, y \in \{a, b\}^*\} \\ = \{x \in \{a, b\}^* \mid x \text{ contains a substring of three consecutive } a\text{'s}\}.\end{aligned}$$

For example, *baabaaaab* is in the set and should be accepted, whereas *babbabab* is not in the set and should be rejected (because the three *a*'s are not consecutive). Here is an automaton for this set, specified in both table and transition diagram form:

		a	b
→	0	1	0
	1	2	0
	2	3	0
	3F	3	3



□

The idea here is that you use the states to count the number of consecutive a 's you have seen. If you haven't seen three a 's in a row and you see a b , you must go back to the start. Once you have seen three a 's in a row, though, you stay in the accept state.

Lecture 4

More on Regular Sets

Here is another example of a regular set that is a little harder than the example given last time. Consider the set

$$\{x \in \{0,1\}^* \mid x \text{ represents a multiple of three in binary}\} \quad (4.1)$$

(leading zeros permitted, ϵ represents the number 0). For example, the following binary strings represent multiples of three and should be accepted:

<i>Binary</i>	<i>Decimal equivalent</i>
0	0
11	3
110	6
1001	9
1100	12
1111	15
10010	18
⋮	⋮

Strings not representing multiples of three should be rejected. Here is an automaton accepting the set (4.1):

$$\rightarrow \mathbf{0F} \begin{array}{c|cc} & \mathbf{0} & \mathbf{1} \\ \mathbf{0} & \mathbf{0} & \mathbf{1} \\ \mathbf{1} & \mathbf{2} & \mathbf{0} \\ \mathbf{2} & \mathbf{1} & \mathbf{2} \end{array}$$

The states **0**, **1**, **2** are written in boldface to distinguish them from the input symbols 0, 1.



In the diagram, the states are **0**, **1**, **2** from left to right. We prove that this automaton accepts exactly the set (4.1) by induction on the length of the input string. First we associate a meaning to each state:

<i>if the number represented by the string scanned so far is¹</i>	<i>then the machine will be in state</i>
$0 \bmod 3$	0
$1 \bmod 3$	1
$2 \bmod 3$	2

Let $\#x$ denote the number represented by string x in binary. For example,

$$\begin{aligned} \#\epsilon &= 0, \\ \#0 &= 0, \\ \#11 &= 3, \\ \#100 &= 4, \end{aligned}$$

and so on. Formally, we want to show that for any string x in $\{0, 1\}^*$,

$$\begin{aligned} \widehat{\delta}(\mathbf{0}, x) = \mathbf{0} &\quad \text{iff} \quad \#x \equiv 0 \bmod 3, \\ \widehat{\delta}(\mathbf{0}, x) = \mathbf{1} &\quad \text{iff} \quad \#x \equiv 1 \bmod 3, \\ \widehat{\delta}(\mathbf{0}, x) = \mathbf{2} &\quad \text{iff} \quad \#x \equiv 2 \bmod 3, \end{aligned} \tag{4.2}$$

or in short,

$$\widehat{\delta}(\mathbf{0}, x) = \#x \bmod 3. \tag{4.3}$$

This will be our induction hypothesis. The final result we want, namely (4.2), is a weaker consequence of (4.3), but we need the more general statement (4.3) for the induction hypothesis.

We have by elementary number theory that

$$\begin{aligned} \#(x0) &= 2(\#x) + 0, \\ \#(x1) &= 2(\#x) + 1, \end{aligned}$$

¹Here $a \bmod n$ denotes the remainder when dividing a by n using ordinary integer division. We also write $a \equiv b \bmod n$ (read: a is congruent to b modulo n) to mean that a and b have the same remainder when divided by n ; in other words, that n divides $b - a$. Note that $a \equiv b \bmod n$ should be parsed $(a \equiv b) \bmod n$, and that in general $a \equiv b \bmod n$ and $a = b \bmod n$ mean different things. For example, $7 \equiv 2 \bmod 5$ but not $7 = 2 \bmod 5$.

or in short,

$$\#(xc) = 2(\#x) + c \quad (4.4)$$

for $c \in \{0, 1\}$. From the machine above, we see that for any state $q \in \{\mathbf{0}, \mathbf{1}, \mathbf{2}\}$ and input symbol $c \in \{0, 1\}$,

$$\delta(q, c) = (2q + c) \bmod 3. \quad (4.5)$$

This can be verified by checking all six cases corresponding to possible choices of q and c . (In fact, (4.5) would have been a great way to *define* the transition function formally—then we wouldn't have had to prove it!) Now we use the inductive definition of $\widehat{\delta}$ to show (4.3) by induction on $|x|$.

Basis For $x = \epsilon$,

$$\begin{aligned} \widehat{\delta}(\mathbf{0}, \epsilon) &= \mathbf{0} && \text{by definition of } \widehat{\delta} \\ &= \#\epsilon && \text{since } \#\epsilon = 0 \\ &= \#\epsilon \bmod 3. \end{aligned}$$

Induction step Assuming that (4.3) is true for $x \in \{0, 1\}^*$, we show that it is true for xc , where $c \in \{0, 1\}$.

$$\begin{aligned} \widehat{\delta}(\mathbf{0}, xc) &= \delta(\widehat{\delta}(\mathbf{0}, x), c) && \text{definition of } \widehat{\delta} \\ &= \delta(\#x \bmod 3, c) && \text{induction hypothesis} \\ &= (2(\#x \bmod 3) + c) \bmod 3 && \text{by (4.5)} \\ &= (2(\#x) + c) \bmod 3 && \text{elementary number theory} \\ &= \#xc \bmod 3 && \text{by (4.4)}. \end{aligned}$$

Note that each step has its reason. We used the definition of δ , which is specific to this automaton; the definition of $\widehat{\delta}$ from δ , which is the same for all automata; and elementary properties of numbers and strings.

Some Closure Properties of Regular Sets

For $A, B \subseteq \Sigma^*$, recall the following definitions:

$$\begin{aligned} A \cup B &= \{x \mid x \in A \text{ or } x \in B\} && \text{union} \\ A \cap B &= \{x \mid x \in A \text{ and } x \in B\} && \text{intersection} \\ \sim A &= \{x \in \Sigma^* \mid x \notin A\} && \text{complement} \\ AB &= \{xy \mid x \in A \text{ and } y \in B\} && \text{concatenation} \\ A^* &= \{x_1 x_2 \cdots x_n \mid n \geq 0 \text{ and } x_i \in A, 1 \leq i \leq n\} \\ &= A^0 \cup A^1 \cup A^2 \cup A^3 \cup \cdots && \text{asterate.} \end{aligned}$$

Do not confuse set concatenation with string concatenation. Sometimes $\sim A$ is written $\Sigma^* - A$.

We show below that if A and B are regular, then so are $A \cup B$, $A \cap B$, and $\sim A$. We'll show later that AB and A^* are also regular.

The Product Construction

Assume that A and B are regular. Then there are automata

$$\begin{aligned} M_1 &= (Q_1, \Sigma, \delta_1, s_1, F_1), \\ M_2 &= (Q_2, \Sigma, \delta_2, s_2, F_2) \end{aligned}$$

with $L(M_1) = A$ and $L(M_2) = B$. To show that $A \cap B$ is regular, we will build an automaton M_3 such that $L(M_3) = A \cap B$.

Intuitively, M_3 will have the states of M_1 and M_2 encoded somehow in its states. On input $x \in \Sigma^*$, it will simulate M_1 and M_2 simultaneously on x , accepting iff both M_1 and M_2 would accept. Think about putting a pebble down on the start state of M_1 and another on the start state of M_2 . As the input symbols come in, move both pebbles according to the rules of each machine. Accept if both pebbles occupy accept states in their respective machines when the end of the input string is reached.

Formally, let

$$M_3 = (Q_3, \Sigma, \delta_3, s_3, F_3),$$

where

$$\begin{aligned} Q_3 &= Q_1 \times Q_2 = \{(p, q) \mid p \in Q_1 \text{ and } q \in Q_2\}, \\ F_3 &= F_1 \times F_2 = \{(p, q) \mid p \in F_1 \text{ and } q \in F_2\}, \\ s_3 &= (s_1, s_2), \end{aligned}$$

and let

$$\delta_3 : Q_3 \times \Sigma \rightarrow Q_3$$

be the transition function defined by

$$\delta_3((p, q), a) = (\delta_1(p, a), \delta_2(q, a)).$$

The automaton M_3 is called the *product* of M_1 and M_2 . A state (p, q) of M_3 encodes a configuration of pebbles on M_1 and M_2 .

Recall the inductive definition (3.1) and (3.2) of the extended transition function $\widehat{\delta}$ from Lecture 2. Applied to δ_3 , this gives

$$\begin{aligned} \widehat{\delta}_3((p, q), \epsilon) &= (p, q), \\ \widehat{\delta}_3((p, q), xa) &= \delta_3(\widehat{\delta}_3((p, q), x), a). \end{aligned}$$

Lemma 4.1 For all $x \in \Sigma^*$,

$$\widehat{\delta}_3((p, q), x) = (\widehat{\delta}_1(p, x), \widehat{\delta}_2(q, x)).$$

Proof. By induction on $|x|$.

Basis For $x = \epsilon$,

$$\widehat{\delta}_3((p, q), \epsilon) = (p, q) = (\widehat{\delta}_1(p, \epsilon), \widehat{\delta}_2(q, \epsilon)).$$

Induction step Assuming the lemma holds for $x \in \Sigma^*$, we show that it holds for xa , where $a \in \Sigma$.

$$\begin{aligned} \widehat{\delta}_3((p, q), xa) &= \delta_3(\widehat{\delta}_3((p, q), x), a) && \text{definition of } \widehat{\delta}_3 \\ &= \delta_3((\widehat{\delta}_1(p, x), \widehat{\delta}_2(q, x)), a) && \text{induction hypothesis} \\ &= (\delta_1(\widehat{\delta}_1(p, x), a), \delta_2(\widehat{\delta}_2(q, x), a)) && \text{definition of } \delta_3 \\ &= (\widehat{\delta}_1(p, xa), \widehat{\delta}_2(q, xa)) && \text{definition of } \widehat{\delta}_1 \text{ and } \widehat{\delta}_2. \quad \square \end{aligned}$$

Theorem 4.2 $L(M_3) = L(M_1) \cap L(M_2)$.

Proof. For all $x \in \Sigma^*$,

$$\begin{aligned} x \in L(M_3) &\iff \widehat{\delta}_3(s_3, x) \in F_3 && \text{definition of acceptance} \\ &\iff \widehat{\delta}_3((s_1, s_2), x) \in F_1 \times F_2 && \text{definition of } s_3 \text{ and } F_3 \\ &\iff (\widehat{\delta}_1(s_1, x), \widehat{\delta}_2(s_2, x)) \in F_1 \times F_2 && \text{Lemma 4.1} \\ &\iff \widehat{\delta}_1(s_1, x) \in F_1 \text{ and } \widehat{\delta}_2(s_2, x) \in F_2 && \text{definition of set product} \\ &\iff x \in L(M_1) \text{ and } x \in L(M_2) && \text{definition of acceptance} \\ &\iff x \in L(M_1) \cap L(M_2) && \text{definition of intersection. } \square \end{aligned}$$

To show that regular sets are closed under complement, take a deterministic automaton accepting A and interchange the set of accept and nonaccept states. The resulting automaton accepts exactly when the original automaton would reject, so the set accepted is $\sim A$.

Once we know regular sets are closed under \cap and \sim , it follows that they are closed under \cup by one of the De Morgan laws:

$$A \cup B = \sim(\sim A \cap \sim B).$$

If you use the constructions for \cap and \sim given above, this gives an automaton for $A \cup B$ that looks exactly like the product automaton for $A \cap B$, except that the accept states are

$$F_3 = \{(p, q) \mid p \in F_1 \text{ or } q \in F_2\} = (F_1 \times Q_2) \cup (Q_1 \times F_2)$$

instead of $F_1 \times F_2$.

Historical Notes

Finite-state transition systems were introduced by McCulloch and Pitts in 1943 [84]. Deterministic finite automata in the form presented here were studied by Kleene [70]. Our notation is borrowed from Hopcroft and Ullman [60].

Lecture 5

Nondeterministic Finite Automata

Nondeterminism

Nondeterminism is an important abstraction in computer science. It refers to situations in which the next state of a computation is not uniquely determined by the current state. Nondeterminism arises in real life when there is incomplete information about the state or when there are external forces at work that can affect the course of a computation. For example, the behavior of a process in a distributed system might depend on messages from other processes that arrive at unpredictable times with unpredictable contents.

Nondeterminism is also important in the design of efficient algorithms. There are many instances of important combinatorial problems with efficient nondeterministic solutions but no known efficient deterministic solution. The famous $P = NP$ problem—whether all problems solvable in nondeterministic polynomial time can be solved in deterministic polynomial time—is a major open problem in computer science and arguably one of the most important open problems in all of mathematics.

In nondeterministic situations, we may not know how a computation will evolve, but we may have some idea of the range of possibilities. This is modeled formally by allowing automata to have multiple-valued transition functions.

In this lecture and the next, we will show how nondeterminism is incorporated naturally in the context of finite automata. One might think that adding nondeterminism might increase expressive power, but in fact for finite automata it does not: in terms of the sets accepted, nondeterministic finite automata are no more powerful than deterministic ones. In other words, for every nondeterministic finite automaton, there is a deterministic one accepting the same set. However, nondeterministic machines may be exponentially more succinct.

Nondeterministic Finite Automata

A *nondeterministic finite automaton* (NFA) is one for which the next state is not necessarily uniquely determined by the current state and input symbol. In a deterministic automaton, there is exactly one start state and exactly one transition out of each state for each symbol in Σ . In a nondeterministic automaton, there may be one, more than one, or zero. The set of *possible* next states that the automaton may move to from a particular state q in response to a particular input symbol a is part of the specification of the automaton, but there is no mechanism for deciding which one will actually be taken. Formally, we won't be able to represent this with a function $\delta : Q \times \Sigma \rightarrow Q$ anymore; we will have to use something more general. Also, a nondeterministic automaton may have many start states and may start in any one of them.

Informally, a nondeterministic automaton is said to *accept* its input x if it is possible to start in some start state and scan x , moving according to the transition rules and making choices along the way whenever the next state is not uniquely determined, such that when the end of x is reached, the machine is in an accept state. Because the start state is not determined and because of the choices along the way, there may be several possible paths through the automaton in response to the input x ; some may lead to accept states while others may lead to reject states. The automaton is said to *accept* x if *at least one* computation path on input x starting from *at least one* start state leads to an accept state. The automaton is said to *reject* x if *no* computation path on input x from *any* start state leads to an accept state. Another way of saying this is that x is accepted iff there exists a path with label x from some start state to some accept state. Again, there is no mechanism for determining which state to start in or which of the possible next moves to take in response to an input symbol.


It is helpful to think about this process in terms of *guessing* and *verifying*. On a given input, imagine the automaton *guessing* a successful computation or proof that the input is a “yes” instance of the decision problem, then *verifying* that its guess was indeed correct.

For example, consider the set

$$A = \{x \in \{0, 1\}^* \mid \text{the fifth symbol from the right is } 1\}.$$

Thus $11010010 \in A$ but $11000010 \notin A$.

Here is a six-state nondeterministic automaton accepting A :



There is only one start state, namely the leftmost, and only one accept state, namely the rightmost. The automaton is not deterministic, because there are two transitions from the leftmost state labeled 1 (one back to itself and one to the second state) and no transitions from the rightmost state. This automaton accepts the set A , because for any string x whose fifth symbol from the right is 1, *there exists* a sequence of legal transitions leading from the start state to the accept state (it moves from the first state to the second when it scans the fifth symbol from the right); and for any string x whose fifth symbol from the right is 0, there is *no possible* sequence of legal transitions leading to the accept state, no matter what choices it makes (recall that to accept, the machine must be in an accept state when the end of the input string is reached).

Intuitively, we can think of the machine in the leftmost state as *guessing*, every time it sees a 1, whether that 1 is the fifth letter from the right. It might be and it might not be—the machine doesn't know, and there is no way for it to tell at that point. If it guesses that it is not, then it goes around the loop again. If it guesses that it is, then it commits to that guess by moving to the second state, an irrevocable decision. Now it must *verify* that its guess was correct; this is the purpose of the tail of the automaton leading to the accept state. If the 1 that it guessed was fifth from the right really is fifth from the right, then the machine will be in its accept state exactly when it comes to the end of the input string, therefore it will accept the string. If not, then maybe the symbol fifth from the right is a 0, and *no* guess would have worked; or maybe the symbol fifth from the right was a 1, but the machine just guessed the wrong 1.

Note, however, that for any string $x \in A$ (that is, for any string with a 1 fifth from the right), *there is* a lucky guess that leads to acceptance; whereas for any string $x \notin A$ (that is, for any string with a 0 fifth from the right), *no* guess can possibly lead to acceptance, no matter how lucky the automaton is.

In general, to show that a nondeterministic machine accepts a set B , we must argue that for any string $x \in B$, there is a lucky sequence of guesses that leads from a start state to an accept state when the end of x is reached; but for any string $x \notin B$, *no* sequence of guesses leads to an accept state when the end of x is reached, no matter how lucky the automaton is.

Keep in mind that this process of *guessing and verifying* is just an intuitive aid. The formal definition of nondeterministic acceptance will be given in Lecture 6.

There does exist a deterministic automaton accepting the set A , but any such automaton must have at least $2^5 = 32$ states, since a deterministic machine essentially has to remember the last five symbols seen.

The Subset Construction

We will prove a rather remarkable fact: in terms of the sets accepted, nondeterministic finite automata are no more powerful than deterministic ones. In other words, for every nondeterministic finite automaton, there is a deterministic one accepting the same set. The deterministic automaton, however, may require more states.


This theorem can be proved using the *subset construction*. Here is the intuitive idea; we will give a formal treatment in Lecture 6. Given a nondeterministic machine N , think of putting pebbles on the states to keep track of all the states N could possibly be in after scanning a prefix of the input. We start with pebbles on all the start states of the nondeterministic machine. Say after scanning some prefix y of the input string, we have pebbles on some set P of states, and say P is the set of all states N could possibly be in after scanning y , depending on the nondeterministic choices that N could have made so far. If input symbol b comes in, pick the pebbles up off the states of P and put a pebble down on each state reachable from a state in P under input symbol b . Let P' be the new set of states covered by pebbles. Then P' is the set of states that N could possibly be in after scanning yb .

Although for a state q of N , there may be many possible next states after scanning b , note that the set P' is uniquely determined by b and the set P . We will thus build a deterministic automaton M whose states are these sets. That is, a state of M will be a set of states of N . The start state of M will be the set of start states of N , indicating that we start with one pebble on each of the start states of N . A final state of M will be any set P containing a final state of N , since we want to accept x if it is possible for N to have made choices while scanning x that lead to an accept state of N .

It takes a stretch of the imagination to regard a set of states of N as a single state of M . Let's illustrate the construction with a shortened version of the example above.

Example 5.1 Consider the set

$$A = \{x \in \{0, 1\}^* \mid \text{the second symbol from the right is } 1\}.$$



Label the states p, q, r from left to right, as illustrated. The states of M will be *subsets* of the set of states of N . In this example there are eight such subsets:

$$\emptyset, \{p\}, \{q\}, \{r\}, \{p, q\}, \{p, r\}, \{q, r\}, \{p, q, r\}.$$

Here is the deterministic automaton M :


	0	1
\emptyset	\emptyset	\emptyset
$\rightarrow \{p\}$	$\{p\}$	$\{p, q\}$
$\{q\}$	$\{r\}$	$\{r\}$
$\{r\}F$	\emptyset	\emptyset
$\{p, q\}$	$\{p, r\}$	$\{p, q, r\}$
$\{p, r\}F$	$\{p\}$	$\{p, q\}$
$\{q, r\}F$	$\{r\}$	$\{r\}$
$\{p, q, r\}F$	$\{p, r\}$	$\{p, q, r\}$

For example, if we have pebbles on p and q (the fifth row of the table), and if we see input symbol 0 (first column), then in the next step there will be pebbles on p and r . This is because in the automaton N , p is reachable from p under input 0 and r is reachable from q under input 0, and these are the only states reachable from p and q under input 0. The accept states of M (marked F in the table) are those sets containing an accept state of N . The start state of M is $\{p\}$, the set of all start states of N .

Following 0 and 1 transitions from the start state $\{p\}$ of M , one can see that states $\{q, r\}$, $\{q\}$, $\{r\}$, \emptyset of M can never be reached. These states of M are *inaccessible*, and we might as well throw them out. This leaves

	0	1
$\rightarrow \{p\}$	$\{p\}$	$\{p, q\}$
$\{p, q\}$	$\{p, r\}$	$\{p, q, r\}$
$\{p, r\}F$	$\{p\}$	$\{p, q\}$
$\{p, q, r\}F$	$\{p, r\}$	$\{p, q, r\}$

This four-state automaton is exactly the one you would have come up with if you had built a deterministic automaton directly to remember the last two bits seen and accept if the next-to-last bit is a 1:




Here the state labels $[bc]$ indicate the last two bits seen (for our purposes the null string is as good as having just seen two 0's). Note that these two automata are isomorphic (i.e., they are the same automaton up to the renaming of states):

$$\begin{aligned}
 \{p\} &\approx [00], \\
 \{p, q\} &\approx [01], \\
 \{p, r\} &\approx [10], \\
 \{p, q, r\} &\approx [11].
 \end{aligned}
 \qquad \square$$

Example 5.2 Consider the set

$$\{x \in \{a\}^* \mid |x| \text{ is divisible by 3 or 5}\}. \tag{5.1}$$


Here is an eight-state nondeterministic automaton N with two start states accepting this set (labels a on transitions are omitted since there is only one input symbol).



The only nondeterminism is in the choice of start state. The machine guesses at the outset whether to check for divisibility by 3 or 5. After that, the computation is deterministic.

Let Q be the states of N . We will build a deterministic machine M whose states are subsets of Q . There are $2^8 = 256$ of these in all, but most will be inaccessible (not reachable from the start state of M under any input). Think about moving pebbles—for this particular automaton, if you start with pebbles on the start states and move pebbles to mark all states the machine could possibly be in, you always have exactly two pebbles on N . This says that only subsets of Q with two elements will be accessible as states of M .

The subset construction gives the following deterministic automaton M with 15 accessible states:



In the next lecture we will give a formal definition of nondeterministic finite automata and a general account of the subset construction.

Lecture 6

The Subset Construction

Formal Definition of Nondeterministic Finite Automata

A *nondeterministic finite automaton (NFA)* is a five-tuple

$$N = (Q, \Sigma, \Delta, S, F),$$

where everything is the same as in a deterministic automaton, except for the following two differences.

- S is a *set* of states, that is, $S \subseteq Q$, instead of a single state. The elements of S are called *start states*.
- Δ is a function

$$\Delta : Q \times \Sigma \rightarrow 2^Q,$$

where 2^Q denotes the *power set* of Q or the set of all subsets of Q :

$$2^Q \stackrel{\text{def}}{=} \{A \mid A \subseteq Q\}.$$

Intuitively, $\Delta(p, a)$ gives the set of all states that N is allowed to move to from p in one step under input symbol a . We often write

$$p \xrightarrow{a} q$$

if $q \in \Delta(p, q)$. The set $\Delta(p, a)$ can be the empty set \emptyset . The function Δ is called the *transition function*.

Now we define acceptance for NFAs. The function Δ extends in a natural way by induction to a function

$$\widehat{\Delta} : 2^Q \times \Sigma^* \rightarrow 2^Q$$


according to the rules

$$\widehat{\Delta}(A, \epsilon) \stackrel{\text{def}}{=} A, \tag{6.1}$$

$$\widehat{\Delta}(A, xa) \stackrel{\text{def}}{=} \bigcup_{q \in \widehat{\Delta}(A, x)} \Delta(q, a). \tag{6.2}$$

Intuitively, for $A \subseteq Q$ and $x \in \Sigma^*$, $\widehat{\Delta}(A, x)$ is the set of all states reachable under input string x from *some* state in A . Note that Δ takes a single state as its first argument and a single symbol as its second argument, whereas $\widehat{\Delta}$ takes a *set* of states as its first argument and a *string* of symbols as its second argument.

Equation (6.1) says that the set of all states reachable from a state in A under the null input is just A . In (6.2), the notation on the right-hand side means the union of all the sets $\Delta(q, a)$ for $q \in \widehat{\Delta}(A, x)$; in other words, $r \in \widehat{\Delta}(A, xa)$ if there exists $q \in \widehat{\Delta}(A, x)$ such that $r \in \Delta(q, a)$.



Thus $q \in \widehat{\Delta}(A, x)$ if N can move from some state $p \in A$ to state q under input x . This is the nondeterministic analog of the construction of $\widehat{\delta}$ for deterministic automata we have already seen.

Note that for $a \in \Sigma$,

$$\begin{aligned} \widehat{\Delta}(A, a) &= \bigcup_{p \in \widehat{\Delta}(A, \epsilon)} \Delta(p, a) \\ &= \bigcup_{p \in A} \Delta(p, a). \end{aligned}$$

The automaton N is said to *accept* $x \in \Sigma^*$ if

$$\widehat{\Delta}(S, x) \cap F \neq \emptyset.$$

In other words, N accepts x if there exists an accept state q (i.e., $q \in F$) such that q is reachable from a start state under input string x (i.e., $q \in \widehat{\Delta}(S, x)$).

We define $L(N)$ to be the set of all strings accepted by N :

$$L(N) = \{x \in \Sigma^* \mid N \text{ accepts } x\}.$$

Under this definition, every DFA

$$(Q, \Sigma, \delta, s, F)$$

is equivalent to an NFA

$$(Q, \Sigma, \Delta, \{s\}, F),$$

where $\Delta(p, a) \stackrel{\text{def}}{=} \{\delta(p, a)\}$. Below we will show that the converse holds as well: every NFA is equivalent to some DFA.

Here are some basic lemmas that we will find useful when dealing with NFAs. The first corresponds to Exercise 3 of Homework 1 for deterministic automata.

Lemma 6.1 For any $x, y \in \Sigma^*$ and $A \subseteq Q$,

$$\widehat{\Delta}(A, xy) = \widehat{\Delta}(\widehat{\Delta}(A, x), y).$$

Proof. The proof is by induction on $|y|$.

Basis For $y = \epsilon$,

$$\begin{aligned} \widehat{\Delta}(A, x\epsilon) &= \widehat{\Delta}(A, x) \\ &= \widehat{\Delta}(\widehat{\Delta}(A, x), \epsilon) \quad \text{by (6.1)}. \end{aligned}$$

Induction step For any $y \in \Sigma^*$ and $a \in \Sigma$,

$$\begin{aligned} \widehat{\Delta}(A, xy a) &= \bigcup_{q \in \widehat{\Delta}(A, xy)} \Delta(q, a) \quad \text{by (6.2)} \\ &= \bigcup_{q \in \widehat{\Delta}(\widehat{\Delta}(A, x), y)} \Delta(q, a) \quad \text{induction hypothesis} \\ &= \widehat{\Delta}(\widehat{\Delta}(A, x), ya) \quad \text{by (6.2)}. \quad \square \end{aligned}$$

Lemma 6.2 The function $\widehat{\Delta}$ commutes with set union: for any indexed family A_i of subsets of Q and $x \in \Sigma^*$,

$$\widehat{\Delta}\left(\bigcup_i A_i, x\right) = \bigcup_i \widehat{\Delta}(A_i, x).$$

Proof. By induction on $|x|$.

Basis By (6.1),

$$\widehat{\Delta}\left(\bigcup_i A_i, \epsilon\right) = \bigcup_i A_i = \bigcup_i \widehat{\Delta}(A_i, \epsilon).$$

Induction step

$$\begin{aligned}
\widehat{\Delta}\left(\bigcup_i A_i, xa\right) &= \bigcup_{p \in \widehat{\Delta}\left(\bigcup_i A_i, x\right)} \Delta(p, a) && \text{by (6.2)} \\
&= \bigcup_{p \in \bigcup_i \widehat{\Delta}(A_i, x)} \Delta(p, a) && \text{induction hypothesis} \\
&= \bigcup_i \bigcup_{p \in \widehat{\Delta}(A_i, x)} \Delta(p, a) && \text{basic set theory} \\
&= \bigcup_i \widehat{\Delta}(A_i, xa) && \text{by (6.2)}. \quad \square
\end{aligned}$$

In particular, expressing a set as the union of its singleton subsets,

$$\widehat{\Delta}(A, x) = \bigcup_{p \in A} \widehat{\Delta}(\{p\}, x). \quad (6.3)$$

The Subset Construction: General Account

The subset construction works in general. Let

$$N = (Q_N, \Sigma, \Delta_N, S_N, F_N)$$

be an arbitrary NFA. We will use the subset construction to produce an equivalent DFA. Let M be the DFA

$$M = (Q_M, \Sigma, \delta_M, s_M, F_M),$$

where

$$\begin{aligned}
Q_M &\stackrel{\text{def}}{=} 2^{Q_N}, \\
\delta_M(A, a) &\stackrel{\text{def}}{=} \widehat{\Delta}_N(A, a), \\
s_M &\stackrel{\text{def}}{=} S_N, \\
F_M &\stackrel{\text{def}}{=} \{A \subseteq Q_N \mid A \cap F_N \neq \emptyset\}.
\end{aligned}$$

Note that δ_M is a function from states of M and input symbols to states of M , as it should be, because states of M are *sets* of states of N .

Lemma 6.3 For any $A \subseteq Q_N$ and $x \in \Sigma^*$,

$$\widehat{\delta}_M(A, x) = \widehat{\Delta}_N(A, x).$$

Proof. Induction on $|x|$.

Basis For $x = \epsilon$, we want to show

$$\widehat{\delta}_M(A, \epsilon) = \widehat{\Delta}_N(A, \epsilon).$$

But both of these are A , by definition of $\widehat{\delta}_M$ and $\widehat{\Delta}_N$.

Induction step Assume that

$$\widehat{\delta}_M(A, x) = \widehat{\Delta}_N(A, x).$$

We want to show the same is true for xa , $a \in \Sigma$.

$$\begin{aligned} \widehat{\delta}_M(A, xa) &= \delta_M(\widehat{\delta}_M(A, x), a) && \text{definition of } \widehat{\delta}_M \\ &= \delta_M(\widehat{\Delta}_N(A, x), a) && \text{induction hypothesis} \\ &= \widehat{\Delta}_N(\widehat{\Delta}_N(A, x), a) && \text{definition of } \delta_M \\ &= \widehat{\Delta}_N(A, xa) && \text{Lemma 6.1.} \quad \square \end{aligned}$$

Theorem 6.4 *The automata M and N accept the same set.*

Proof. For any $x \in \Sigma^*$,

$$\begin{aligned} x \in L(M) & \\ \iff \widehat{\delta}_M(s_M, x) \in F_M && \text{definition of acceptance for } M \\ \iff \widehat{\Delta}_N(s_N, x) \cap F_N \neq \emptyset && \text{definition of } s_M \text{ and } F_M, \text{ Lemma 6.3} \\ \iff x \in L(N) && \text{definition of acceptance for } N. \quad \square \end{aligned}$$

ϵ -Transitions


Here is another extension of finite automata that turns out to be quite useful but really adds no more power.

An ϵ -transition is a transition with label ϵ , a letter that stands for the null string ϵ :

$$p \xrightarrow{\epsilon} q.$$

The automaton can take such a transition anytime without reading an input symbol.

Example 6.5




If the machine is in state s and the next input symbol is b , it can non-deterministically decide to do one of three things:

- read the b and move to state p ;
- slide to t without reading an input symbol, then read the b and move to state q ; or
- slide to t without reading an input symbol, then slide to u without reading an input symbol, then read the b and move to state r .

The set of strings accepted by this automaton is $\{b, bb, bbb\}$. □

Example 6.6 Here is a nondeterministic automaton with ϵ -transitions accepting the set $\{x \in \{a\}^* \mid |x| \text{ is divisible by 3 or 5}\}$:



The automaton chooses at the outset which of the two conditions to check for (divisibility by 3 or 5) and slides to one of the two loops accordingly without reading an input symbol. □

The main benefit of ϵ -transitions is convenience. They do not really add any power: a modified subset construction involving the notion of ϵ -closure can be used to show that every NFA with ϵ -transitions can be simulated by a DFA without ϵ -transitions (Miscellaneous Exercise 10); thus all sets accepted by nondeterministic automata with ϵ -transitions are regular. We will also give an alternative treatment in Lecture 10 using homomorphisms.

More Closure Properties

Recall that the concatenation of sets A and B is the set

$$AB = \{xy \mid x \in A \text{ and } y \in B\}.$$

For example,


$$\{a, ab\}\{b, ba\} = \{ab, aba, abb, abba\}.$$

If A and B are regular, then so is AB . To see this, let M be an automaton for A and N an automaton for B . Make a new automaton P whose states are the union of the state sets of M and N , and take all the transitions of M and N as transitions of P . Make the start states of M the start states of P and the final states of N the final states of P . Finally, put ϵ -transitions from all the final states of M to all the start states of N . Then $L(P) = AB$.

Example 6.7 Let $A = \{aa\}$, $B = \{bb\}$. Here are automata for A and B :



Here is the automaton you get by the construction above for AB :




□

If A is regular, then so is its asterate:

$$\begin{aligned}
 A^* &= \{\epsilon\} \cup A \cup A^2 \cup A^3 \cup \dots \\
 &= \{x_1x_2 \cdots x_n \mid n \geq 0 \text{ and } x_i \in A, 1 \leq i \leq n\}.
 \end{aligned}$$


To see this, take an automaton M for A . Build an automaton P for A^* as follows. Start with all the states and transitions of M . Add a new state s . Add ϵ -transitions from s to all the start states of M and from all the final states of M to s . Make s the only start state of P and also the only final state of P (thus the start and final states of M are *not* start and final states of P). Then P accepts exactly the set A^* .

Example 6.8 Let $A = \{aa\}$. Consider the three-state automaton for A in Example 6.7. Here is the automaton you get for A^* by the construction above:



□

In this construction, you must add the new start/final state s . You might think that it suffices to put in ϵ -transitions from the old final states back to the old start states and make the old start states final states, but this doesn't always work. Here's a counterexample:



The set accepted is $\{a^n b \mid n \geq 0\}$. The asterate of this set is

$$\{\epsilon\} \cup \{\text{strings ending with } b\},$$

but if you put in an ϵ -transition from the final state back to the start state and made the start state a final state, then the set accepted would be $\{a, b\}^*$.

Historical Notes

Rabin and Scott [102] introduced nondeterministic finite automata and showed using the subset construction that they were no more powerful than deterministic finite automata.

Closure properties of regular sets were studied by Ginsburg and Rose [46, 48], Ginsburg [43], McNaughton and Yamada [85], and Rabin and Scott [102], among others.